BISO JICA JAPAN - VIETNAM CO., LTD.

Address: 16 D4 Street, Cat Lai Ward, Thu Duc City, Ho Chi Minh City, Vietnam. Phone: 0928899939

BASIC STANDARD TCCS 03:2024/BISOJICA BIOLOGICAL PRODUCT PRODUCT NAME: BF - NATURAL

PREFACE

Standard publisher: BISO JICA JAPAN - VIETNAM CO., LTD. Address: No. 16, D4 Street, Cat Lai Ward, Thu Duc City, Ho Chi Minh City, Vietnam. Phone: 0928899939. The company has developed the TCCS 03:2024/BISOJICA standard for application to the following products:
BF-NATURAL
This standard is published in conjunction with Decision No.: 01/QD/BISOJICA.

1. Application Scope

- This standard delineates the requirements for quality, labeling, usage instructions, storage, and transportation.

  Applicable to the product: BF-NATURAL as stated by the Company.

2. Document

2.1 References

- Law on Product Quality No. 05/2007/QH12, enacted on November 21, 2007, by the 12th National Assembly.
- Law on Technical Standards and Regulations No. 68/2006/QH11, dated June 29, 2006, of the 11th National Assembly.
- Circular No. 21/2007.TT-BKHCN, issued on September 28, 2007, offers guidance on the development and application of standards.

2.2 Referenced

3. Documents and Technical Specifications

3.1 Sensory Specifications

- The criteria for sensory evaluation of the product are detailed in Table 1.

Table 1. Criteria for Sensory Evaluation of the Product.

STT	*Indicator designation*	*Request*	*Testing methodology*
1	External form	Liquid state	Sensory perception
2	Color	Pale yellowish-brown to deep yellowish-brown	
3	Smell	It possesses the distinctive aroma of the product.	
4	Sharp-edged external object	Do not possess	

3.2 Quality Standards

- The specifications for product quality are detailed in Table 2.

Table 2. Indicators of Product Quality

STT	*Target*	*Measurement unit*	*Quality standard*	*Testing methodology*
1	Energy	Kcal/100g	41	
2	Protein (Minimum) Lipid	g/100g	8,2	
3	(Minimum)	g/100g	0,2	

STT	Target	Unit of measurement	Quality level	Testing methodology
4	Carbohydrate (Minimum)	g per 100g,	1.6	
5	Ash (Maximum)	g per 100g,	0.4	
6	Sodium (Minimum)	mg per 100g,	30	
7	Protease (Minimum)	Unit per g,	6,000	
8	Lipase (Minimum)		3,000	
9	Water	Unit per g, g per 100g,	89.6	
10	Salt equivalent	g per 100g	0.1	

3.3 Hygiene and Safety Requirements

- The product safety standards are outlined in Table 3.

Table 3. Standards for Product Safety

STT	Target	Unit of measurement	Quality standard	Testing methodology
Microorganism				
1	E. coli (maximum)	CFU per gram	1.1 x 10^3	
2	Salmonella (maximum)	CFU per 25 grams	None	
Heavy metals				
3	Arsenic (As) (maximum)	mg/kg	10	
4	Cadmium (Cd) (maximum)	mg/kg	5	
5	Lead (Pb) (maximum)	mg/kg	200	
6	Mercury (Hg) (maximum)	mg/kg	2	

4. Ingredients: The ingredients utilized comprise water and enzymes derived from plants and animals in their natural habitats.

Packaging, labeling, storage, and transportation.

5. 5.1 Packaging

- The product is presented in plastic bottles and containers. Packaging
- specifications include: 100ml, 1L, and 10L (or as per customer requirements).

5.2 Labeling

- Product labeling is conducted in compliance with Government Decree 43/2017/ND-CP, dated April 14, 2017, regarding product labeling, as well as Decree 111/2021/ND-CP, which amends and supplements Decree 43/2017/ND-CP.

5.3 Storage

- The product is kept in a clean, cool, and well-ventilated warehouse, shielded from prolonged exposure to direct sunlight.

5.4 Expiration Date

- Two years from the date of manufacture.

5.5 Transportation

- Vehicles utilized for the transportation of products must be clean, dry, covered, devoid of hazardous substances, and free from pathogens that may lead to cross-contamination of the products.

6. *User Guide*

- For soil and irrigation, dilute 150ml or 250ml per 1,000m² of soil with a minimum of 500 times that volume of water, applying it to the base of the plant to ensure complete contact with the roots. Water the base of the plant sufficiently to reach the roots.
- When the irrigation pump operates for 10 minutes in a 1,000m2 greenhouse, water the plant roots after 5 minutes (50%) of the irrigation duration has passed. During the 10 minutes that the irrigation pump is running in the 1,000m2 greenhouse, dissolve this product in water and apply it using a chemical mixer after the remaining 5 minutes (50%) of the irrigation duration has passed.
- This product does not qualify as a fertilizer.
- The standard frequency is once or twice monthly.
- It can be applied as a mist; when spraying on leaves, ensure that both the upper and lower surfaces of the leaf, as well as the stem and roots, are uniformly coated.
- Refrain from utilizing hot water sprayers at elevated temperatures.

Kindly consult the product label or the technical documentation provided with the product for further details.

Ho Chi Minh City, March 16, 2024