BISO JICA JAPAN - VIETNAM CO., LTD.

Address: No. 16, D4 Street, Cat Lai Ward, Thu Duc City, Ho Chi Minh City, Vietnam. Phone: 0928899939

BASIC STANDARD
TCCS 09:2024/BISOJICA
BIOLOGICAL
PRODUCT NAME: NIOI ZERO

PREFACE

Standard Publisher: BISO JICA JAPAN - VIETNAM CO., LTD.
Address: No. 16, D4 Street, Cat Lai Ward, Thu Duc City, Ho Chi Minh City, Vietnam.
Phone: 0928899939. The company developed the basic standard TCCS 09:2024/BISOJICA for the product:
BK-PARTNER.
This standard is published with Decision No.: 01/QD/BISOJICA

1. Scope of application

- This standard specifies requirements for quality, labeling, instructions for use, storage, and transportation. Applicable to the product: NIOI ZERO as announced by the Company.

2. Document

2.1 References

- Law on Product Quality No. 05/2007/QH12 dated November 21, 2007, of the 12th National Assembly.
- Law on Technical Standards and Regulations No. 68/2006/QH11 dated June 29, 2006, of the 11th National Assembly
- Circular No. 21/2007.TT-BKHCN issued on September 28, 2007, providing guidance on the development and application of standards.

2.2 Referenced Documents

3. Technical Requirements

3.1 Sensory Requirements

- The sensory evaluation criteria for the product are specified in Table 1.

Table 1. Sensory evaluation criteria for the product.

STT	*Parameter Name*	*required.*	*Test method*
1	***External Shape***	***Liquid form***	Sensory perception
2	Color	Light yellowish-brown to dark yellowish-brown	
3	Smell	It has the product's characteristic smell.	
4	Sharp-edged foreign object	Do not have	

3.2 Quality Requirements

- The product quality specifications are listed in Table 2.

Table 2. Product quality indicators

STT	*Target*	*Unit of measurement*	*Quality level*	*Test method*
1	Energy	Kcal/100g	91,5	
2	Protein (Not less than)	g/100g	0,4	
3	Lipid (Not less than)	g/100g	4,9	

STT		Unitof measurement:	Quality level	Test method
4	Carbohydrate (Not less than)	g/100g,	11,4	
5	Ash (Not more than)	g/100g,	5,5	
6	Sodium (Not less than)	mg/100g,	136	
7	Protease (Not less than)	Unit/g,	6.000	
8	Lipase (Not less than)	Unit/g	3.000	

3.3 Requirements regarding hygiene and safety

- The product safety standards are as stipulated in Table 3.

Table 3. Product safety standards

STT	Target	Unit of measurement	Quality level	Test method
Microorganism				
1	E.Coli (max)	CFU/g	1.1 x 10^3	
2	Salmonella (max)	CFU/25g	None	
Heavy metals				
3	Arsenic (As) (max)	mg/kg	10	
4	Cadmium (Cd) (max)	mg/kg	5	
5	Lead (Pb) (max)	mg/kg	200	
6	Mercury (Hg) (max)	mg/kg	2	

4. Ingredients

- Ingredients include: Water, and enzyme components extracted from plants and animals in their natural environment.

5. Packaging, labeling, storage, and transportation

5.1 Packaging

- The product is packaged in plastic bottles and containers. Packaging sizes: 1L,
- 2L, 5L, 10L, 20L (or according to customer requirements).

5.2 Labeling

- Product labeling is carried out in accordance with Government Decree 43/2017/ND-CP dated April 14, 2017, on product labeling and Decree 111/2021/ND-CP amending and supplementing Decree 43/2017/ND-CP.

5.3 Storage

- The product is stored in a clean, cool, and well-ventilated warehouse, away from direct sunlight for extended periods.

5.4 Expiration Date

- 2 years from the date of manufacture.

5.5 Transportation

- Vehicles used to transport products must be clean, dry, covered, free of hazardous substances, and free of pathogens that could cause cross-contamination of the products.

6. Instructions for use

- For soil and watering, dilute 150ml or 250ml per 1,000m2 of soil with at least 500 times the amount of water and water the base of the plants to ensure full contact with the roots. Water the base of the plants just enough to reach the roots. When the irrigation pump has been running for 10 minutes in a 1,000m2 greenhouse, water the roots after 5 minutes (50%) of the watering time has elapsed.
- While the irrigation pump is running for 10 minutes in the 1,000m2 greenhouse, dissolve this product in water and deliver it using a chemical mixer after 5 minutes (50% of the remaining time has elapsed).

- This product is not a fertilizer.
- The standard frequency is once or twice a month.
- It can be sprayed as a mist; when spraying on leaves, ensure that both sides of the leaf, stem, and roots are evenly coated.
- Avoid using hot water sprayers at high temperatures.

Please refer to the product label or technical documentation included with the product for details.

Ho Chi Minh City, March 16, 2024