BISO JICA JAPAN - VIETNAM CO., LTD.

Address: No. 16, D4 Street, Cat Lai Ward, Thu Duc City, Ho Chi Minh City, Vietnam. Phone: 0928899939

BASIC STANDARD TCCS 10:2024/BISOJICA

BIOLOGICAL PRODUCTS

PRODUCT NAME: S-POWER

PREFACE

Standard publisher: BISO JICA JAPAN - VIETNAM CO., LTD. Address: No. 16, D4 Street, Cat Lai Ward, Thu Duc City, Ho Chi Minh City, Vietnam. Phone: 0928899939. The company has established the TCCS 10:2024/BISOJICA standard for application to the following products:
BK-PARTNER
This standard is released in conjunction with Decision No.: 01/QD/BISOJICA.

1. Area of applicability

- This standard outlines the requirements for quality, labeling, usage instructions, storage, and transportation. Applicable to the product: S-POWER as stated by the Company.

2. Document

2.1 References

- Law on Product Quality No. 05/2007/QH12, enacted on November 21, 2007, by the 12th National Assembly.
- Law on Technical Standards and Regulations No. 68/2006/QH11, enacted on June 29, 2006, by the 11th National Assembly.
- Circular No. 21/2007.TT-BKHCN, issued on September 28, 2007, offers guidance on the development and application of standards.

2.2 Cited Documents

3. Technical Specifications

3.1 Sensory Specifications

- The criteria for sensory evaluation of the product are detailed in Table 1.

Table 1. Criteria for sensory evaluation of the product.

STT	*Parameter Name*	*required*	*Testing procedure*
1	***External Form***	***Liquid state***	Sensory awareness
2	Color	Pale yellowish-brown to deep yellowish-brown	
3	Smell	It possesses the distinctive aroma of the product.	
4	Sharp-edged external object	Do not possess	

3.2 Standards of Quality

- The specifications for product quality are detailed in Table 2.

Table 2. Indicators of product quality

STT	*Target*	*Measurement unit*	*Quality standard*	*Testing procedure*
1	Energy	Kcal per 100g	91,5	
2	Protein (Minimum)	g per 100g	0,4	
3	Lipid (Minimum)	g per 100g	4,9	

STT	Target	Unit of measurement:	Quality level 11.4	Testing procedure
4	Carbohydrate (Minimum)	g per 100g,	5,5	
5	Ash (Maximum)	g per 100g,	136	
6	Sodium (Minimum)	mg per 100g,	6.000	
7	Protease (Minimum)	Unit per g,	3.000	
8	Lipase (At least)	Unit per g		

3.3 Standards for hygiene and safety

- The safety standards for the product are outlined in Table 3.

Table 3. Standards for Product Safety

STT	Target	Measurement unit	Quality standard	Testing procedure
Microorganism				
1	E. coli (maximum)	CFU per gram	1.1 x 10^3	
2	Salmonella (maximum)	CFU per 25 grams	None	
Heavy metals				
3	Asen (As) (maximum)	mg/kg	10 5	
4	Cadmium (Cd) (maximum)	mg/kg	200	
5	Lead (Pb) (maximum)	mg/kg	2	
6	Mercury (Hg) (maximum)	mg/kg		

4. ***Ingredients: The ingredients utilized consist of water and enzyme extracts derived from both plants and animals.***

- natural habitat.

5. ***Packaging, labeling, storage, and transportation 5.1 Packaging***

- The product is contained in plastic bottles and plastic containers.
- Packaging specifications: 1L, 2L, 5L, 10L, 20L (or according to customer specifications).

5.2 Labeling

- Product labeling is conducted in compliance with Government Decree 43/2017/ND-CP, dated April 14, 2017, regarding product labeling, as well as Decree 111/2021/ND-CP, which amends and supplements Decree 43/2017/ND-CP.

5.3 Storage

- The product is kept in a clean, cool, and well-ventilated storage facility, shielded from prolonged exposure to direct sunlight.

5.4 Shelf Life

- 2 years from the manufacturing date.

5.5 Transportation

- Vehicles utilized for transporting products must be clean, dry, covered, devoid of hazardous substances, and free from pathogens that could lead to cross-contamination of the products.

6. ***Guidelines for Usage***

- For soil and watering, dilute 150ml or 250ml per 1,000m2 of soil with a minimum of 500 times that amount of water, and apply it to the base of the plants to ensure complete contact with the roots. Water the base of the plants sufficiently to reach the roots. When the irrigation pump has been operating for 10 minutes in a 1,000m2 greenhouse, water the roots after 5 minutes (50%) of the total watering time has passed.
- While the irrigation pump operates for 10 minutes in the 1,000m2 greenhouse, dissolve this product in water and apply it using a chemical mixer after 5 minutes (50% of the remaining time has passed).

- This item does not qualify as a fertilizer.
- The typical frequency is once or twice each month.
- It can be applied as a mist; when applying to leaves, make sure that both sides of the leaf, as well as the stem and roots, are thoroughly coated.
- Refrain from utilizing hot water sprayers at elevated temperatures.

Kindly consult the product label or the technical documentation provided with the product for further information.

Ho Chi Minh City, March 16, 2024