How to use enzymes in pig farms

1. A method for deodorizing the exterior of livestock pens

Nozzles are installed near the exhaust fans of the barn, using a spraying system to disperse the diluted product as a fine mist to neutralize odors. The spraying duration is controlled by a timer.

Recommended dilution ratio ： X1,000～2,000

A well water storage tank and a pump for spraying.

Installed nozzles and spraying status

2. Methods for deodorizing the interior of livestock pens

Nozzles are installed on the ceiling inside the piggery, using a spraying system to disperse the diluted product to neutralize odors. The spraying duration is controlled by a timer.

Recommended dilution ratio ： X1,000～2,000

Installed nozzles and spraying status

3. Methods for deodorizing the exterior of the composting facility

Nozzles are installed at the top of the composting facility's exterior walls, using a spraying system to disperse the diluted product to neutralize odors. The spraying duration is controlled by a timer.

Recommended dilution ratio ： X1,000～2,000



A well water storage tank and a pump for spraying.

Mixer and prepared product

Spraying status

4. Deodorizing, promoting fermentation, and preventing pests during the composting process.

By mixing it into the compost ingredients or during the fermentation process, odors can be suppressed. Additionally, the fermentation-promoting effect shortens the time required to complete the process. Furthermore, it can prevent the emergence of pests such as flies.

When mixing compost, dilute the concentrated product with water by 1,000 to 2,000 times and spray evenly using a fine-mesh sprayer. The recommended spraying volume (diluted product) is 2 to 4 liters per 1 m³ (ton) of raw compost material.

(Volume of stock solution: 2-4L ÷ 1,000-2,000 times = 1-4ml/m³(t))

Recommended frequency of use: Daily or 1-2 times per week.

＊Apply the product daily to fresh manure.

Spraying operation in progress



Changes in odor levels inside the building

5. Cleaning floors, equipment, dust, etc., inside the piggery.

Use the diluted product when cleaning the interior of the piggery. This helps prevent odors inside the barn, suppress manure smells, and control pests, while also promoting healthier growth for the pigs.

Recommended dilution ratio: 1:5,000 - 1:10,000" (hoặc "X5,000 - 10,000")

6. Contributing to enhancing wastewater treatment capacity, reducing sludge, and neutralizing odors.

In wastewater treatment systems, it promotes the decomposition of organic carbon, ammonia, and nitrogen in the wastewater, thereby increasing treatment capacity. As a result, excess sludge is reduced, along with odors and other chemical pollutants.

Recommended additive concentration: 5-10 mg/L

(Calculation based on the volume of wastewater to be treated)

Recommended frequency of use: Daily or 2-3 times per week

Screen

Aeration tank

Membrane tank

Product usage

Final treated water

Final treated water