

vamp# instructions

Table of Contents

vamp# instructions.....	3
What is the vamp#.....	3
The used libraries and the programming technique.....	3
Play an arbitrary file.....	4
Play an arbitrary file via the menu item.....	4
Play a file from the list.....	5
Movie collection.....	6
Watching movies.....	8
TV show season collection.....	9
Watching TV shows.....	11
DVD / optical disc playback.....	12
Music.....	13
Configuring the amp#.....	14
The music playback.....	15
Playback controls explained.....	15
Keyboard controls for the music playback.....	22
Watching YouTube.....	22
The Internet.....	24
Photo albums.....	26
The exit menu item.....	28
Controls in the web browser windows.....	29
Photo album viewer controls.....	31
PDF viewer controls.....	33
Other GUI controls.....	33
The photo album editor.....	35
The parts of a photo album with the editor.....	36
Creating a photo album.....	36
The description and tags for a single photo in the album.....	38
The photo album's properties.....	40
Deleting photos from album and deleting tags.....	40
Saving changes to the photo album.....	41
Exporting photo album(s).....	43
The exported XML format.....	43
The exported SQL format.....	44
Importing a photo album from XML.....	45
Deleting photo album(s).....	45
Video player window's playback controls.....	46
The settings.....	50
The amp# remote contro API (Music Player).....	50

The base directory for movie files.....	51
The base directory for TV show series files.....	51
Base directory for image/photo files.....	51
Cache database in the memory.....	52
Cache the TMDb poster/still images into the memory.....	52
TMDb (The Movie Database) enabled.....	52
TMDb poster/still image file system cache path.....	53
Use file name for TV show episode naming.....	53
Language (a restart is required).....	53
Hardware requirements.....	54
My low end HTPC.....	54
The license.....	55
Other information.....	55
Compiling the software from source.....	56
Getting the source code.....	56
Getting the source path ready.....	57
Restore the NuGet packages.....	58
Compiling the installer package.....	59
The installer is ready.....	61
Credits / Thanks to.....	62
”Third party” licenses.....	64
Final words.....	64

vamp# instructions

This is a small document of how to use the [vamp#](#) software and how to compile it from [source](#).

What is the vamp#

The vamp# is a A lightweight open source [HTPC](#) software for video, audio and photo playback for Microsoft® Windows® platform.

The software was wrote because some other similar [HTPC](#) software's were either requiring too much resources or are otherwise over-bloated with "useless" features.

The used libraries and the programming technique

The software is written purely in [C# programming language](#) and is currently relying on [.NET Framework v.4.6.1](#). The software uses Windows Forms as the [GUI](#) which is somewhat outdated according to some people, but much easier to approach.

The software's video playback is base on the famous an efficient [VLC](#) media player and the movie and TV show data is gathered from the [TMDb \(The Movie Database\)](#).


Another libraries will be listed after the actual instructions.

Play an arbitrary file

To play an arbitrary file you need to either select the menu from the main menu or select an already watched directory from the right side list.

Play an arbitrary file via the menu item

The arbitrary video playback starts from the menu item which gives you a file browser dialog. The browser playback dialog's starts from the previously browsed path which is saved in the settings.




The “tick” (☑) icon on the right side of the file indicates that the file has been watched, and the half-moon icon indicates that the file has been watched to some point and then the playback was stopped (◐). To play a file just simply click the file to start the playback.

Play a file from the list

When the mouse hovers over the menu item the right side of the screen gets filled with previously browsed directories. Any directory can be selected from the list and the file browser dialog executes on that directory.




There is also this deletion button (✕) which can be used to delete an item from the list.




Movie collection


Movies are added to the movie collection via the add (+) button on the bottom of the movie collection list which opens a directory browser dialog. The actual menu item in this case does nothing else than displays the movie collection list when the mouse hovers over the menu item. The refresh button (↺) updates the [TMDb \(The Movie Database\)](https://www.tmdb.org/) data for the movies in the collection(s).



The [TMDb \(The Movie Database\)](https://www.tmdb.org/) update/load dialog:



There is also a delete (✕) button which can be used to delete a movie collection from the list.



Watching movies


To launch a selection window to watch a movie simply select the collection from which you may want to watch a movie from. The selection dialog includes the movie posters, the descriptions of the movies and their running times. Also the same indicators are used to display the watching state of a movie.

The “tick” (☑) icon on the left of a selected movie indicates that the movie has been watched, and the half-moon icon indicates that the movie has been watched to some point and then the playback was stopped (◐). To watch a movie just simply click the movie to start the playback.




TV show season collection


TV show seasons are added to the TV show season collection via the add (+) button on the bottom of the TV show collection list which opens a directory browser dialog. The actual menu item in this case does nothing else than displays the TV show season collection list when the mouse hovers over the menu item. The refresh button (↺) updates the [TMDb \(The Movie Database\)](https://www.imdb.com/) data for the TV show season(s) in the collection(s).



The [TMDb \(The Movie Database\)](https://www.imdb.com/) update/load dialog:



There is also a delete (✕) button which can be used to delete a TV show season from the list.



Watching TV shows

To launch a selection window to watch a TV show season episode simply select the collection from which you may want to watch a TV show season episode. The selection dialog includes the TV show season episode stills, the descriptions of the TV show season episodes and their running times. Also the same indicators are used to display the watching state of a TV show season episode.

The “tick” (☑) icon on the left of a selected TV show season episode indicates that the TV show season episode has been watched, and the half-moon icon indicates that the TV show season episode has been watched to some point and then the playback was stopped (◐). To watch a TV show season episode just simply click the episode to start the playback.



Description

The city of Los Angeles has been occupied by an unknown force. Former FBI agent Will Bowman and his wife Katie are separated from their son during the invasion, and are willing to do anything to be reunited with him. When they are offered a chance to get their son back by collaborating with the occupational government, Will and Katie find themselves faced with the toughest decision of their lives.

Length: 00:49

Colony S01E01







Colony S01E01

Colony S01E02

Colony S01E03

Colony S01E04


Colony S01E05

DVD / optical disc playback

The DVD / other optical disc playback doesn't currently work – so this entry is in a todo stage.



However a dialog to start the playback is shown if the menu item is clicked




Music

The music playback relies on the [amp#](#) program's remote control [WCF \(Windows Communication Foundation\) API](#). The reason to use the [amp#](#) software is simply that there was no reason program a new music player and some of the music playback libraries are incompatible with the [GPLv3](#) license.


Configuring the amp#

Configuring the [amp#](#) software is quite simple – however the remote control [API](#) to get enabled an elevated user rights are required.

Select File → Settings:




Enable the remote control [API](#) from the settings:



The music playback

The [amp#](#) software must be running in order for the audio playback to work – however the remote control interface doesn't.



The playback interface is quite simple – it has a search text box, the list of the songs in the album and common music player controls.

Playback controls explained

The playback position is displayed in minutes and seconds of how much of the playback time is left and the playback position can be adjusted with a slider.



The volume is adjusted as per-song basis so there is no master volume at all.



The rating of the song can be set with the slider with the stars in it.



Items can be deleted from the album by selecting the delete button on the right side of the song or by pressing delete button from the keyboard.



NOTE: These previously mentioned controls do affect the [amp#](#)'s [database](#) and are saved by the [amp#](#) software.

Playlist shuffling / randomizing is set with the button described below.

The playlist shuffling / randomizing is enabled



The playlist shuffling / randomizing is disabled



Playlist repeat is set with the button described below.

The playlist repeat is enabled



The playlist repeat is disabled



The previous song is played if any songs have been played; otherwise the button is disabled



The disabled button



Play / pause button either resumes the paused playback or pauses the current playback

Start / resume the playback



Pause the playback



The next song button either selects the next song from a queue or plays the next song depending on the randomization / shuffle and repeat settings.

The next song button




The display queue button displays the queue if any songs are queued; otherwise the button is disabled.

The display queue button is enabled



The display queue button is disabled




The context button allows to load saved queues, append to the current queue and select another album from the [amp#](#)'s [database](#)

The context button




The items in the context menu




The first menu item called “Select Album” allows the user to change the album from the [amp#’s database](#).

Select album item was clicked..




So a dialog to select an album is displayed – the user can either cancel or select another album




The second menu item allows a user to load a saved queue for playback from the [amp#](#) software's [database](#).


A load a saved queue item was clicked..




So a dialog is displayed to allow user to either select a saved queue or cancel the operation



An append a saved queue item was clicked..



So a dialog is displayed to either append to the end of the current queue or cancel the operation



The exit button closes the [amp#](#) remote control window but the [amp#](#) software it self is left to the state it was running when the window was still open.

The close button



The queue counter displays how many songs there are in the queue currently

The queue counter

In queue: 11


There is also this tool-tip text which gives a short description when the mouse hovers over a control

The tool-tip text

Queue

Keyboard controls for the music playback

Searching for songs is just as simple as to just start writing text event though the search box doesn't have a focus.



Control keys

- The Delete key deletes selected items from the album (play list)
- The Return key starts a playback of a selected item from the list
- The Add key (NP +) adds a song to the queue, if the Control key is also down the song is inserted into the queue after the currently playing song in the queue.
- The Up and Down arrow keys and the Page Up or Page Down keys allows the user to navigate in the song list.

Watching YouTube

[YouTube TV](#) interface can be simply launched from the main menu bu selecting the [YouTube](#) button from the menu.

The [YouTube](#) menu item




This opens a window based on the [Chromium Embedded Framework](#) with the [YouTube's TV](#) interface.

The YouTube's TV interface loading



The interface in ready state (weird recommendations though 😊)



The Internet

The Internet menu allows you to store web sites mostly for watching videos. The browser is based on the [GeckoFX-45.0](#) framework because as compared to Chromium this has an embedded support for decryption of [DRM](#) content in [HTML5](#) videos. Do note that the [Flash](#) is not supported and will not **ever** be supported.


The menu item is as follows and has no other functionality than to display the website list on the right side of the screen when the mouse hovers over the menu item.

The Internet menu item



It the right side list box the user can select, add and delete a website from the list. The delete (✕) button simply displays a dialog whether a selected website should be deleted from the list.

The delete item dialog



The add button (+) displays a dialog which allows the user to add a website to the list.


The dialog also allows you to give a name for the website to be added to the list so too long or too complex WWW addresses aren't displayed.

The add website (location) dialog



A dialog box titled "Select location" with a green folder icon. It contains two input fields: "Enter URL:" with the text "http://www.katsomo.fi" and "Enter description:" with the text "www.katsomo.fi". At the bottom, there are three buttons: a green checkmark icon, the text "OK", a red "X" icon, and the text "Cancel".

The right side menu for managing websites



Once an item is clicked from the list the web browser window automatically navigates to the selected location.



The web browser window showing the selected location




Photo albums


Photo albums can be viewed and deleted through the main interface but there is no editing possibility. The software has a separate photo album editor for that. The menu item it self does nothing else than shows a list of photo albums on the right side of the screen when the mouse hovers over the menu item.

The photo album menu item




A photo album can be either watched or deleted using the delete (✕) button in the photo album list box.

The deletion dialog




An item is selected from the photo album list



After selecting an item a photo album browser window opens. It has simple movement buttons to backward and forward.

The photo album window with the navigation menu showing



TIP: To zoom an image use the right mouse button and drag the mouse over the image.

The exit menu item

The exit menu item currently does nothing else than quits the program.

The exit menu item



Controls in the web browser windows

The web browser windows were build to be simple – you can only browse backwards and forwards and exit the web browser window. An additional freature is the ability to refresh the current web page.

The navigation tool bar pops up when the mouse is at the bottom side of the screen



There are five buttons to use with the navigation in addition to what the web browsers control has to offer.

The back button takes the user to the previous page the browser was on. There are also keyboard controls such as Alt+Left Arrow and Backspace keys for keyboard use.

The back button



The forward button tajes the user to the next page the browser was on. There are also keyboard controls such as Alt+Right Arrow and Shift+Backspace keys for keyboard use.

The previous button



The refresh button refreshes the web page. There are also keyboard controls such as F5 to refresh the page and Ctrl+F5 to refresh the page entirely without using the previously cached data.

The refresh button



The home button sets the page to the page the browser window was started on. The keyboard shortcut key is Alt+Home.

The home button



The close button simply closes the web browser window. The keyboard shortcut is the Escape key.

The close button



The controls work both on the Chromium and the Gecko based web browser windows.

Photo album viewer controls

In the photo album viewer a user can select previous or next photo and rotate the photos in 90 degree steps.

The photo album viewer control bar



The previous button displays the previous image or the last image in the album if first photo in the album is currently visible. The shortcut key is Left.

The previous photo button



The rotate counter-clockwise button rotates the image 90 degrees counter-clockwise. The shortcut key is Page Up.

The rotate counter-clockwise button



The rotate clockwise button rotates the image 90 degrees clockwise. The shortcut key is Page Down.

The rotate clockwise button



The next button displays the next image or the first image in the album if last photo in the album is currently visible. The shortcut key is Right.

The next photo button



The exit button simply exits the photo album viewer. The shortcut key is Escape.

The exit button



Use the right mouse button to zoom the image to 100 percent and drag the mouse pan the image while zoomed.

PDF viewer controls

The [PDF](#) viewer has no other controls than the bottom browser bar's exit button and the Escape key closes the [PDF](#) viewer window. Other controls are based on the viewer control it self – it can be zoomed, dragged and scrolled as any [PDF](#) viewer.

The [PDF](#) viewer window with the control bar visible showing the Thanks to (credits) document

Thanks to




Licenses

- libVLC: [GNU General Public License](#)
- Vlc.DotNet: [MIT](#)
- cef: [Modified BSD \(3-clause BSD license\)](#)
- CefSharp: [Modified BSD \(3-clause BSD license\)](#)
- openclapart: [CC0](#)




Other GUI controls


There are few other controls in the GUI. The one shows simply the Thanks to [PDF](#) document on the right upper corner of the main window.



The other is just a link to my website to the [vamp#](#) software's web page which opens the website in the Gecko web browser window.



On the center of the upper center of the main window is the settings button. The settings can also be found in the [Windows](#) start menu under the [vamp#](#) item if the software is installed via the installer.



The last one is the loading indicator which just indicates that the software is loading something and hasn't crashed – so please do wait. The other parts of the GUI also go disabled while this indicator is spinning.




The photo album editor

The photo album editor is in a way a "normal" [Windows](#) application and you shouldn't try to use it on a [HTPC](#) – instead export and import the photo album made with a normal [PC](#).

The photo album editor can be launched from the [Windows](#) start menu or by giving the [vamp#](#) software a command line argument "--photos".

The photo album editor at glance




The parts of a photo album with the editor

A single photo album in the vap# software consists of the following things


- The name of the photo album
- The photo files in the file system
- The start date and time of the photo album
- The description for a single image in the photo album
- The tags assigned to a single image in the photo album
- The date and time of a single file in the photo album

Creating a photo album


The creation of a photo album is simple. Just select New from the main menu. First a name for the new albums is asked from the user.



Once the name is given a folder browser dialog opens where the user can select the folder containing the photo album.




A folder browser dialog opens with the from the directory selected in the settings.



Just select the folder containing the photo album and a new photo album is created.

The new photo album just created



The description and tags for a single photo in the album



The photo in the photo album can be given a description and tags to describe the photo in the album. One of the two must be given or both. If the description is empty the tags assigned to the photo will be used as description delimited by commas (,); otherwise the given description will be used while displaying the photo.

Tags can be assigned to the photo with two different ways.

The first one is simply to drag an existing tag over the photo view box or over the list box displaying the selected photo's tags.

The other way is to write the tag to the text box and select the "Add tag ←" button.

An image to show how a tag can be added to a single photo in a photo album



The description for a photo file can be set from below the photo album's photo list box. There is also the time the photo was taken.

Photos in the album

- Oona sohvalla
- Oona sohvalla ja Billy vieressä
- Kiitaja puun rungolla 1**
- Kiitaja puun rungolla 2

Photo description:

Kiitaja puun rungolla 1

Time taken: 5.6.2004 14:11:35

Time taken (text description):

Tags assigned for the photo:

- Kiitaja
- Perhonen

Add tag <--

If I was to erase the description the description in the list would change to the list of tags instead.

Photos in the album

- Oona sohvalla
- Oona sohvalla ja Billy vieressä
- Kiitaja, Perhonen**
- Kiitaja puun rungolla 2

Photo description:

Time taken: 5.6.2004 14:11:35

Time taken (text description):

Tags assigned for the photo:

- Kiitaja
- Perhonen

Add tag <--


The description now changed to the list of tags as the description is empty.

The time the photo was taken is gotten from the photo's [Exif](#) tag however if it's not valid the date and time can be changed. Also a free description of the photo's taking time can be given like "Summer of 69", etc.

The actual files in the file system remain unchanged when setting their properties in the photo album editor. All the properties are saved into the [vamp#](#)'s [database](#).

The photo album's properties


The photo album has two properties one being the name and the other the date and time of the photo album.




The name is given in a different dialog box as a check must be made that there are no same named photo albums in the photo album collection. The date usually is the date the first photo was taken, but it can also be set to any value a user wishes to.

Deleting photos from album and deleting tags

To delete a photo from a photo album just drag and drop a photo from the photo album's contents list box to the trash bin. The deletion is confirmed with a dialog.



To delete a tag from a selected photo the previous procedure applies – just drag the tag into the trash bin. A deletion of a tag is not confirmed with a dialog.




Saving changes to the photo album

If the photo album is edited the changes can be saved with the large save button in the lower left corner of the photo album editor or by selecting the *Save changes* menu item from the *File* menu.

The save button



The Save changes menu item




To undo changes you can select the large undo changes button in the lower left corner of the photo album editor or by selecting the *Undo changes* menu item from the *File* menu.

The undo changes button




The Undo changes menu item



All other changes can be undone except a deletion of a photo album or deletion of a photo in a photo album. Do note that the GUI reacts to photo album's edition by disabling items that are not needed to for editing a selected photo album.

Exporting photo album(s)

Photo albums can either be exported in [XML](#) or in [SQL](#) format. The export files don't include the actual photos in the file system – only their locations. Select the albums you wish to export from the list.



After the selection export the selected album(s) in either [XML](#) or SQL format. Do note that the software doesn't allow [SQL](#) to be imported to prevent direct [SQL injection](#).

The exported XML format

The exported [XML](#) contains the following structure:

```
<?xml version="1.0" encoding="utf-8"?>
<Albums>
  ..<Album Name="...">
    ....<AlbumEntries>
      .....<AlbumEntry Name="..." Description="some description 1.." DescriptionReal="some description 1.."
```

Basically the contents are the same as in the [database](#).

The exported SQL format

The exported [SQL](#) contains "well" formatted [SQL](#) sentences to run against the [database](#) – however a direct import is made impossible due to the possibility of [SQL injection](#) (malicious [SQL](#)).

```
--ALBUMNAME=Haukkakorhola.33.

INSERT INTO PHOTOALBUM (NAME, FIRSTDATE, BASEDIROVERRIDE)
SELECT 'Haukkakorhola.33',
'2004-04-02 00:00:00.000',
'C:\Files\Kuvia'
WHERE NOT EXISTS (SELECT * FROM PHOTOALBUM WHERE NAME = 'Haukkakorhola.33');

INSERT INTO PHOTOALBUMLINK (NAME, MD5HASH)
SELECT 'Haukkakorhola.33', '0x861D83EC328E4FA554FCA6C55C744AAA'
WHERE NOT EXISTS (SELECT * FROM PHOTOALBUMLINK WHERE MD5HASH = '0x861D83EC328E4FA554FCA6C55C744AAA');

INSERT INTO PHOTODATA (MD5HASH, DESCRIPTION, DATETIME)
SELECT '0x861D83EC328E4FA554FCA6C55C744AAA', 'Billy, Pesulla', '2004-04-02 00:00:00.000'
WHERE NOT EXISTS (SELECT * FROM PHOTODATA WHERE MD5HASH = '0x861D83EC328E4FA554FCA6C55C744AAA' AND DESCRIPTION = 'Billy, Pesulla');

UPDATE PHOTODATA
SET DESCRIPTION = 'Billy, Pesulla', DATETIME = '2004-04-02 00:00:00.000'
WHERE MD5HASH = '0x861D83EC328E4FA554FCA6C55C744AAA';

INSERT INTO PHOTOFIELD (MD5HASH, FILENAME)
SELECT '0x861D83EC328E4FA554FCA6C55C744AAA', 'Valokuvat\Kuva45\S2300019.JPG'
WHERE NOT EXISTS (SELECT * FROM PHOTOFIELD WHERE MD5HASH = '0x861D83EC328E4FA554FCA6C55C744AAA' AND FILENAME = 'Valokuvat\Kuva45\S2300019.JPG');


DELETE FROM PHOTODATATAG WHERE MD5HASH = '0x861D83EC328E4FA554FCA6C55C744AAA';

INSERT INTO PHOTODATATAG (MD5HASH, TAGTEXT)
VALUES ('0x861D83EC328E4FA554FCA6C55C744AAA', 'Billy');

INSERT INTO PHOTODATATAG (MD5HASH, TAGTEXT)
VALUES ('0x861D83EC328E4FA554FCA6C55C744AAA', 'Pesulla');
```

Importing a photo album from XML


To import a photo album from a [XML](#) file select the *Import (XML)* menu item from the *File* menu.



An open file dialog opens to select a [XML](#) file to import into the [database](#). If the files in the XML file are not found in the source computer's file system the album's file locations are asked to make the import successful.

Deleting photo album(s)

To delete selected photo album(s) select the *Delete selected albums* menu item from the *File* menu. Each deletion is confirmed separately.




Video player window's playback controls

The video player window consist of mostly common playback control and some related to the [VLC](#) media player.



The time shows how many hours, minutes and seconds the playback position is compared to the total length of the video.

The playback position



The playback position can be adjusted via the slider next to the text describing the position.



The subtitle selection can be used to select the subtitles the VLC has detected or to disable the subtitles at all.



The select subtitle dialog



The audio control doesn't control the master audio of the system, it controls the audio of the current video which is playing. This is saved to the [vamp#](#)'s [database](#) and set while the video is re-played.

The audio slider and the volume mute button



The jump to the start of the playback starts the playback from the beginning.

The jump to start button



The rewind button rewinds the playback faster than the normal playback speed.

The rewind button



The play / pause button pauses the playback when the video is playing or resumes the playback when the video is paused. Also a mouse click on the screen toggles the play / pause state.

The play and the pause button



The stop button also acts as an exit button. The playback position is saved to the database.

The stop button



The wind forward button winds the playback faster than the normal playback speed.

The wind forward button



The jump to end button marks the video as watched and closes the playback window. It can be used if you have already watched the video or don't want to watch the video.

The jump to the end button



Tooltips in the player window mostly show the function of the button / control except for with the audio slider with which the percentage of the original playback volume is also displayed.

The volume tooltip


Volume: 73%

If the volume is set to zero the the volume button goes to a muted state and can be restored with the same button.

The volume muted



If the playback of a file has been stopped somewhere in the middle a dialog is shown if the playback should be started from the beginning or to continue the playback from the previously stopped location.



The settings

The settings are either launched from the main screen or from the Windows start menu under the [vamp#](#) folder. It is recommended that the software is restarted after the settings have been changed.

The settings window at glance

The amp# remote contro API (Music Player)

This setting tells the [vamp#](#) software the endpoint where the [amp#](#) remote control [API](#) is listening to requests. The setting allows the user to play music via the music player window. The default setting is <http://localhost:11316/ampRemote>.

The amp# remote contro API (Music Player) setting

The base directory for movie files

This setting tells the [vamp#](#) software the default location for movie files. This setting only affects the directory browser dialog when adding new movie folders to the collection. The default value is %USERPROFILE%\Videos.

The base directory for movie files setting

Base dicrectory for movie files:	<input type="text" value="C:\Users\Petteri Kautonen\Videos"/>	...
----------------------------------	---	-----

The base directory for TV show series files

This tells the [vamp#](#) software's the default location for TV show series files. This setting only affects the directory browser dialog when adding new TV show folders to the collection. The default value is %USERPROFILE%\Videos.

The base directory for TV show series files setting

Base dicrectory for TV show series files:	<input type="text" value="Z:\Series"/>	...
---	--	-----

Base directory for image/photo files

This tells the [vamp#](#) software the default location for image / photo files. This setting only affects the directory browser dialog when browsing for a photo album folder to add or to update the collection. The default value is %USERPROFILE%\Pictures.

Base directory for image/photo files setting

Base dicrectory for image/photo files:	<input type="text" value="C:\Files\Kuvia"/>	...
--	---	-----

Cache database in the memory

This setting affects the method of how the [database](#) is being handled by the software. The default setting is false and should be kept that way as the in-memory [database](#) might cause excess memory usage.

Cache database in the memory setting

Cache the database into the memory:



Cache the TMDb poster/still images into the memory

This setting affects the method of how the caching of poster/still images from the [TMDb](#) is handled. The default value is false and should always be kept false as numerous amount of poster/still images in the memory will cause excess memory usage.

Cache the TMDb poster/still images into the memory setting

Cache the TMDb poster/still images into the memory:



TMDb (The Movie Database) enabled

This value indicates if the software should fetch data for the movie and TV show series files from the [TMDb \(The Movie Database\)](#). The default value is true and there is no reason to disable the setting.

TMDb (The Movie Database) enabled setting

TMDb (The Movie Database) enabled:



TMDb poster/still image file system cache path

A path in the file system where the [TMDb](#) poster / still images should be cached if the caching is enabled. The default value is %USERPROFILE%\AppData\Local\vamp#\TBDdbImageCache.

TMDb poster/still image file system cache path setting

TMDb poster/still image file system cache path: ...

Use file name for TV show episode naming

This indicates if the file name should be used for TV show season episode naming instead of the longer string version. The default value is false.

Use file name for TV show episode naming setting

Use file name for TV show episode naming: ☒

Language (a restart is required)

This is the language used in the software. The default is English (United States). Currently two languages are supported: en-US and fi-FI. Do remember to restart the software if the GUI language has been changed.

Language setting

Language (a restart is required):

English (United States)
English (United States)
Finnish (Finland)


Hardware requirements

The hardware requirements are the same as mentioned in the [vamp# software's website](#).

- Microsoft® Windows® supporting .NET Framework v.4.6.1.
- Runs both on 32 and 64 bit operating systems.
- Internet connection for the [TMDb database](#), this is however optional.
- 4 GB RAM, a hard drive and some Intel Celeron or similar [CPU](#) with 2+ cores and running @2 GHz and a display chip


My low end HTPC

The specifications on my low-end [HTPC](#) (which doesn't run Kodi) according to the [CPU-Z](#) software.



The image displays two screenshots of the CPU-Z software interface. The left screenshot shows the 'CPU' tab, detailing the processor as an Intel Celeron J1900 (Bay Trail-D) with a 22 nm technology and 1.024 V core voltage. The right screenshot shows the 'Memory' tab, detailing the memory as DDR3, 4 GBytes, Dual channel, with a DRAM Frequency of 666.7 MHz and various timing parameters.

The GPU



The license

The software ([vamp#](#)) is licensed under the terms of the [GNU GENERAL PUBLIC LICENSE Version 3, 29 June 2007](#).

Other information

This software doesn't affect the file system of the operating system; this includes

- Video files
- Photo files
- Optical media discs
- Audio files
- Any other

The only thing that is affected is the software's own directory which includes the [database](#), browser caches, error logs and some cached data from the [TMDb \(The Movie Database\)](#). The software's own data directory is located at %USERPROFILE%\AppData\Local\vamp#.

Compiling the software from source


To compile the software from source you will need

- An internet connection
- A Microsoft® [Visual Studio® 2017](#) community edition or better

Getting the source code

The source code is located at GitHub, <https://github.com/VPKSoft/vamp>.

Use the Git (Command Prompt): `git clone https://github.com/VPKSoft/vamp.git`



```
C:\WINDOWS\system32\cmd.exe

c:\Files\GitHub>git clone https://github.com/VPKSoft/vamp.git
Cloning into 'vamp'...
remote: Enumerating objects: 1641, done.
remote: Counting objects: 100% (1641/1641), done.
remote: Compressing objects: 100% (841/841), done.
remote: Total 1641 (delta 709), reused 1499 (delta 594), pack-reused 0
Receiving objects: 100% (1641/1641), 138.61 MiB | 700.00 KiB/s, done.
Resolving deltas: 100% (709/709), done.
Checking out files: 100% (1348/1348), done.

c:\Files\GitHub>
```


Getting the source path ready

First open the solution in the [Visual Studio 2017](#) by selecting the vamp.sln file.

Name	Date modified	Type	Size
.git	12.10.2018 16:38	File folder	
FolderSelectDialog	12.10.2018 16:38	File folder	
installer	12.10.2018 16:38	File folder	
static_packages	12.10.2018 16:38	File folder	
vamp	12.10.2018 16:38	File folder	
.gitattributes	12.10.2018 16:38	Text Document	3 KB
.gitignore	12.10.2018 16:38	Text Document	6 KB
album_editor.ico	12.10.2018 16:38	Icon	17 KB
copy_lang.bat	12.10.2018 16:38	Windows Batch File	1 KB
icon.ico	12.10.2018 16:38	Icon	17 KB
lang.sqlite	12.10.2018 16:38	SQLITE File	140 KB
LICENSE	12.10.2018 16:38	File	35 KB
README.md	12.10.2018 16:38	MD File	4 KB
settings.ico	12.10.2018 16:38	Icon	67 KB
thanks_to.odt	12.10.2018 16:38	OpenDocument-t...	58 KB
thanks_to.pdf	12.10.2018 16:38	Adobe Acrobat D...	79 KB
TMDbAttribution.png	12.10.2018 16:38	FastStone PNG File	6 KB
vamp.sln	12.10.2018 16:38	Visual Studio Solu...	2 KB


Restore the NuGet packages

Now that the solution is opened the nuget packages it is using must be restored. To do this you need to click the solution with right mouse button and select *Restore NuGet Packages*




After that just start coding.

NOTE: Do not update the System.Data.SQLite.Core NuGet package as many other NuGet packages and the software it self uses the NuGet. Updating the package will lead to an exception: *System.BadImageFormatException: Could not load file or assembly 'System.Data.SQLite..*




Compiling the installer package

First select the *Release* with *Any CPU* from the [Visual Studio](#)



From the solution explorer select the solution with the right mouse button and then select *Rebuild Solution*




After the software has been compiled open the solution folder, navigate to the installer folder and execute the *make_installer.bat* batch file. The [NSIS \(Nullsoft Scriptable Install System\)](#) must be installed before this procedure.

Name	Date modified	Type	Size
2015	23.9.2018 18:43	File folder	
DotNetChecker.nsh	10.1.2018 10:36	NSIS Header File	7 KB
license.txt	7.12.2015 20:06	Text Document	35 KB
make_installer.bat	24.9.2018 17:40	Windows Batch File	1 KB
setup_vampsharp.nsi	9.10.2018 19:56	NSIS Script File	9 KB
un_icon.ico	26.2.2018 21:04	Icon	17 KB

After the *make_installer.bat* has been launched you should probably take a coffee break or something.. 😊


The installer being compiled



The installer is ready

After the coffee break or something the installer should be ready and appear to the installer directory.

The NSIS finished



The installer in the file system

Name	Date modified	Type	Size
2015	23.9.2018 18:43	File folder	
DotNetChecker.nsh	10.1.2018 10:36	NSIS Header File	7 KB
license.txt	7.12.2015 20:06	Text Document	35 KB
make_installer.bat	24.9.2018 17:40	Windows Batch File	1 KB
setup_vampsharp.nsi	9.10.2018 19:56	NSIS Script File	9 KB
setup_vampsharp_1_0_0_3.exe	12.10.2018 17:33	Application	263 714 KB
un_icon.ico	26.2.2018 21:04	Icon	17 KB

File description: vamp#
Company: VPKSoft
File version: 1.0.0.3
Date created: 12.10.2018 17:27
Size: 257 MB

Credits / Thanks to

[libVLC,](#)

libVLC is the core engine and the interface to the multimedia framework on which VLC media player is based.

[Vlc.DotNet,](#)

Vlc.DotNet is a .net library that hosts the audio/video capabilities of the VLC libraries. In other words, it's a .net wrapper around libvlc.

[Chromium Embedded Framework,](#)

The Chromium Embedded Framework (CEF) is a simple framework for embedding Chromium-based browsers in other applications.

[CefSharp,](#)

.NET (WPF and Windows Forms) bindings for the Chromium Embedded Framework

[GeckoFX-45.0,](#)

library that allows embedding Gecko in C# applications.

[Loading.io,](#)

Loading.io provides the world's best ajax loaders, loading gifs, preloaders and ajax spinners.

[NSIS,](#)

NSIS (Nullsoft Scriptable Install System) is a professional open source system to create Windows installers. It is designed to be as small and flexible as possible and is therefore very suitable for internet distribution.

[NsisDotNetChecker,](#)

NSIS plugin that allows one to detect if particular .Net framework is installed on the computer and download/install one if it is not found.

[PdfiumViewer,](#)

PDF viewer based on Google's PDFium.

[libdvdcss-dll,](#)

Compiled libdvdcss libraries for Windows. Ready for use with Handbrake.

[THE MOVIE DB,](#)

This product uses the TMDb API but is not endorsed or certified by TMDb.

POWERED BY
THE MOVIE DB

[TmdbEasy,](#)

TMdbEasy is a wrapper, written in C# , for the TMDB Api v3. By using TMdbEasy you can easily gain access to a large amount of movie data.

[Globalmousekeyhook,](#)

This library allows you to tap keyboard and mouse, detect and record their activity even when an application is inactive and runs in background.

[MediaInfo,](#)

MediaInfo is a convenient unified display of the most relevant technical and tag data for video and audio files.

[MediaInfoDotNet,](#)

Wrapper Library for MediaInfo Library. Automatically chooses 32 and 64 bit library.

[VPKSoft \(me\),](#)

Various libraries both [GNU Lesser General Public License Version 3](#) and [GNU GENERAL PUBLIC LICENSE Version 3](#).

[openclipart,](#)

Greate clipart which is all licensed as public domain.

[Aha-Soft 16x16 Free Application Icons,](#)

A small icon set of 16x16 icons in various image formats.

[MetadataExtractor,](#)

MetadataExtractor is a straightforward .NET library for reading metadata from image and movie files.

[Owner-drawn trackbar/slider](#) - Implementing a Windows Forms owner-drawn trackbar (slider) control in C#.

© Michal Brylka

"Third party" licenses

- libVLC: [GNU General Public License](#)
- Vlc.DotNet: [MIT](#)
- cef: [Modified BSD \(3-clause BSD license\)](#)
- CefSharp: [Modified BSD \(3-clause BSD license\)](#)
- openclipart: [CC0](#)
- Loading.io: [CC0](#) and commercial versions
- NsisDotNetChecker: [MIT](#)
- System.Data.SQLite: [Public Domain](#)
- globalmousekeyhook: [MIT](#)
- NSIS (Nullsoft Scriptable Install System): [The zlib/libpng License \(Zlib\)](#)
- GeckoFX-45.0: [Mozilla Public Licence](#)
- PdfiumViewer: [Apache 2.0 License](#)
- libdvdcss-dll: [GNU General Public License, version 2](#)
- THE MOVIE DB: [Terms of Use](#), [API Terms of Use](#)
- TmdbEasy: [GNU GENERAL PUBLIC LICENSE Version 3](#)
- MediaInfo: [BSD-2-Clause license](#)
- MediaInfoDotNet: [BSD-2-Clause license](#) (Assumed from the [MediaInfo](#) library's [license](#), which this library is using)
- openclipart: [Public Domain](#)
- Aha-Soft: [Attribution 3.0 United States \(CC BY 3.0 US\)](#)
- MetadataExtractor, [Apache License Version 2.0](#)
- Owner-drawn trackbar/slider, [The GNU Lesser General Public License \(LGPLv3\)](#)

If your library or contribution is not listed here do contact me at <https://www.vpksoft.net> or send email to vpksoft@vpksoft.net.

Final words

I'll be back.

If you enjoyed the show please contact me at my [website](#) or via the [GitHub](#) or via email: vpksoft@vpksoft.net.

