# <u>Dashboard</u> / <u>My courses</u> / <u>CS23333-OOPUJ-2023</u> / <u>Lab-02-Flow Control Statements</u> / <u>Lab-02-Logic Building</u>

Status	Finished
Started	Saturday, 21 September 2024, 8:07 PM
Completed	Saturday, 21 September 2024, 8:29 PM
Duration	21 mins 43 secs

```
Question 1
Correct
Marked out of 5.00
```

Consider a sequence of the form 0, 1, 1, 2, 4, 7, 13, 24, 44, 81, 149...

Write a method program which takes as parameter an integer n and prints the nth term of the above sequence. The nth term will fit in an integer value.

Example Input:

5

Output:

4

Example Input:

8

Output:

24

Example Input:

11

Output:

149

### For example:

Input	Result	
5	4	
8	24	
11	149	

Answer: (penalty regime: 0 %)

```
1 v import java.util.Scanner;
 3 * public class SequenceCalculator {
 4
 5 ,
         public static int getNthTerm(int n) {
             if (n == 0) return 0;
 6
             if (n == 1 || n == 2) return 1;
 7
 8
             if (n == 3) return 2;
 9
             if (n == 4) return 4;
10
11
12
             int[] terms = new int[n + 1];
             terms[0] = 0;
13
14
             terms[1] = 1;
15
             terms[2] = 1;
16
             terms[3] = 2;
17
             terms[4] = 4;
18
19
20
             for (int i = 5; i <= n; i++) {</pre>
                 \texttt{terms[i] = terms[i - 1] + terms[i - 2] + terms[i - 3];}
21
22
23
24
             return terms[n-1];
25
         }
26
        public static void main(String[] args) {
27 ▼
```

```
Scanner scanner = new Scanner(System.in);

int n = scanner.nextInt();
int result = getNthTerm(n);
System.out.println(result);

System.out.println(result);
```

	Input	Expected	Got	
~	5	4	4	~
~	8	24	24	~
~	11	149	149	~

Passed all tests! ✓

10

```
Question 2
Correct
Marked out of 5.00
```

Consider the following sequence:

1st term: 1
2nd term: 1 2 1
3rd term: 1 2 1 3 1 2 1
4th term: 1 2 1 3 1 2 1 4 1 2 1 3 1 2 1

And so on. Write a program that takes as parameter an integer n and prints the nth terms of this sequence.

Example Input:

1 Output: 1

Example Input:

4

Output:

121312141213121

#### For example:

Input	Result
1	1
2	1 2 1
3	1 2 1 3 1 2 1
4	1 2 1 3 1 2 1 4 1 2 1 3 1 2 1

## Answer: (penalty regime: 0 %)

```
1 → import java.util.Scanner;
 2
 3 ▼ public class SequenceGenerator {
 4
 5 🔻
        public static String generateTerm(int n) {
 6 •
            if (n == 1) {
 7
                 return "1";
 8 ,
            } else {
 9
10
                 String previousTerm = generateTerm(n - 1);
                 return previousTerm + " " + n + " " + previousTerm;
11
12
13
        }
14
15
        public static void main(String[] args) {
16
            Scanner scanner = new Scanner(System.in);
17
18
19
            int n = scanner.nextInt();
20
21
22
            System.out.println(generateTerm(n));
23
24
            scanner.close();
25
26
```

	Input	Expected	Got	
~	1	1	1	~
~	2	1 2 1	1 2 1	~
~	3	1 2 1 3 1 2 1	1 2 1 3 1 2 1	~
~	4	1 2 1 3 1 2 1 4 1 2 1 3 1 2 1	1 2 1 3 1 2 1 4 1 2 1 3 1 2 1	~

Passed all tests! 🗸

10

```
Question 3
Correct
Marked out of 5.00
```

You and your friend are movie fans and want to predict if the movie is going to be a hit!

The movie's success formula depends on 2 parameters:

the acting power of the actor (range 0 to 10)

the critic's rating of the movie (range 0 to 10)

The movie is a hit if the acting power is excellent (more than 8) or the rating is excellent (more than 8). This holds true except if either the acting power is poor (less than 2) or rating is poor (less than 2), then the movie is a flop. Otherwise the movie is average.

Write a program that takes 2 integers:

the first integer is the acting power

second integer is the critic's rating.

You have to print Yes if the movie is a hit, Maybe if the movie is average and No if the movie is flop.

Example input:

9 5

Output:

Yes

Example input:

19

Output:

No

Example input:

6 4

Output:

Maybe

## For example:

Input	Result
9 5	Yes
1 9	No
6 4	Maybe

Answer: (penalty regime: 0 %)

```
1 ▼ import java.util.Scanner;
 2 v public class MoviePrediction {
3 * public static void main(String[] args) {
4 | Scanner scanner = new Scanner(System.in);
   int actingPower = scanner.nextInt();
 6
7
    int criticRating = scanner.nextInt();
8
9 v if (actingPower < 2 | | criticRating < 2) {
10 | System.out.println("No");
11 v } else if (actingPower > 8 || criticRating > 8) {
12 | System.out.println("Yes");
13 √|} else {
   System.out.println("Maybe");
14
15
```

```
16 | scanner.close();
17 | }
18 | }
19 |
```

	Input	Expected	Got	
~	9 5	Yes	Yes	~
~	1 9	No	No	~
~	6 4	Maybe	Maybe	~

Passed all tests! 🗸

10

### ■ Lab-02-MCQ

Jump to...

Lab-03-MCQ ►