

Input	Result
20	1 2 4 5 10 20

Ex. No.	:	4.1	Date:
Register No.	. <b>:</b>		Name:

# Factors of a number

Determine the factors of a number (i.e., all positive integer values that evenly divide into a number).

```
n=int(input())
for i in range(1,n+1):
   if n%i==0:
      print(i,end="")
```

Input	Result
292	1
1015	2
108	3
22	0

Ex. No. : 4.2 Date:

Register No.: Name:

### Non Repeated Digit Count

Write a program to find the count of non-repeated digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number  $\geq 1$  and  $\leq 25000$ . Some examples are as below.

If the given number is 292, the program should return 1 because there is only 1 non-repeated digit '9' in this number

If the given number is 1015, the program should return 2 because there are 2 non-repeated digits in this number, '0', and '5'.

If the given number is 108, the program should return 3 because there are 3 non-repeated digits in this number, '1', '0', and '8'.

If the given number is 22, the function should return 0 because there are NO non-repeated digits in this number.

Example 1: if the given number N is 7, the method must return 2 Example 2: if the given number N is 10, the method must return 1  $\,$ 

Input	Result
7	2
10	1

Ex. No. : 4.3 Date:

Register No.: Name:

### **Prime Checking**

Write a program that finds whether the given number N is Prime or not. If the number is prime, the program should return 2 else it must return 1.

Assumption:  $2 \le N \le 5000$ , where N is the given number.

<pre>n=int(input())</pre>
<u>temp= 2</u>
if $n \ge 2$ and $n \le 5000$ :
for i in range (2, n):
if n% * i ==0 :
temp= 1
<u>break</u>
<u>if temp=-1:</u>
<u>print (1)</u>
else:
print(2)

Input Format:
Integer input from stdin.
Output Format:
Perfect square greater than N.
Example Input:
10
Output:

Ex. No.	:	4.4	Date:
Register No.	. <b>:</b>		Name:

# Next Perfect Square

Given a number N, find the next perfect square greater than N.

```
n=int(input())
m=0
for i in range (1, n):
    if (i * i>n):
        m = i* i
        break
print(m)
```

NOTE: Fibonacci series looks like -

0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, . . . and so on.

i.e. Fibonacci series starts with 0 and 1, and continues generating the next number as the sum of the previous two numbers.

- first Fibonacci number is 0,
- second Fibonacci number is 1,
- third Fibonacci number is 1,
- fourth Fibonacci number is 2,
- fifth Fibonacci number is 3,
- sixth Fibonacci number is 5,
- seventh Fibonacci number is 8, and so on.

For example:

Input:

7

Output

8

Ex. No. : 4.5 Date:

Register No.: Name:

### Nth Fibonacci

Write a program to return the nth number in the fibonacci series. The value of N will be passed to the program as input.

n=int(input())
temp= 0
a = 1
s = 0
for i in range (0, n):
 s = temp+a
 a = temp
 temp= s
print(a)

Input Format:

Single Integer Input from stdin.

Output Format:

Yes or No.

Example Input:

175

Output:

Yes

Explanation

1^1 + 7^2 +5^3 = 175

Example Input:

123

Output:

No

#### For example:

#### Input Result

175 Yes

123 No

Ex. No. : 4.6 Date:

Register No.: Name:

### **Disarium Number**

A Number is said to be Disarium number when the sum of its digit raised to the power of their respective positions becomes equal to the number itself. Write a program to print number is Disarium or not.

```
n = int(input())
num = len(str(n))
p = num
q = n
r = 0
sum=0
for i in range(0,num):
 r = n\% * 10
sum = sum + r **p
p = p - 1
n = n//10
if um ==q:
print("Yes")
else:
print("No")
```

Sample Test Cases

Test Case 1

Input

4

Output

1234

Explanation:

as input is 4, have to take 4 terms.

1 + 11 + 111 + 1111

Test Case 2

Input

6

Output

123456

Input	Result
3	123

Ex. No.	:	4.7	Date:
Register No	. <b>:</b>		Name:

## Sum of Series

Write a program to find the sum of the series  $1 + 11 + 111 + 1111 + \dots + n$  terms (n will be given as input from the user and sum will be the output)

```
n=int(input())
sum = 1
C = 1
for i in range (1, n):
    sum = sum * 10+1
    C = C + sum
print(C)
```

Input	Result
292	2
1015	3

Ex. No.	:	4.8	Date:
Register No.	. <b>:</b>		Name:

### **Unique Digit Count**

Write a program to find the count of unique digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number  $\geq 1$  and  $\leq 25000$ . For e.g.

If the given number is 292, the program should return 2 because there are only 2 unique digits '2' and '9' in this number

If the given number is 1015, the program should return 3 because there are 3 unique digits in this number, '1', '0', and '5'.

n=int(input())
a =[]
while n >0:
 if n%10 not in a:
 a.append(n%10)
 n =n//10
print(len(a))

Input Format:
Single Integer input.
Output Format:
Output displays Yes if condition satisfies else prints No.
Example Input:
14
Output:
Yes
Example Input:
13
Output:
No

Ex. No.	:	4.9	Date:
Register No	.:		Name:

## Product of single digit

Given a positive integer N, check whether it can be represented as a product of single digit numbers.

```
n =int(input())
if( n%2 ==0 or n%3 ==0 or n%5 ==0 or n%7 ==0) :
    print (" Yes ")
else:
    print (" No ")
```

Input Format:

Single integer input.

Output Format:

Yes or No.

Example Input:

24

Output:

Yes

Example Input:

26

Output:

No

Input	Result
24	Yes

Ex. No.	:	4.10	Date:
Register No.:			Name:

# Perfect Square After adding One

Given an integer N, check whether N the given number can be made a perfect square after adding 1 to it.

```
n=int(input())+1
a = 0
if(n==0 or n ==1):
    a = 1
for i in range ( 2 ,(n//2)) :
    if (n==i*i):
        a = 1
        break
if a ==1:
    print("Yes")
else:
    print (" No ")
```