

API Diff Checklist (Endpoint-by-Endpoint)

A. Endpoints already aligned (no action)

- Auth
 - POST /auth/signup ↔■ Postman "Sign Up" (/api/v1/auth/signup)
 - POST /auth/login ↔■ Postman "Login" (/api/v1/auth/login)
- Organizations
 - POST /orgs ↔■ Postman "Create Org" (/api/v1/orgs)
- Invitations (Org-scoped)
 - POST /orgs/{org_slug}/users/invite ↔■ Postman "Invite User" (/api/v1/orgs/{orgSlug}/users/invite)
 - GET /orgs/{org_slug}/invitations ↔■ Postman "List Org Pending Invites"
- Invitations (Public + Mgmt)
 - GET /invitations/{token} ↔■ Postman "Get Invite By Token"
 - POST /invitations/{token}/accept ↔■ Postman "Accept Invitation"
 - POST /invites/{id}/resend ↔■ Postman "Resend Invite"
 - DELETE /invites/{id} ↔■ Postman "Cancel Invite"
- Admin – Users CRUD
 - GET/POST /admin/users, GET/PUT/DELETE /admin/users/{id}, POST /admin/users/{id}/activate ↔■ Matching Postman calls
- Admin – Global Settings
 - GET/POST /admin/settings, GET /admin/settings/{key} ↔■ Matching Postman calls

B. Add these to Postman (exist in Swagger)

- User profile
 - PUT /user/profile
- Organizations
 - PUT /orgs/{org_slug}
- Stores
 - GET /orgs/{org_slug}/stores
 - GET /orgs/{org_slug}/stores/{store_slug}
 - PUT /orgs/{org_slug}/stores/{store_slug}
 - GET /orgs/{org_slug}/stores/{store_slug}/services
 - GET /orgs/{org_slug}/stores/domain/{shop_domain}
- Admin – Auth & Ops
 - POST /admin/login
 - GET /admin/audit-logs, GET /admin/audit-logs/admin/{admin_id}
 - POST /admin/users/change-password, POST /admin/users/{id}/force-password-change
- Internal S2S
- Any /api/v1/internal/* endpoints

C. Fix parameter/path style mismatches

- Stores – create under org
 - Postman: POST /api/v1/orgs/{orgId}/stores
 - Swagger: POST /orgs/{org_slug}/stores

D. Items in Postman but missing in Swagger

- Admin Stats
 - Postman: GET /api/v1/admin/stats
 - Not found in Swagger (add or remove)

E. Separate service boundary: Data-Ingress

- Postman (Data-Ingress service)
 - GET /health, GET /ready (port 8083)
 - POST /webhook/shopify (valid/invalid HMAC cases)
- Swagger

- No data-ingress paths
- Action: maintain separate OpenAPI for Data-Ingress

F. Auth & headers consistency checks

- Ensure Postman requests use correct BearerAuth vs AdminBearerAuth
- Document Shopify webhook headers & HMAC in Data-Ingress spec

G. Response/status alignment to confirm

- Invitations: verify response schemas and codes match (200/201/204/4xx)
- Profile update: Swagger returns 204 success

H. Test coverage gaps to add (Postman)

- Stores: negative cases (unknown slug, 403)
- Invitations: expired/reused tokens (422/404)
- Admin password ops: invalid old password, policy violations
- Data-Ingress: timestamp/replay protection if supported

I. Servers & base paths (housekeeping)

- Swagger declares servers /api/v1, /api/v1/internal, /
- Ensure Postman environments don't duplicate paths

Deliverables

- 1) Updated UMS Postman collection (Section B + C/D fixes)
- 2) New OpenAPI for Data-Ingress (Section E)
- 3) Optional: Postman tests for Section H