



Document Effective Date
05/10/2022

QatarEnergy-IS PROCEDURE FOR EQUIPMENT PRE-MOBILIZATION SAFETY INSPECTION

DOC NO: IS-HSE-PRC-008

Rev: 00

Quality Reviewed By: OIH/14

CUSTODIAN DEPARTMENT	DOCUMENT AUTHOR	DOCUMENT OWNER
HEALTH, SAFETY & ENVIRONMENT (IDD EL-SHARGI)		
	OIH/15	OIH/1

FINAL APPROVAL
OIH

	PROCEDURE FOR EQUIPMENT PRE-MOBILIZATION SAFETY INSPECTION IS-HSE-PRC-008	REV. 00
---	--	----------------

TABLE OF CONTENTS

Page No.

1.0 PURPOSE 2

2.0 SCOPE AND APPLICABILITY..... 2

3.0 ROLES AND RESPONSIBILITIES..... 2

4.0 PROCEDURAL STEPS..... 3

4.1 INTRODUCTION..... 3

4.2 RAISING THE REQUEST 3

4.3 COORDINATION, CONDUCTING THE INSPECTIONS AND ISSUE OF
SAFETY CLEARANCE CERTIFICATE 3

4.4 FOLLOW UP SAFETY INSPECTION (OFFSHORE) 4

5.0 REFERENCES TO OTHER DOCUMENTS 4

6.0 DEFINITIONS 5

APPENDIX A : CRANE CHECKLIST (IS-HSE-PRC-008-A)..... 6

APPENDIX B: SCAFFOLD MATERIAL CHECKLIST (IS-HSE-PRC-008-B). 7

APPENDIX C: VEHICLE CHECKLIST (IS-HSE-PRC-008-C)..... 8

**APPENDIX D: LOOSE LIFTING EQUIPMENT CHECKLIST (IS-HSE-PRC-
008-D)..... 9**

APPENDIX E: DIESEL ENGINE CHECK LIST (IS-HSE-PRC-008-E) 10

**APPENDIX F: SAFETY CLEARANCE CERTIFICATE (IS-HSE-PRC-008-F)
..... 12**

APPENDIX G: NOTICE OF REJECTION (IS-HSE-PRC-008-F) 13

APPENDIX H: SAFETY INSPECTION REGISTER: (IS-HSE-PRC-008-G) . 14

APPENDIX I - REVISION HISTORY LOG 15

APPENDIX J - LIST OF ABBREVIATIONS..... 15

	PROCEDURE FOR EQUIPMENT PRE-MOBILIZATION SAFETY INSPECTION IS-HSE-PRC-008 REV. 00
---	--

1.0 PURPOSE

The purpose of this procedure is to provide a formalized and uniform approach for conducting Premobilization Safety Inspection (**PSI**) of equipment and materials that are sent to Idd El-Shargi Asset offshore locations.

The ultimate outcome for this document is to ensure a standardized approach across the Idd El-Shargi Asset to ensure that all materials and equipment comply with QatarEnergy HSE requirement, safe condition, reliable, and suitable for work to deliver the Directorate's objectives as efficiently and effectively as possible.

2.0 SCOPE AND APPLICABILITY

This Procedure applies to all personnel within Idd El-Shargi Asset and applies to employees, Contractors, and Subcontractors, whether engaged directly by QatarEnergy-IS or by others, who will perform work or services of any kind at any Idd El-Shargi facilities and/or locations.

3.0 ROLES AND RESPONSIBILITIES

HSE MANAGER

- Overall Management of Pre-Mobilization Safety Inspections (PSI) process

SPONSORING DEPARTMENT

- Ensure that Contractor are aware of the QatarEnergy Pre-Mobilization Safety Inspection (PSI) requirements.
- Officially manage and coordinate PSI requests with relevant parties.
- Communicate and coordinate with Contractors and on scheduling the PSI.
- Ensure that equipment going to QatarEnergy-IS offshore locations are Fit for Purpose and has been inspected and Safety Clearance Certificate issued prior to mobilisation.
- Ensure that Contractor Company manage and close out actions identified during inspection in time.

HEAD – HSE OPERATION

- Overall monitoring and control of PSI Process

SR. SAFETY OFFICER (RLIC)

- Focal point for PSI process.
- Conduct PSI as well as follow up Safety Inspections with the Contractor company.
- Communicate concerns, findings, and corrective actions with the contractor company representatives.
- Issue Safety Clearance Certificate to the Contractor representatives and another copy to QatarEnergy-IS Offshore Location Safety Representatives.

	PROCEDURE FOR EQUIPMENT PRE-MOBILIZATION SAFETY INSPECTION IS-HSE-PRC-008 REV. 00
---	--

- Maintain Safety Inspection Register (Appendix H) up to date by registering all the PSI.

OIS / SITE IN CHANGE

- Ensure that the equipment arriving at site has relevant Safety Clearance certificates.

4.0 PROCEDURAL STEPS

4.1 INTRODUCTION

The use of cranes, vehicles, equipment driven by diesel engine, lifting equipment, and scaffolding materials in offshore locations are hazardous Operation and can be a caused of an Incident.

Therefore, it requires Pre-Mobilization Safety inspection (PSI) to ensure that they are suitable and safe for use at offshore locations using the checklist in Appendices A, B, C, D and E, as applicable.

4.2 RAISING THE REQUEST

- 4.2.1 The QatarEnergy Sponsoring department shall receive an official request from the concerned Contractor company informing with the details of the items to be inspected before dispatching to QatarEnergy-IS offshore locations.
- 4.2.2 Items for inspection shall be ready for the PSI at Contractor Company with all the required documents such as Third-party inspection certificates provided by QatarEnergy approved Inspection Service Provider and then endorsed by QatarEnergy PTS section, vehicle registration...etc. Refer to QatarEnergy Standard for Lifting Equipment and Operations (QP-PAI-STD-005) for details.
- 4.2.3 Once the Inspection request is received from the Contractor Company, the Contract Sponsoring department shall forward the PSI request to OIH/1 section requesting to conduct the PSI.

4.3 COORDINATION, CONDUCTING THE INSPECTIONS AND ISSUE OF SAFETY CLEARANCE CERTIFICATE

- 4.3.1 Sr. Safety Officer (RLIC) shall coordinate with the Sponsoring Department and concerned party for the required PSI as per the agreed inspection schedule.
- 4.3.2 The required PSI shall be conducted as per this procedure, and based on the findings, a Safety Clearance Certificates (Refer Appendix F) shall be issued for the items that pass QatarEnergy PSI and should be valid only for one (1) month from the date of inspection to mobilized to Offshore location/s.
- 4.3.3 The Safety Clearance Certificates shall not be issued for items that does not comply with QatarEnergy requirements and Notice of Rejection (NoR) can be issued as per Appendix-G.
- 4.3.4 The concerned company can be issued with Notice of Rejection (NoR) with the result of the PSI that require corrective action/s.

	PROCEDURE FOR EQUIPMENT PRE-MOBILIZATION SAFETY INSPECTION IS-HSE-PRC-008 REV. 00
---	--

- 4.3.5** Sponsoring Department shall be informed regarding the Notice of Rejection to remind their Contractor to ensure compliance with QatarEnergy requirements prior to request for safety re-inspection.
- 4.3.6** Once the Sponsoring Department receive the confirmation from the concerned Contractor company that all corrective actions are completed, QatarEnergy sponsoring department shall request a follow up inspection from Sr. Safety Officer (RLIC)
- 4.3.7** Sr. Safety Officer (RLIC) will conduct the required follow up safety inspection on the concerned Contractor company to verify completion of all corrective actions.
- 4.3.8** Once all the required actions are completed/ complied, then a Safety Clearance Certificate shall be issued by Sr. Safety Officer (RLIC).
- 4.3.9** A copy of Safety Clearance Certificate shall be handed over to the Contractor Representative and another copy must be forwarded to the offshore location site Safety Representative.
- 4.3.10** All the conducted inspection shall be registered in the Safety Inspection Register (Appendix G).

4.4 FOLLOW UP SAFETY INSPECTION (OFFSHORE)

Items received in offshore location shall be subject to the following:

- Verify the item in the certificate.
- Re-inspect the item as per the safety checklist.
- Items which are not verified shall not be used in offshore locations.
- Every six (6) months a safety inspection shall be conducted on the existing vehicles / equipment on board using the attached checklist as appropriate.
- The inspection findings shall be recorded for further inspections and follow-up as required.

5.0 REFERENCES TO OTHER DOCUMENTS

Document Title	Document Number	Internal/External Document (if any)	Document Referencing
QatarEnergy Standard for Lifting Equipment and Operations	QP-PAI-STD-005	Internal	Upward
Corporate HSE Regulation for Contractors	QP-REG-S-001	Internal	Upward
Scaffolding procedure	IS-FOP-PRC-216	Internal	Sideward
Portable Hand & Power Tools procedure	IS-FOP-HSE-051	Internal	Sideward
Procedure for Control & Inspection of Electrical Equipment	IS-FOP-PRC-226	Internal	Sideward

	PROCEDURE FOR EQUIPMENT PRE-MOBILIZATION SAFETY INSPECTION IS-HSE-PRC-008 REV. 00
---	--

6.0 DEFINITIONS

TABLE 2: KEY TERMS DEFINED

Term	Definition
Contractor	A firm which has entered into a legally binding business agreement contract to supply a product or provide services to QatarEnergy. The term is also sometimes applied to suppliers who are available to provide services but are not currently in a contractual relationship with QatarEnergy.
Idd El-Shargi Offshore Location	PS-1 complex & associated facilities, well head jackets & Halul PWHF
Shall	Mandatory Action.
Towed Equipment	Welding Generator, Compressor etc. meant for support services which must be pulled by vehicles or skid mounted.
Vehicles	Self-propelled equipment meant for conveyance of personnel and transportation of materials.

	PROCEDURE FOR EQUIPMENT PRE-MOBILIZATION SAFETY INSPECTION IS-HSE-PRC-008 REV. 00
---	--

APPENDIX A : CRANE CHECKLIST (IS-HSE-PRC-008-A)

Contractor's Company		Offshore Location	
Inspected by		Inspection Date	

S.N.	Description	Yes	No/NA	Remarks
1.	A valid 6 monthly certificate provided by QatarEnergy approved Inspection Service Provider, approved by QatarEnergy			
2.	Crane have a registration certificate			
3.	Road permit for the crane is valid			
4.	SWL is marked on the boom			
5.	Automatic Safe Load indicator is functioning properly: - Gives a visual & audible alarm warning at 95% of the SWL - Has a cut-off system at 100% of the SWL - Has maintenance logbook for monthly checks			
6.	Block (over hoist) limit switch is functioning properly			
7.	Metric load chart fixed in the crane operator's cabin			
8.	Diesel driven crane is fitted with a 'Chalwyn' valve			
9.	Spark arrestor is fitted on the engine exhaust			
10.	Serviced fire extinguisher is available and good condition			
11.	All tyres are in good condition and road worthy			
12.	Crane is fitted with reverse horn			
13.	Flashlight fitted on the cabin roof and in working condition			
14.	All indication lights / signal lights are working properly			
15.	Hazard lights are working properly			
16.	Side mirrors is in good condition			
17.	Wiper is in good condition and working properly			
18.	There are no fuel or Hydraulic leaks noticed			
19.	All hydraulic hoses and fittings are in good condition			
20.	Crane lifting equipment, certified and color coded as per QatarEnergy			
21.	Crane brakes is functioning properly			
22.	Safety latches on the hook is in good working condition			
23.	Outriggers are clearly marked with a red & white chevron pattern			
24.	Outrigger's sole plates are available			
25.	Emergency stop button is functional			
26.	Wind screen is clear and in good condition			

	PROCEDURE FOR EQUIPMENT PRE-MOBILIZATION SAFETY INSPECTION IS-HSE-PRC-008 REV. 00
---	--

APPENDIX B: SCAFFOLD MATERIAL CHECKLIST (IS-HSE-PRC-008-B)

Contractor's Company		Offshore Location	
Inspected by		Inspection Date	

S.N.	Description	Yes	No /NA	Remarks
1.	All scaffold components, parts and materials are conform to British Standard BS 5973 and transported in QatarEnergy certified / approved containers or baskets			
2.	Metal parts (clamps, fittings, base plates, couplers) are in good condition			
3.	Scaffold boards are free from paint, grease, nails, wraps splits and cracks			
4.	Scaffold boards are 38 mm (1-1/2 inch) minimum thickness and at least 203 mm (8 inches) wide			
5.	All Boards are end-buttet, boards fitted with end protection. i.e., hoop iron			
6.	All poles, planks are in good condition without damage, corrosion or other any other defects			
7.	Scaffold material transporting containers / baskets lifting points and tackles are certified by QatarEnergy approved Inspection Service Provider, QatarEnergy approved and color coded			
8.	All ladders are constructed of metal or wood. (Aluminum metal ladder shall not be used for Zone 1 areas)			
9.	All ladders are of sound construction			
10.	Ladder is clear of paint			
11.	Ladders have anti slip step and seat			
12.	Rungs and stiles of the ladder are in good condition, free from any damage, missing rungs, dents etc.)			
13.	Fall protection devices/arrestors certified by QatarEnergy Approved Inspection Service Provider, and in good working condition			
14.	Full body harnesses available, meets requirements of BS EN 361 2002 and certified by QatarEnergy.			
15.	Six monthly visual inspections are conducted by approved TPCAs.			
16.	Safety harness manufacture date (discard after four years from manufacturing date regardless of condition)			
17.	Caster wheels provided with locks			

	PROCEDURE FOR EQUIPMENT PRE-MOBILIZATION SAFETY INSPECTION IS-HSE-PRC-008 REV. 00
---	--

APPENDIX C: VEHICLE CHECKLIST (IS-HSE-PRC-008-C)

Contractor's Company		Offshore Location	
Inspected by		Inspection Date	

S.N	Description	Yes	No/NA	Remarks
1.	Vehicle Registration certificate is available and valid			
2.	Vehicle Driver possesses a valid Qatar Driving License			
3.	Is it diesel driven vehicle? (Petrol driven vehicles are not allowed in offshore field)			
4.	Vehicle plate number is obvious and legible			
5.	Vehicle's body including upholstery and paint without any damage or defect			
6.	All tires are in good condition, (including the spare)			
7.	Side mirrors are in good condition			
8.	Windscreen is in good condition			
9.	Wipers are working properly, and nozzles are functioning			
10.	All Indication lights, signal lights, head lights & hazard lights are functional and not faded			
11.	Seat belts is available and functioning			
12.	Serviced fire extinguisher is available and good condition			
13.	Vehicle fitted with functional horn, reverse alarm, and sensors			
14.	Brake / hand brake are working properly and well maintained			
15.	No fluid leakage noticed (Engine, transmission gear, hydraulic and radiator)			
16.	The battery is secured, and cord terminal are protected with non-conductive safety cap			
17.	Exhaust system in good condition and fitted with approved spark arrestor			
18.	Jacking, hazard triangle and vehicle tools are available, appropriate and in good condition			
19.	Towing hock is original, fitted properly and in good condition			

	PROCEDURE FOR EQUIPMENT PRE-MOBILIZATION SAFETY INSPECTION IS-HSE-PRC-008 REV. 00
---	--

APPENDIX D: LOOSE LIFTING EQUIPMENT CHECKLIST (IS-HSE-PRC-008-D)

Contractor's Company		Offshore Location	
Inspected by		Inspection Date	

S.N	Description	Yes	No/NA	Remarks
Lifting Frame, Cargo Basket, Container, Cylinder Rack				
1.	QatarEnergy approved Inspection Service Provider certificate available and approved by QatarEnergy			
2.	A minimum of four-color coded pad eyes is available, unless designed for specific purpose (single point lifting not to be used for the frame)			
3.	Frame marked with owner's ID, maximum tare weight, SWL and maximum gross weight rating in kilograms			
Shackle				
1.	QatarEnergy approved Inspection Service Provider certificate available and approved by QatarEnergy			
2.	Shackle is color-coded and fitted with proper locking			
3.	Shackle and pin are free from body bend, nick, crack, and wear			
4.	Pin fits correctly			
Wire Rope Sling				
1.	QatarEnergy approved Inspection Service Provider certificate available and approved by QatarEnergy			
2.	Sling is in good condition, color coded and has no cut, corrosion, bent or any defects			
Webbing Sling (Flat Woven / Man-Made Fiber)				
1.	QatarEnergy approved Inspection Service Provider certificate available and approved by QatarEnergy			
2.	Webbing slings is not color coded with enamel or spray paint directly			
3.	Sling is fitted with a label (laminated type) that gives the information: SWL, the material used to manufacture the sling and mode factors for choke hitch, basket hitch with legs parallel and basket hitch			
Pressure Hoses				
1.	Hose is pressure tested and third party certified			
2.	Hose is in good condition with no cracks, damage, tear			
3.	Hose clamp is well secured and in good condition			
4.	Hose is rated and identified with working pressure data			

	PROCEDURE FOR EQUIPMENT PRE-MOBILIZATION SAFETY INSPECTION IS-HSE-PRC-008 REV. 00
---	--

APPENDIX E: DIESEL ENGINE CHECK LIST (IS-HSE-PRC-008-E)

Contractor's Company		Offshore Location	
Inspected by		Inspection Date	

S.N	Description	Yes	No/NA	Remarks
A) FOR OPERATION / USE IN HAZARDOUS AREA <u>In addition to the requirements as listed in Part B of this Annexure (For Operation / Use In Non-Hazardous Area), following to be checked:</u>				
1.	Temporary diesel engines for use in a Hazardous Zone area certified for use in the Hazardous area			
2.	The unit will be attended at all times or fitted with a device which will automatically stop the machine on a change of site conditions			
3.	An inlet shut-off valve automatically closes on: • High exhaust gas temperature • Engine overspeed • High coolant temperature • Low lubricating oil pressure • Manual activation of Emergency Stop button			
4.	Fitted with an exhaust flame arrester (flame trap)			
5.	Spring coil inertia starters certified for hazardous areas.			
6.	Any ancillary electrical equipment e.g., gauges, appropriately certified for use in hazardous areas.			
B) FOR OPERATION / USE IN NON-HAZARDOUS AREA				
1.	General appearance - the units is well maintained, clean and with no oil/fuel deposits within the container			
2.	The exhaust system is leak free and this, along with any associated acoustic insulation is free of any combustible materials			
3.	Drip trays provided to contain fuel oil or lubricating oil spillage. For containerized units, this should take the form of a fixed metal tray situated under the machine, complete with drainage facility. For open units, a floor mounted metal tray is acceptable			
4.	All fuel lines are fire resistant			
5.	An easily accessible fuel tank isolation valve is fitted			

	PROCEDURE FOR EQUIPMENT PRE-MOBILIZATION SAFETY INSPECTION IS-HSE-PRC-008 REV. 00
---	--

6.	All fan belts are fire-resistant anti-static type (FRAS)			
7.	The cooling fan are a non-metallic type, adequately guarded			
8.	The battery, if fitted, is in good condition - fully charged and adequately secured with permanent clamps			
9.	All electrical connections are sound and tight			
10.	A certified spark arrester is provided for the exhaust system. Preference shall be given to the fitting of a 'cyclonic' type as opposed to the 'filter' type which requires considerably more maintenance			
11.	An emergency stop is be fitted, which is easily accessible from outside the unit and suitably protected to prevent inadvertent operation. The operation of the emergency stop is verified at the pre-delivery checks and during hook-up on site NOTE: The battery ammeter charge/discharge state should be checked with the unit Stationary to ensure no leakage current exists.			

Note: Diesel engine includes but not limited to welding machine, generator, air compressor, water jet, compactor, water pump.

	PROCEDURE FOR EQUIPMENT PRE-MOBILIZATION SAFETY INSPECTION IS-HSE-PRC-008	REV. 00
---	--	----------------

APPENDIX F: SAFETY CLEARANCE CERTIFICATE (IS-HSE-PRC-008-F)

To:			
Contractor Name		Project/Contract No.	
Contractor Rep.		Mobile Number	
Certificate No.		Validity	

No	Description	Equipment Serial No. / Registration No.	Qty	Destination

Remarks:

.....

.....

.....

Inspection Date : Inspection Location:

Inspected by:..... Staff No:.....

Signature:.....

	PROCEDURE FOR EQUIPMENT PRE-MOBILIZATION SAFETY INSPECTION IS-HSE-PRC-008	REV. 00
---	--	----------------

APPENDIX G: NOTICE OF REJECTION (IS-HSE-PRC-008-F)

To:			
Contractor Name		Project/Contract No.	
Contractor Rep.		Mobile Number	
Location		Date of Inspection	

No	Description	Equipment Serial No. / Registration No.	Qty	Result (Accepted/ Rejected)

Remarks:
.....
.....
.....

Inspected by:..... Staff No:.....

Signature & Stamp:.....

IS-HSE-PRC-008

REV. 00

APPENDIX H: SAFETY INSPECTION REGISTER: (IS-HSE-PRC-008-G)

[illegible]

	PROCEDURE FOR EQUIPMENT PRE-MOBILIZATION SAFETY INSPECTION IS-HSE-PRC-008 REV. 00
---	--

APPENDIX I - REVISION HISTORY LOG

Revision Number: 00

Date: 24/09/2022

Item Revised	Revision Description	Page No.
-	New Procedure	-
Remarks:		

APPENDIX J - LIST OF ABBREVIATIONS

Abbreviation	Description
OIS	Offshore Installation Superintendent
PSI	Premobilization Safety Inspection
QatarEnergy-IS	Idd El-Shargi Asset of QatarEnergy
NoR	Notice of Rejection