

Document Effective Date

24/03/2022



QatarEnergy-IS BEHAVIORAL BASED SAFETY OBSERVATION PROCEDURE

DOC NO: IS-HSE-PRC-041

Rev: 01

Quality Reviewed By: OIH/14

CUSTODIAN DEPARTMENT	DOCUMENT AUTHOR	DOCUMENT OWNER
HEALTH, SAFETY & ENVIRONMENT (IDD EL-SHARGI)		
	OIH/14	OIH/1

FINAL APPROVAL
OIH

	QatarEnergy-IS BEHAVIOURAL BASED SAFETY OBSERVATION PROCEDURE DOC NO: IS-HSE-PRC-041 REV. 01
---	---

TABLE OF CONTENTS

Page No.

1.0 PURPOSE	2
2.0 SCOPE AND APPLICABILITY.....	2
3.0 ROLES AND RESPONSIBILITIES.....	2
4.0 PROCEDURAL STEPS.....	3
4.1 IDD EL-SHARGI H.A.T PROGRAM	3
4.2 SAFETY TRIANGLE	4
4.3 IDENTIFYING "AT RISK" BEHAVIOURS.....	4
4.4 UNSAFE ACTS ('AT RISK' BEHAVIOURAL) ROOT CAUSES.....	5
4.5 TRAINING	5
4.6 SAFETY OBSERVATION PROCESS.....	5
4.7 SAFETY OBSERVATION PROCESS FLOW.....	6
4.8 COMMUNICATION	7
4.9 HIGHER POTENTIAL OBSERVATION.....	7
4.10 REVIEW & TRACKING	7
4.11 CONTRACTOR SAFETY OBSERVATION	7
4.12 DOCUMENTATION	7
4.13 SOC GUIDANCE	7
4.14 HSE RECOGNITION	8
5.0 REFERENCES TO OTHER DOCUMENTS	8
6.0 DEFINITIONS.....	9
APPENDIX.....	9
APPENDIX A - REVISION HISTORY LOG.....	9
APPENDIX B - LIST OF ABBREVIATIONS	10
APPENDIX C - GUIDANCE FOR ENTERING INFORMATION IN SOC	11
APPENDIX D: ROLE OF INVOLVED PARTIES.....	12
APPENDIX E: IAUDITOR TABLET (SAMPLE).....	13



QatarEnergy-IS BEHAVIOURAL BASED SAFETY OBSERVATION PROCEDURE

DOC NO: IS-HSE-PRC-041

REV. 01

1.0 PURPOSE

To provide guidance on the Behavioural based Safety Observation and Stop Work Authority Programs. QatarEnergy-IS Asset recognizes that, if the organization is to enhance performance in the HSE Management System, the Guiding Principle must actively be promote that: "Everyone has the obligation to stop and question any operation or condition that appears unsafe".

2.0 SCOPE AND APPLICABILITY

This Procedure applies to all personnel within Idd El-Shargi Asset and applies to employees, Contractors, and Subcontractors, whether engaged directly by QatarEnergy or by others, who will perform work or services of any kind at any Idd El-Shargi facilities and/or locations.

3.0 ROLES AND RESPONSIBILITIES

HSE MANAGER

- Developing, implementing, continuous improvement of Safety Observation Program that encompasses existing Behavior Based efforts.
- Ensure the required training and awareness for the program.
- Ensure Contractor management and workforce are trained in the Safety Observation Program.
- Ensure Contractor(s) personnel on site are positively participating in the Safety Observation and raising SOC's in the workplace.
- Together with the Site Management: i) reviewing the submitted SOC cards and trends observed, ii) taking action to ensure close out of Corrective Actions.
- Designate a responsible Program Administrator to oversee the program and conduct internal evaluations of program effectiveness.
- Periodically review the SOC for suitability and adequacy.

WORK SITE IN-CHARGE / SECTION HEAD

- Promoting the QatarEnergy-IS Guiding Principle that: "Everyone has the obligation to stop and question any operation or condition that appears unsafe"
- Ensuring implementation of the Safety Observation Program as a proactive tool in supporting this Guiding Principle in their Department or Worksite.
- Together with the HSE Department:
 - Reviewing the submitted SOC cards and trends observed,
 - Taking action to ensure the close out of SOC cards corrective actions.

WORK SITE SUPERVISOR

- Participate in promoting and using Safety Observation Program as a proactive tool for improving HSE performance and in workforce HSE discussions.

SR. SAFETY OFFICER

- Administrative focal point of the program.
- Review the Higher Potential Observations and issues the Alert.



QatarEnergy-IS BEHAVIOURAL BASED SAFETY OBSERVATION PROCEDURE

DOC NO: IS-HSE-PRC-041

REV. 01

SAFETY OFFICER

- Input and maintain information in the Tracking Database (iAuditor).
- Present SOC observations in the various meeting including Daily Management Operations morning meeting

ALL PERSONNEL

- Participate actively in the Safety Observation Program.
- Use the program as a proactive tool to identify safe and unsafe acts and conditions to personnel, property or the environment.
- Promote better performance by reinforcing safe activities and by correcting unsafe acts and conditions.
- QatarEnergy-IS personnel are expected to take ownership of the Safety Observation Program by coaching Contractors under their control in the working of QatarEnergy-IS Safety Observation Program described in this procedure.

4.0 PROCEDURAL STEPS

4.1 IDD EL-SHARGI H.A.T PROGRAM

The three letters of H.A.T refer to three aspects of Idd El-Shargi approach for staying aware of and avoiding hazards.

First, is **(H) Hazard Report** is the Safety Observation Card. Second, **(A) Approaching Others** and the Third, which is the cornerstone of our safety H.A.T program **(T) Take time**.



The Main elements of Hazard Report (H) are

- **Observe:** Observing means exactly what it says. Keep on looking all the time for changes, new circumstances, anything that needs attention or assessment for any potential to cause harm or damage.
- **Act:** Intervene adopt a polite approach and discuss the observation.
- **Report:** Your findings using safety observation cards (SOC) or electronic devices (iAuditor).

	QatarEnergy-IS BEHAVIOURAL BASED SAFETY OBSERVATION PROCEDURE DOC NO: IS-HSE-PRC-041 REV. 01
---	---

- **Feedback** : Provide feedback to the work party on both safe and at-risk observations.
- **Share**: Share our findings with others during safety meetings / TBT's to promote learning, reduce at risk activities and improve our safety culture.

4.2 SAFETY TRIANGLE

Safety Observations is a leading indicator of HSE performance and measures of HSE culture by recording occurrences of active observation and correction of Unsafe Acts and Conditions before they develop into an actual accident or incident. The majority of safety related incidents are initiated due to Unsafe Acts and Conditions and may lead to near-misses and injuries. The Safety Observations is central in both controlling Unsafe Acts and Conditions, thereby aiding to prevent actual safety related incidents, and promoting safe behaviour, as depicted in Figure 1 below.



Figure 1. Heinrich Safety Triangle & Safety Observation Program

The Behavioural Based Safety Observation Program is a leading indicator of HSE performance and measures the HSE culture by recording occurrences of active observation and correction of unsafe acts and conditions before they develop into an actual accident or incident. This procedure is designed to assist QatarEnergy-IS personnel in conducting, documenting and recording Safety Observations.

4.3 IDENTIFYING "AT RISK" BEHAVIOURS

QatarEnergy-IS uses several tools to identify potential at risk behaviours before, during and after job tasks. These include:

- Integrated Safe System of Work
- Level 1 & 2 Risk Assessments
- "What If" Risk Assessment
- Job Safety Analysis
- Pre-Job Tool box talks
- Safety Observations (SOC)
- Procedure Reviews
- On-Site Safety Contacts/Conversations.

	QatarEnergy-IS BEHAVIOURAL BASED SAFETY OBSERVATION PROCEDURE DOC NO: IS-HSE-PRC-041 REV. 01
---	---

Every QatarEnergy-IS employee and Contractor has the duty and responsibility to stop a job that they consider unsafe or places people or equipment at risk through 'Stop Work Authority' card issued by Manager, Asset (Idd El-Shargi).

4.4 UNSAFE ACTS ('AT RISK' BEHAVIOURAL) ROOT CAUSES

Unsafe Acts are reviewed by Site Supervisors and further investigation conducted should the nature of the observation warrant. Additionally, certain Safety Observations may require further investigation and be the subject of an Incident Investigation.

4.5 TRAINING

Site Induction make Employees and Contractors aware of the QatarEnergy-IS Behavioral Based Safety Observation Program and Stop Work Authority. SOC specific training will be provided by the Safety Officers.

4.6 SAFETY OBSERVATION PROCESS

The safety observation process, is summarized in the following steps and reviewed in further detail in this section:

- Pause and Observe
- Observing and commending a Safe Occurrence/ Safe Act
- Stop the Work
- Discuss Unsafe Act or Condition with the involved party(s)
- Report your observation on the SOC.
- Submit completed SOC to the Safety Officer.
- Safety Officer records observation into and database including iAuditor

Pause and Observe

Check whether the act or conditions are safe or unsafe.

To be remembered: A high proportion of accidents are a result of unsafe acts and conditions that are not recognized prior to an accident occurring

The following categories including but not limited should be observed for compliance:

- PPE
- Health & Hygiene
- Ergonomics
- Supervision
- Procedures
- PTW Precautions
- Pre-use checks of Tools and Equipment
- Housekeeping
- Work Environment
- Life Saving Rules.

Identified observations and any corrective actions required shall be discussed with the work party. Any violation of Life Saving Rules observed shall be addressed as per the Life Saving Rules procedure requirement. The following categories including but not limited to could be observed for compliance:

- Using damaged or improper tools for the job.
- Using uncertified or damaged tackles or lifting gears.

	QatarEnergy-IS BEHAVIOURAL BASED SAFETY OBSERVATION PROCEDURE DOC NO: IS-HSE-PRC-041 REV. 01
---	---

- Horseplay or taking shortcuts.
- Smoking outside the designated area.
- Non-compliance with PPE.
- Naked cables or improper connection.
- Poor housekeeping
- Spills and leaks.
- Poor chemical handling and storage.
- Inadequate guard or unguarded machine.
- Improper safety signage and warnings.

Stop the Unsafe Act or Condition

This may require speaking to a Worksite/ Work-party participant and Supervisor explaining the unsafe act or condition you have observed. It may also require safeguards to be installed such as physical barriers to an area.

If you are the Observer - introduce yourself or acknowledge to those you know – be polite and explain what the unsafe act/condition is you have observed and your recommendation to make the area or job safer. STOP the Work, as requires till the corrective action is taken.

If you are being observed - Be open and receptive to the feedback and remember that the observer is simply concerned about your well-being and safety and is trying to help you.

Observing a Safe Occurrence/ Safe Act

If a Safe Occurrence/ Safe Act is observed work party(s) discuss with the persons doing the work and praise them - be sincere.

Report your Observation on the Safety Observation Card/iAuditor tablets

The Observer shall complete relevant sections of the SOC with the relevant information as applicable and required considering what was the next logical step and what was the potential severity if that. The Observer should review the observation with the person or group being observing and thank them for being a part of the Safety Observation program.

The observations can be reported in the SOC card or in iAuditor Intrinsic safe tablets provided at the sites. Picture of iAuditor tablet provided in Appendix -E.

Safety Officer and Site Management action

The observer shall present the completed SOC to the site Safety Officer . The site Safety Officer shall enter the information input into SOC Tracking database (iAuditor) . Subsequently, the HSE Department together with the Site Management shall review the submitted SOC and take appropriate corrective actions.

The Guidance for entering the Information in SOC is detailed in Appendix C.

4.7 SAFETY OBSERVATION PROCESS FLOW

The Safety Observation Program involve four parties:

- Observer
- Site Safety Officer
- Site Management
- HSE Management

The Role of Involved Parties in Safety Observation Program is detailed in Annexure D.

	QatarEnergy-IS BEHAVIOURAL BASED SAFETY OBSERVATION PROCEDURE DOC NO: IS-HSE-PRC-041 REV. 01
---	---

4.8 COMMUNICATION

The Behaviour Based Safety Observations are reviewed and discussed frequently in the safety meetings by site Safety Officer and participants should be given feedback. In addition, the best weekly SOC's are published as OI Communication.

4.9 HIGHER POTENTIAL OBSERVATION

Higher Potential observation: Situation with no release of energy which, in slightly different circumstances and with current existing barriers in place may lead to an Incident with consequence level 3 or above as per Idd El-Shargi Risk Matrix.

The SOC's shall be monitored and the Observation(s) which qualifies as Higher Potential, the following shall be done by Sr. Safety Officer:

- Conduct the Investigation, determine Near Miss Potential & corrective actions.
- Brief the IS Management about the observation.
- Issue the OI communication (Alert).
- Ensure Close out the corrective actions.

4.10 REVIEW & TRACKING

The Worksite In-charge, Safety Officer and team shall review all observations. Where possible Safety Observations shall be actioned and closed out on site. The site Safety Officer present the Safety observation in the daily Management Operation morning meeting held at the base office.

For Safety Observations actions corrective actions that cannot completed at site shall be entered into the software database with assigned action party and is tracked through to closure.

4.11 CONTRACTOR SAFETY OBSERVATION

QatarEnergy-IS requires that all of their High Risk Long Term Contractors have a Safety Observation program or adopt the QatarEnergy-IS Safety Observation program if they do not have one of their own. QatarEnergy-IS encourages its Contractors to develop their own in-house Safety Observation Program.

For Contractors utilizing the QatarEnergy-IS Safety Observation Program, SOC Observations are entered by the onsite Safety Officer into the HSE Tracking Database (iAuditor) as they are submitted to QatarEnergy-IS.

This database is reviewed for trends and help with the choice of Weekly Safety Observation Awards.

4.12 DOCUMENTATION

QatarEnergy-IS and Contractor Safety Observations are compiled and tracked by each QatarEnergy-IS facility on a monthly basis through iAuditor and reported to Senior Management during the Monthly HSE Reporting process.

4.13 SOC GUIDANCE

The observation on an SOC shall:

- Clearly demonstrate that the observation and its capture on the SOC has the potential for risk reduction.
- The immediate action carried out must have resolved the potential undesired event.

	QatarEnergy-IS BEHAVIOURAL BASED SAFETY OBSERVATION PROCEDURE DOC NO: IS-HSE-PRC-041 REV. 01
---	---

- SOC is recorded into iAuditor
- The Observation in each SOC shall be assessed by HSE to have been resolved and that preventative measures have been implemented to prevent recurrence.

Closeout action of the SOC may require speaking to a task participant and explaining the unsafe act or condition which has been observed. It may also require safeguards to be installed such as physical barriers to an area.

4.14 HSE RECOGNITION

Nominees with the best Safety Observation from submitted SOC's will be the most critical unsafe act or unsafe condition that has the potential to cause harm to people, assets, production or the environment.

Chosen nominees shall receive feedback from Site Management explaining why the subject SOC card was selected for recognition and award and what actions have been taken to reduce the risk of the reported Observation hazard.

Nominees will also qualify for a gift or vouchers and a certificate in recognition of their effort in the Safety Observation Program.

5.0 REFERENCES TO OTHER DOCUMENTS

Document Title	Document Number	Internal/External Document (if any)	Document Referencing
QatarEnergy Procedure for Recognising HSE Achievements	QP-HSE-PRC-003	Internal	Upward

	QatarEnergy-IS BEHAVIOURAL BASED SAFETY OBSERVATION PROCEDURE DOC NO: IS-HSE-PRC-041 REV. 01
---	---

6.0 DEFINITIONS

Term	Definition
Higher Potential Observation	Situation with no release of energy which, in slightly different circumstances and with current existing barriers in place may lead to an Incident with consequence level 3 or above as per Idd El-Shargi Risk Matrix.
Heinrich Safety Triangle	The triangle was first proposed by Herbert William Heinrich in 1931 and has since been updated and expanded upon by other writers, notably Frank E. Bird. The Safety Triangle is useful to illustrate the target of the Safety Observation Program which focuses on stopping Unsafe Acts and Conditions and thereby facilitating prevention of further elevated consequences such as injuries. The Safety Triangle is often shown pictorially as a triangle or pyramid and has been described as a cornerstone of 20th century workplace health and safety philosophy.
Unsafe Act (At Risk Behaviour)	An action taken by personnel which is potentially a breach of safety rules, a failure to follow procedures, an act of careless Behaviour, or which puts other personnel, equipment or QatarEnergy-IS environmental protection measures at risk.
Unsafe Condition	A physical condition whereby personnel, the environment, the equipment and/or QatarEnergy-IS processes are put at risk in the event of exposure to the condition (i.e. equipment is unsafe because of an exposed hazard or is inadequately protected or a worksite or access way is left untidy).

APPENDIX

APPENDIX A - REVISION HISTORY LOG

Revision Number: 01

Date: 15/03/2022

Item Revised	Revision Description	Page No.
Common	Updated bases on the new format for Management system documents	-
Common	Term Safety Observation used in place of "What-If".	
Common	Added reference to iAuditor	
Clause 4.1	New clause added for IS HAT program, Heinrich Safety Triangle and Higher Potential Observation.	
Appendix-C &D	Updated	
Remarks :		

	QatarEnergy-IS BEHAVIOURAL BASED SAFETY OBSERVATION PROCEDURE DOC NO: IS-HSE-PRC-041 REV. 01
---	---

APPENDIX B - LIST OF ABBREVIATIONS

Abbreviation	Description
BBS	Behaviour Based Safety
CA	Corrective Action
QatarEnergy-IS	Idd El-Shargi Asset of QatarEnergy
PTW	Permit To Work
SOC	Safety Observation Card
TBT	Tool Box Talk




QatarEnergy-IS BEHAVIOURAL BASED SAFETY OBSERVATION PROCEDURE

DOC NO: IS-HSE-PRC-041

REV. 01

APPENDIX C - GUIDANCE FOR ENTERING INFORMATION IN SOC

Your Safety Observation Card (SOC)



(1) **QPS SAFETY OBSERVATION CARD**

(2) **QPS SAFETY OBSERVATION CARD**

(3) **QPS SAFETY OBSERVATION CARD**

(4) **QPS SAFETY OBSERVATION CARD**

(5) **QPS SAFETY OBSERVATION CARD**

(6) **QPS SAFETY OBSERVATION CARD**

(7) **QPS SAFETY OBSERVATION CARD**

Note: Database includes shared drive and iAuditor




QatarEnergy-IS BEHAVIOURAL BASED SAFETY OBSERVATION PROCEDURE

DOC NO: IS-HSE-PRC-041

REV. 01

APPENDIX D: ROLE OF INVOLVED PARTIES



Abbreviation: CA-Corrective Actions

	QatarEnergy-IS BEHAVIOURAL BASED SAFETY OBSERVATION PROCEDURE DOC NO: IS-HSE-PRC-041 REV. 01
---	--

APPENDIX E: IAUDITOR TABLET (SAMPLE)

