



Document Effective Date
14/06/2023

IS EMERGENCY MANAGEMENT PROCEDURE

DOC NO: IS-HSE-PRC-001

Rev: 03

Quality Reviewed By: OIH/14

CUSTODIAN DEPARTMENT	DOCUMENT AUTHOR	DOCUMENT OWNER
HEALTH, SAFETY & ENVIRONMENT (IDD EL-SHARGI)		
	OIH/6	OIH

FINAL APPROVAL
MANAGER, ASSET (IDD EL-SHARGI) - OI

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

TABLE OF CONTENTS

	Page No.
1.0 PURPOSE	4
2.0 SCOPE AND APPLICABILITY.....	4
2.1 EMERGENCY MANAGEMENT PLAN	5
3.0 EMERGENCY MANAGEMENT PROCESS.....	8
3.1 INCIDENT NOTIFICATION AND IMT ACTIVATION	8
3.2 IMT PROCESS & OPERATIONAL PLANNING.....	10
4.0 ORGANISATION AND GOVERNANCE OF EMERGENCY RESPONSE SYSTEM	17
4.1 EMERGENCY RESPONSE PROCEDURES HIERARCHY	17
4.2 EMERGENCY MANAGEMENT MODEL.....	18
4.3 EMERGENCY MANAGEMENT ORGANISATION	19
4.4 OFFSHORE EMERGENCY OPERATIONS CENTER (EOC)	23
4.5 DUTY ROSTER.....	23
4.6 EMERGENCY CONTACTS.....	23
4.7 IMT DOSSIERS.....	23
4.8 IMT HANDBOOK.....	24
4.9 DRILLS AND EXERCISES.....	24
4.10 TRAINING AND COMPETENCE ASSURANCE	26
4.11 MEASUREMENT AND IMPROVEMENT	28
4.12 ER PROCESS ASSESSMENT & REVIEW	29
4.13 PLAN MAINTENANCE.....	30
4.14 MANAGEMENT OF CHANGE	30
4.15 PLAN REVIEW AND UPDATES	31
5.0 REFERENCES TO OTHER DOCUMENTS	31
6.0 DEFINITIONS	32
APPENDIX A – PROACTIVE PLANNING CYCLE (EXAMPLE).....	33
APPENDIX B – IMS FORMS (EXAMPLE)	35
APPENDIX C – FACILITIES DESCRIPTIONS.....	36
APPENDIX D – SUPPORT FORMS	37
APPENDIX E – DUTY ROSTER SAMPLE.....	39

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	--

APPENDIX F – EXAMPLES OF UNIFIED AND COORDINATED COMMAND
STRUCTURES FOR MULTI-AGENCY RESPONSE SCENARIOS 40

APPENDIX I – LIST OF ABBREVIATIONS 42

APPENDIX H – REVISION HISTORY LOG 43

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

1.0 PURPOSE

The purpose of this Emergency Management Plan (EMP) is to:

- Describe Emergency Response arrangements in place within Idd-El Shargi Field (OI) Department scope and related activities.
- Provide a formalized and uniform approach for effective incident management minimizing impact in line with the QatarEnergy Emergency Management Standard requirements.
- Provide a formalized and uniform approach for effective incident management minimizing impact in line with the QatarEnergy Emergency Management Standard requirements.

This EMP:

- Recognizes identified hazards that pose a significant threat to people, environment, asset or reputation.
- Addresses emergency and incident management arrangements within the offshore operations and details the responsibilities of the Incident Management Team in response to incidents.
- Supports and stimulates effective cooperation in response to incidents across assets or entities applying the QatarEnergy Incident Management System.

2.0 SCOPE AND APPLICABILITY

This Plan covers the Emergency Management arrangements and activities required during an emergency response within the Idd-Shargi (IS) Field Assets (OI). This document and/or relevant procedures are applicable to personnel who have responsibilities for the provision and/or implementation of Emergency Management arrangements within IS field. It is applicable to all events for which the Company can reasonably be expected to respond under IS scope.

Notes:

- For details of Emergency Response at IS operated sites at PS-1 Complex, Halul-PWHF and Ras-Laffan, etc. refer to site-specific Emergency Response Procedures.
- The Procedure does not cover the site-specific Oil Spill Response Plan(s). However, it is used in conjunction with IS-HSE-PRC-007 Spill Response Procedure.
- The Procedure does not cover Doha office-based Emergency Situations which is managed by Facilities Management and Building Owner.
- Well Blow Contingency Plan is maintained by UD.

Notes:

- For details of Emergency Response at Offshore operated sites including Tactical and Pre-Incident Plans refer to Site-Specific Emergency Response Procedures.
- This plan should be used in conjunction with QPR-ORS-001 Procedure for Emergency Management of oil spills, without covering the site-specific Oil Spill Response Plan(s).
- The Procedure does not cover Doha office-based Emergency Situations which is managed by Facilities Management and Building Owner.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

4. Well Blow Contingency Plan is maintained by UD with the Bridging documents in place ensure the unified command, coordination and interfaces between departments.

2.1 EMERGENCY MANAGEMENT PLAN

2.1.1 Roles and Responsibilities

MANAGER, ASSET (IS)

- Responsible for this emergency plan who must steer its implementation and approves the development and implementation of the processes contained within this document.
- Ensures appointment of Incident Management Team members.

MANAGER, HSE (IS)

- Owner of the EMP and Accountable for effective implementation and maintenance.
- Accountable for adequate staffing of (key) roles and positions for IMT.

MANAGER, FIELD OPERATIONS (IS)

- Owner of the Site Emergency Response Procedures and accountable for effective implementation and maintenance on site
- Ensures appointment of Site Emergency Response Team members
- Accountable for readiness of Site ERT staff

OFFSHORE INSTALLATION SUPERINTENDENT

- Operates as On-scene Commander.
- Responsible and accountable for site operations.
- Directs the Incident Control Team in the CCR.
- Directs the Tactical Response at Site.
- Directs the Emergency Response Team on Site.
- Communicates emergency incidents and request external support from A7S and IMT.

EMERGENCY RESPONSE COORDINATOR

The Emergency Response Coordinator (or his delegate) provides the support to OI and OM(O) Departments in design, formalization, implementation, execution, monitoring and continuous improvement activities associated with Offshore Emergency Management, including:

- Offshore IMT is adequately staffed based on Weekly IMT Duty Roster.
- Implement IMT exercise and training requirements.
- Assist in developing & maintaining the Offshore Emergency Management Plans and Site Emergency Response Procedures.
- Act as IMT Advisor during the Duty period defined in weekly Duty Roster.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

EMERGENCY RESPONSE PLANNER

Support Emergency Response Coordinator to effectively implement the Emergency Response systems and processes within OI and OM(O) Offshore Operations

- Maintains weekly IMT Duty Roster.
- Prepares and deliver IMT training and drills.
- Maintains the state of readiness of EOC.
- Develops and keep up to date the Emergency Response Procedures.
- Act as IMT Advisor during the Duty period defined in weekly Duty Roster.
- Capture lessons learned actions from incidents, drills and exercises and follow up on timely closure.

OFFSHORE EMERGENCY COMMUNICATION CENTER (A7S)

- A7S is manned 24 hours and shall respond to emergency notifications from offshore.
- On receiving notification, must obtain the available information about the incident
- If On-Scene Commander or OIS request to activate IMT (Tier 2/3 incident) immediately notify the Duty IC.
- Once Incident Commander (IC) confirms, activates the IMT through call-out of the IMT Duty-Roster.
- Ensure all required IMT members are notified and requested to attend.
- Contact Ad Hoc members and request attendance on direction from the Incident Commander.
- Upon instruction from IC/IMT to mobilize Offshore Emergency Resources i.e. Vessels and Helicopters.
- In escalated (Tier 2 /Tier 3) incidents, the incident specific support by the A7S is under management of the IMT Logistics section.

IMT ADVISOR

- IMT Advisor is the role used in event of Emergency and / or Drills and Exercises as the part of IMT to provide support for activation of Offshore Emergency Operations Centre (EOC) and facilitate the IMT work process.

2.1.2 Asset Information

QatarEnergy Offshore Operations are located offshore about 85 kilometers east of Doha, Qatar in the shallow waters of the Arabic Gulf and consists of:

- QatarEnergy Offshore Asset operated sites: PS-1, PS-2, PS-3, NFA, FMB, All-Morjan & Halul Island.

A more detailed description of the facilities can be found in Appendix C.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

2.1.3 Emergency Scenarios

The Major Accident Hazard scenarios have been identified for Offshore Operations (see table below) with the Tactical Response / Pre-Incident Plans with Emergency Response actions for each scenario developed and incorporated into Site ERPs.

TABLE 1 – Offshore Major Accident Hazard Scenarios

1	Accommodation Fire
2	Bomb Threat
3	Evacuation and Abandonment
4	Explosion and Fire
5	Gas Release
6	Helicopter Ditching in the Sea
7	Helicopter Crash on Helideck
8	Man Overboard
9	Oil Spill or Leak
10	Serious Illness, Injury or Death
11	Vessel Collision Threat
12	Structural Collapse
13	Diving Incident
14	Incident on Remote Facility
15	Loss of Well Control
16	Confined Space Entry / Work at Height
17	Full Surface Tank Fire on Halul

Additional hazards includes Security, IT/OT Cyber Security threats and other events.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

3.0 EMERGENCY MANAGEMENT PROCESS

3.1 INCIDENT NOTIFICATION AND IMT ACTIVATION

The following flowchart reflects the initial notification of IMT and its activation.

Figure 1 – Incident Notification and IMT Activation Flowchart




TABLE 2 – Incident Notification and IMT activation process

STEPS	DESCRIPTION
1.	Initial Incident Notification must be completed from the incident site to the A7S 40133 999 The Site On-Scene Commander must complete the following actions: - Assess incident, including potential for escalation - Implement initial response based on defined strategies and tactics - Confirm to A7S if additional support and activation of IMT

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	--

STEPS	DESCRIPTION
2.	If OSC requests support from Duty Incident Commander and/or IMT activation (Tier 2 / 3), A7S shall immediately notify the Duty Incident Commander and other parties on Duty Roster as per A7S notification protocols. MedEvac shall be coordinated by Site and A7S / JOC directly. Duty IC / IMT is not mobilised. For complex MedEvac i.e. with multiple casualties, IMT may be mobilised to provide additional support and coordinate additional resources i.e. Medics, MedEvac Helicopters etc.
2a.	If IMT is not mobilized (Tier 1 incident), Site will carry out on-site response until incident is concluded. A7S to monitor and assist as needed. A7S shall immediately notify all parties as per Incident Notification Matrix for such incidents and keep regular updates on the incident status until incident is over.
3.	The Incident Notification and IMT Activation Matrix (provided in IMT Handbook) could be used for additional guidance on determining the type and Tier of incidents that may require IMT Activation. The activation of the IMT is at the sole discretion of the Duty IC if trigger criterion within the IMT Activation Matrix has not been met. The IMT is scalable, IC may choose to scale-up or down based on anticipated or actual resource requirements.
4.	If Duty IC confirms the IMT mobilization to the EOC or virtually through MS Teams, A7S shall contact core IMT Members on Duty Roster. Upon decision of Duty IC, on-duty IMT Members must: 1) Immediately connect virtually on MS Teams IMT meeting and/or 2) Mobilize to the EOC within 30 minutes If any of IMT Members are unavailable, then A7S must contact other Members on the Duty Roster to ensure that all IMT roles are filled in. In the event of the expanded IMT being activated the IC may request each Section Chief and Command Staff to activate their teams. A7S may still need to call IMT members where Section Chief would only identify who to contact. A7S to maintain records of all notifications.
5.	The On-Duty IC can consult with the IMT Advisor to confirm incident classification, determine the need for any additional Ad-Hoc members and / or technical SMEs to support the Core IMT, such as; HR, Finance, Legal, Drilling, Security, Engineering teams. Notification of additional IMT members shall be initiated through A7S.
6.	The IMT Advisor shall activate EOC or create a virtual MS Teams meeting within 30mins of the call and; • IMT Advisor may maintain communications from EOC with A7S or directly with Site OSC, receiving updates until the Duty IC arrives.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	--

STEPS	DESCRIPTION
	• Complete Incident Briefing Form (ICS 201) to be used for IMT initial briefing. • Ensure the Event and Action Logs are maintained by Scribes. • Obtain plans, drawings, photographs, weather information to prepare for arrival of IMT members.
6a.	Duty IC (if not OI) shall notify IS Asset Manager (OI) and VO on activation of IMT for confirmed Tier 2 /3 incidents.
6b.	For Tier 3 incidents or potential Crisis Situation, the IC (or his delegate i.e. Safety rep) shall notify HSE BC focal point.
7.	IMT shall assemble in the EOC and start working the IMT work process. IMT work process is explained within Section 3.2 and IMT Positions Roles & Responsibilities are available in IMT Handbook.


3.2 IMT PROCESS & OPERATIONAL PLANNING

The IMT follow a process called the Incident Management System (IMS). This is not a set of specific procedures for responding to a specific scenario (e.g. pre-incident plans). IMS is the process used to manage an emergency incident. It can be used equally well for both small and large situations. The system has considerable internal flexibility. It can expand or contract to meet differing needs, in doing so it is an effective and efficient administration system for overall control.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

Within the IMS process are two separate phases, the Reactive Phase and Proactive Phase.

Figure 2 – Planning P IMS Process



3.2.1 Reactive Phase

The Reactive Phase outlines the initial emergency response actions implemented by the Site Emergency Response Team (SERT) and possibly by a Core IMT. Majority of incidents will typically not go beyond the Reactive Phase, these incidents are short in duration and mitigated by site emergency response personnel, with minimal support from the A7S and IMT.

TABLE 3 - IMT WORK PROCESS FOR REACTIVE PHASE

STEPS	DESCRIPTION
1	Activation of IMT Upon activation of IMT by IC, the IMT Advisor acts as the IMT Advisor / Planning Section Chief. As IMT assembles in EOC, the IMT Advisor ensures all team members are signed-in on the Org Board. Each IMT Member is provided with an IMT Handbook and Dossier which includes their specific roles and responsibilities.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

STEPS	DESCRIPTION
	IMT Advisor must populate the “Key Facts / Situation Summary” information in the Incident Briefing Form (ICS-201), the “Event Log” and “Actions Log (ICS-233)” with initial incident information completed by Scribes. IMT Forms are captured electronically. In case of IT equipment failure, Hard Copies / Boards are also available in EOC.
2	Initial Briefing IC to establish initial communication with OSC (i.e. Offshore OIS) to receive initial information about incident. Following the Initial Briefing, IC may delegate all further communication with Site OSC to Operations Chief. The IC provides <u>initial briefing</u> to IMT using ICS-201 Form and additional information received from the Site. The IC shall confirm the roles of the assembled IMT members. Scribe 1 (under direction of IMT Advisor / IC) capture all important events on the Event Log. As additional events are communicated to IMT they are added to the Event Log. IMT must evaluate received information on the incident and determine the immediate threats / urgent support needs required for the Site.
3	Incident Objectives / Priorities IMT must set initial PEAR objectives/priorities and capture current and planned Objectives in ICS-201 Form. The objectives should be high level statements (e.g., minimize, mitigate, protect etc.) Scenario specific PEAR Objectives may be used as guidance (available in Dossiers).
4	Action Log (ICS-233 Incident Action Log) Each Action must be assigned with a responsible person and expected completion date and recorded in the ICS-233 form “Incident Action Log” by the Scribe 2. The actions should be directed at meeting the response objectives.
6	Incident Potential / Worst Case Scenario IMT should assess the Incident Potential / Worst-Case Scenario (WCS) for the incident. During this process IMT should consider incident escalation for each of the PEAR categories. Each item identified on the WCS board must be assigned an Impact and Chance; these must be assessed as Low, Medium or High. IMT must place additional focus on the High Impact/Chance items. The WCS is assigned to HSE or developed by the entire IMT. The WCS is then reviewed with IC and IMT. IMT Advisor shall provide support to

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

STEPS	DESCRIPTION
	facilitate WCS process. WCS development guide is available both electronically and in hard copy, in the EOC.
7	Time Out Briefing The IC shall conduct regular Time-out briefings of the full IMT by using the TIME OUT format (Appendix D). IMT members should cease all activities whilst the IC provides Time-Out and re-iterates the current incident status; priorities; and tasks for each IMT Role.
8	The IC determines if IMT should continue or to stood down. <u>Incident continued:</u> • The ICS-201 Form shall be considered as an initial IAP and remain in force and continues to be updated until the response ends. • For major protracted Tier 3 incidents, the IC shall consider moving to the full Planning – P cycle IAP process. The detailed Planning-P process is explained in IMT Handbook. <u>Incident over:</u> • IMT Advisor facilitates closure of assigned actions by IMT members / Action owners. • Prior to IMT being stood down, IMT Advisor conducts a lesson learned / hot wash debrief session with IMT using the debrief form template • IMT Advisor must prepare and distribute Incident Report with the summary of the response and any lessons learned.

3.2.2 Pro-Active Phase

Incidents requiring the Proactive Phase of the "Planning P" are longer term in nature (i.e. >7 days) requiring additional resources (people, materials, and equipment). Due to the longer term nature and changing characteristics, including objectives, a more structured operational planning process must be implemented to effectively and efficiently manage the incident. The components of the Pro-Active Phase are shown in Figure 2.

The Planning process is completed ahead of each Operational Period (i.e. 12 hour shift). The outcome of the Planning process is an Incident Action Plan (IAP). The IAP is a set of field work assignments that will be implemented over the next Operational Period. The Planning process is repeated as required until the incident is resolved.


The specific actions/procedures that will be followed during the Pro-Active Phase / Planning process are provided within **IMT Handbook**.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001	REV. 03
---	---	----------------

3.2.3 Information Management

Common Operating Picture is critical tool to manage and visualize the incident information in order support the decision-making process. Information will be presented on EOC Video Wall screens and white boards.

Figure 3 – Common Operating Picture example



The following Forms will be used:

- ICS-201 Incident Briefing Form
- Event Log
- Action Log (ICS-233)
- Status Boards (Resources; Casualties; Weather; Vessels & Helicopters Tracking)
- GIS Maps and Oil Spill modeling tools
- Applicable IMS-Forms; Overview in Appendix C;
 - Forms are available:
 - Soft copies in IMT folder
 - Hard Copies: in EOC File Cabinets


	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

3.2.4 Communication Protocols

Communication Protocol between Site and IMT

The following diagram provides high-level overview of the emergency communication protocol.

Figure 4 – Site and IMT Communication diagram



1. OIS notifies A7S on incident and continue communications until IC is mobilized
2. A7S notifies IC.
3. IC to establish initial communication with OSC (OIS) to receive initial details of the incident and the need for potential mobilization of additional support (IMT or Crisis Response Team).
4. Following the Initial Briefing, the IC delegates all further communication with Site to Operations Section representative

Crisis Management and External Communications

Any communication to the media or general public is strictly allocated to the CMT / Public Relations and communication department.

The communication mandate of the IMT is limited to:

- The exchange of operational information and instruction inside the impacted asset or involved jurisdictions.
- Sharing verified information on the incident management to the PR/ communications representative at the CMT / corporate department.


NOTE: CMT may assign PR officer into IMT who will be feeding the information and regular updates to CMT PR Team.

- Transferring any public or media request regarding the incident to the PR and communications department at CMT / corporate level.

The IC or his delegate will be the point of contact for senior management or the CMT.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

Figure 5 – Crisis Communication diagram



3.2.5 Mutual Aid & specialist support

Should external personnel be required to assist the IMT in the event of a significant incident, QatarEnergy may request support from Government, Industry Organizations, and specialized External Contractors.

The Multi-Agency Response for Offshore incidents and any interactions / mutual aid with Offshore Operators and Joint Ventures will be specified in the Multi-Agency Emergency Management Plan under Muahhad Project.

The Authority to mobilize the External support is maintained by CEO or his delegate and coordinated through Crisis Management Committee by Incident Commander.

OSRL/WWC are mobilized as per contractual arrangements and provide a response capability report (including mobilization times of personnel and equipment) upon request.

Oil Spill Response Contractor

Oil Spill Emergency Response Department is responsible for notification and mobilization of Oil Spill Response Limited (OSRL) for immediate deployment of resources (equipment and personnel) in the event of a major oil spill (Tier 3) requiring out of country support from international sources. OSRL may be activated through contacting the 24/7 activation phone number (+44 23 8033 1551 or +65 6266 1566).

QatarEnergy ORS (O) Department maintains a list of personnel who are authorized to activate their resources.

Well Control Emergency Support 'Well Blow-Out'

In the event of a well control emergency, Drilling Department has a contract in place to provide in country support within 24 hours by an International Contractor specialized in Well Capping and Fire Fighting:

- Wild Well Control 24/7 Emergency number +1-281-784-4700.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

Upon Company request, the International Contractor mobilizes equipment, services and materials and must be responsible to advise Company's blow out Response Team on design and execute the well control operations.

Master document is QatarEnergy Well Emergency Management Procedures.

For detailed well emergency procedures refer to UD-BOC-PLN-002 Offshore Blowout Contingency Plan.

4.0 ORGANISATION AND GOVERNANCE OF EMERGENCY RESPONSE SYSTEM

4.1 EMERGENCY RESPONSE PROCEDURES HIERARCHY

Crisis Management Plan - describes the structure of the Crisis Management Committee (CMC) and provides details on the process used for responding to a Crisis. This Plan is owned and maintained by Corporate HSE&Q (BC).

Emergency Management Plan (this document) - describes the Tier 2/3 tactical emergency management procedures - specifically the actions of the IMT and related process.

Site Emergency Response Procedure – covers Tier 1 Emergency Response procedures and outlines the actions implemented by the Site Emergency Response Organization and the process overview to contain the incident, complete notification, and coordination of additional support.

Pre-Incident Plans / Tactical Response Plans - describes Emergency Response actions for a specific area or unit and forms as a part or supplement of a Site ERP.

Well Emergency Management Plans / Blow-out Contingency Plans - these plans reflect the tactical plans describing different methods of the response actions to well control incident and relevant roles & responsibilities of those involved. This plan is owned and maintained by UD Drilling department.


Contractor ERP/Bridging Documents - describes the Emergency Management organization and process used by the contractor and must identify how this organization must interface with the Company.

Oil Spill Contingency Plan - outlines the corporate level Oil Spill response strategy. This plan is owned and maintained by Oil Spill and Emergency Response Team (ORS).

Site Oil Spill Response Procedures - the individual site plans that interface with the OSC plan. IS Spill Response Procedure is developed and maintained by IS OIH Emergency Response Team.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

Figure 6 – ER Plans hierarchy



4.2 EMERGENCY MANAGEMENT MODEL

The Offshore IMT organisation shall adhere to Incident Management System (IMS).

The nature, location and scale / consequences of an incident shall determine the level of response required by QatarEnergy Offshore Asset to regain control, protect people and return the business to normal operating levels.

Site emergencies shall be managed by the Site Emergency Response Team (ERT) in accordance with Site Emergency Response Procedure (ERP) under management of the On-Scene Commander (OSC). However, depending on the level of the incident (Tier II and above), Site ERT may be supported by IMT and Crisis Management Committee (CMC) as necessary.

Table 3 below describes the definition of each level of incident and how it shall be managed, in accordance with Corporate Emergency Management Standard CORP- BCM- STD- 011.

TABLE 4 – EMERGENCY LEVEL DEFINITIONS

TIER	DEFINITION
I	Event can be dealt with by resources assigned to and deployed by the affected facility/ installation
II	Event can be dealt with by resources deployed by the affected asset operator, may be supported by internal/external support providers, mutual aid assistance from neighbouring asset operators under normal arrangements.
III	An event that cannot be controlled with all of the QatarEnergy resources available and requires assistance from QCD, the wider QatarEnergy asset operator, or other Government Agencies.
CRISIS	Situation with high level of uncertainty that disrupts the core activities and/or credibility of an organization and requires urgent action.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---


4.3 EMERGENCY MANAGEMENT ORGANISATION

The Emergency Management Organization shall follow the adoption of a tiered response structure:

- Site Emergency Response Team: performs on-site Emergency Response
- Incident Management Team (IMT): supports Site and coordinates tactical response operations at Tier 2/3 levels.
- Crisis Management Team: manages strategic crisis (issue) response operations

Figure 7 below provides high-level overview of the IMT Organisation and its interfaces with Site, Corporate and other Stakeholders.

Figure 7 – Crisis and Emergency Organisation



Site Emergency Response Team

Site ERT shall be managed by the On-Scene Commander and may include additional positions. The specific Site ER organization should be described in Site ERP. The Offshore On-Scene Commander shall manage incident from Site CCR (Central Control Room) with support from Incident Control Team (ICT).

Incident Management Team

The Offshore IMT shall be activated for the incidents beyond the capability of the Site ERT (Tier 2, 3 incidents).

The purpose of the IMT:

- To provide additional support to Site and coordinate the tactical Emergency Response operations.
- To manage consequences within the Impact Area / anticipated hazard footprint.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---


- To adequately notify and inform executive management and impacted stakeholders.
- To collaborate effectively in a Unified/ Coordinated Command if the impact area extends outside their sphere of authority.
- To designate a competent Representative to attend a Unified/ Coordinated Command in escalated events with multiple impacted assets.

The size of IMT organization must be scaled up or down based upon the incident size, but shall include the five (5) major organization sections:

- **Command:** has overall responsibility at the incident or event.
- **Operations:** Conducts tactical operations to carry out the plan, develops the tactical objectives, Organizes, and directs all resources.
- **Logistics:** Provides support to meet incident needs, provides resources and all other services needed to support the incident.
- **Planning:** Develops the action plan to accomplish the objectives, collects and evaluates information, maintains resource status.
- **Finance:** Monitors costs related to the incident; provides: Accounting, Procurement, Time Recording, and Cost Analyses.

IMT may implement the Unified or Coordinated Command, in case of other QatarEnergy Assets, Joint Ventures and/or Government Agencies are activated.

Figure 8 – IMT Org Chart



Asset Focal Points* - the relevant representative of the Asset impacted by Incident to be mobilized to support ERCT i.e. PS02, PS-03, PS-04 & Halul Managers

Technical Support** - the subject matter experts from relevant Technical Teams i.e. Drilling, Engineering, etc. The list of Technical Support is available in the ERCT Duty Roster


Figure 8 details the IMT Org Chart. The Core Positions are included in the IMT Duty Roster and are activated by default for any incident. The IC may request additional roles and positions to the need of the incident. The staffing of the core positions is according to the duty-roster as shown in Appendix E.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001	REV. 03
---	---	----------------

The Role Checklists of IMT Members are provided in the IMT Handbook which is maintained by ER Coordinator or his delegate.

Figure 9 demonstrates an example of Expanded Incident Management Team could look like for a major incident.

Figure 9 – Example of Expanded IMT



4.3.1 Unified and Coordinated Command

To accommodate Muti-Agency incidents with multiple impacted entities, Offshore Operators, Assets and/or activated Government Agencies, the incident management should implement the Unified or Coordinated Command.

Concept of Unified Command:

- In case the Multiple Assets are impacted by one incident the affected Entities should assign the Incident Commander(s) and operate from one EOC.
- The most impacted Entity or the one from the incident origin should be assigned as the Lead Incident Commander of the Unified Command while each IC to act within his/her jurisdiction / Asset or Agency limitations
- Government Agencies should assign their competent Authority to the Unified Command;

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

- NOTE: Government may take over the Lead Incident Commander role in line with State Regulations
- Unified Command shall allow to take the aligned decisions and combined legal liability / accountability for overall Command over the Multi-Agency Incident response and possible consequences
- Incident Commander (s) within Unified Command must concur on the selection of the General Staff Section Chiefs
- Operation Section Chief must have full authority to implement the tactics within the IAP
- Include liaisons from involved Assets, Agencies and Operators.
- Unified Command delegations / representative should be included in the Area / Asset Emergency Management Plans and interagency / mutual aid agreements
- Conduct joint training exercises using Unified Command with adjacent Assets / jurisdictions and functional Agencies Develop a single Incident Action Plan for the aligned objectives.

Concept of Coordinated Command:

Government Agencies may declare some Offshore Tier 3 incidents as Regional or National wide Emergency Situation with activation of the National Incident Management Organization operated from National Command Center

In such cases, it is recommended to implement the Coordinated Command in order to provide a mechanism for the coordinated and aligned approach to manage the incident in consistent and efficient manner and provide a forum for making consensus decisions.

In order to implement Coordinated Command, the Government Agency and an Impacted Asset can maintain two Incident Management Teams in parallel where an impacted Asset (i.e. QatarEnergy or JV) should delegate a Senior Management representative in the capacity of a “Government Liaison” to physically join the National Command Center (NCC) or Agency in Doha. NCC / Agency Senior representative may also delegate their Senior representatives into QatarEnergy / Asset Emergency Operations Center.

“Government Liaison” must be an official Senior Management Representative from an impacted Asset Operator who will communicate all information to / from Government Command Center to / from Asset EOC and facilitate all critical decisions and / or approvals of Incident Action Plan (IAP) by Government NCC / National Incident Commander.

Names of Coordinated Command delegations / representatives should be included in the communication protocols and / or mutual aid agreements.

Offshore Operators and Government Agencies shall conduct joint training and exercises to test and practice the Coordinated Command

Example of Unified and Coordinated Command Structures for multi-agency response scenarios provided in Appendix F.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

4.4 OFFSHORE EMERGENCY OPERATIONS CENTER (EOC)

Any Tier 2 or 3 Incidents shall be managed by IMT from EOC (if meeting face to face) or online via MS Teams.

- The Offshore EOC is located in QatarEnergy HQ, Tower 4, 3rd floor, Room 71

Activation of the EOC is initiated by the Duty-IC guided by incident potential and activation matrix.

The setup, mandatory equipment, and protocol to assure readiness at any time are defined in the EOC work instruction.

For situations where the primary Offshore EOC is impacted or considered unsafe, JOC in Tower 7 is considered as primary backup facility and the MIC EOC as secondary.

4.5 DUTY ROSTER

The IMT Roster is owned by the HSE manager and maintained by the Emergency Response Planner (or his delegate). The process for Duty Roster maintenance is:

- Duration of the Duty Period is one week (from Thursday to Thursday)
- Every Wednesday, the Emergency Response Coordinator or his delegate must check the availability of IMT Members.
- The final Duty Roster must be published every Thursday morning and provided to all IMT Members and to A7S.

A Duty Roster sample is available in Appendix H.

4.6 EMERGENCY CONTACTS

Key Emergency Contacts shall be maintained by Emergency Response Coordinator or his delegate and available in:

- a. Hard copies in EOC
- b. IMT Handbook

Also, contact lists must be available with A7S ECC.

4.7 IMT DOSSIERS

IMT Dossiers are developed and always available in EOC to guide IMT members. IMT Dossier must include the following files:

- Key ER Contacts
- EOC operations manual
- Level classification and activation Matrix
- IC Initial Actions Checklist
- Scenario Specific PEAR Board
- Worst Case Scenario Development Guidance
- Timeout Checklist
- Phonetic Alphabet
- Communication Log Sheet

Electronic copies shall be available in the EOC Folder.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

4.8 IMT HANDBOOK

IMT Handbook provides a “pocket version of the Emergency Management Plan and provides brief overview of the following:

- IMS Process and Operational Planning
- IMT Members Roles Checklists
- Contacts
- Other ER critical information.

IMT Handbook maintained by ER coordinator or his delegate and issued to each IMT Team member.

4.9 DRILLS AND EXERCISES

Emergency Response Coordinator or his delegate shall be responsible for development and update of the Annual Drills and Exercise Schedule.

Each November, Emergency Response Coordinator or his delegate must assist OH(O) to prepare an annual schedule of drills and exercises for the upcoming year.

The up-to-date annual Drills and Exercise Schedule shall be available on OH(O) Shared Drive. Site must develop and implement the Annual Drills Schedule utilizing most credible scenarios.

At the completion of each drill / exercise or routine drill, all participants are expected to attend a debriefing and critique session. The purpose of this activity is to identify any of the following:

- a. Areas of concern
- b. Plan actions that did not work as expected, or
- c. Capture any other opportunities for improvement.

Significant lessons learned must be captured on the IMT drill report and shared with other sites, affiliates, and exercise participants by e-mail.

Follow-up items shall be assigned to a "responsible person" and tracked by Emergency Response Coordinator or his delegate to completion.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

4.9.1 Drills and Exercise requirements

The following are recommended minimum requirements for the ER related activities, training, drills and exercises, which are categorized into several different types as defined below:

TABLE 5: DRILLS AND EXERCISE REQUIREMENTS

TYPES OF EXERCISE	DESCRIPTION	MINIMUM FREQUENCY
IMT Briefings (Tabletop)	Quarterly IMT briefings conducted by the Emergency Response Coordinator or his delegate and must include selected members of the IMT. This may be in the form of a Drill conducted in more relaxed Training manner to practice the selected element of the ER process with a simple brainstorming of the certain incident scenario in a table-top format. Approximate duration ~1-2 hrs. May be replaced with actual incident response and/or Level 2 Exercise.	Quarterly. May be conducted as part of a simulation exercise or actual response.
Site Drills	Every site to develop and implement annual Drill Schedule which should be reviewed by OH(O), Emergency Response Coordinator or his delegate and approved by Site Manager.	Frequency and types of the Drills must be defined by Site Manager.
Simulation Drill / Exercise (Level 2, 3)	Team exercise focused on and driven by a simulated emergency where the IMT responds to scripted inputs. Includes incoming and outgoing communications with field/facility installations and live role players. If applicable, includes Crisis Management, Public Relations and Communications unit's activation. May include third party contract or support companies, external agencies, or organizations.	Level 2 - quarterly. Level 3 – one per year.
EOC Mobilization	Practice establishment of Emergency Operation Center and improve knowledge and confidence in use of EOC equipment/facilities.	Two per year. May be combined with a Simulation Exercise or Actual response.
Actual Response	A response to an actual incident. If applicable, may be substituted for one or more of the above exercises having equivalent scope.	N/A

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

4.10 TRAINING AND COMPETENCE ASSURANCE

All personnel, including alternates and ad hoc positions, with a role in the IMT or Site ERT, shall be:

- Qualified according to the role description;
- Sufficiently trained to develop their proficiency in the role;
- Included in a periodic (once every 3 year) refresher training cycle.

All IMT members must attend the initial IMT general orientation training prior to assuming a role in the IMT. This training covers the basic introduction to QatarEnergy Offshore Emergency Management Process and individual roles and responsibilities of IMT Members.

Additional mandatory ICS 100, 200 and 300 training will be organized for IMT members. Role specific training may be added for specific roles.

In addition, all IMT Team members shall participate in regular drills / exercises and briefings. IMT members should attend a minimum of one drill per year, performing their allocated IMT role.

Emergency Response Coordinator or his delegate shall maintain the IMT Training Matrix to register the attendance to trainings, drills, and exercises.

TABLE 6 - IMS TRAINING MATRIX

Role / Function	Modules applicable			
	ICS 100	ICS 200	ICS 300	Specific modules
ERT member	✓			OPITO Offshore ERT Member
ERT Leader	✓	✓		OPITO Offshore ERT Leader
On scene commander	✓	✓	✓	OPITO MEM + Assessment
IMT Advisor	✓	✓	✓	
IMT Member	✓	✓	✓	Can apply
IMT Incident commander & Deputy IC	✓	✓	✓	Can apply i.e.ICS-402

4.10.1 Competency Assurance for the Incident Commanders & Deputy ICs

The purpose of this IMT Competency Matrix for Incident Commander & Deputies to define key Competency Categories and specify the applicable process for tracking completion of required competencies.

The table below provides a Description for each Competency; in some cases this is something measurable (i.e. attend ICS 100, 200 and 300 training) and in other cases this is something subjective (understands roles and responsibilities etc.)

What you need to do; Review each Competency and provide feedback:

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

- For items where the Competency Requirement = R (Required), provide response how this item was satisfied.
- For items where the Competency Requirement is K or A (refer to Legend below) you will need to provide feedback on how you meet this competency.

The outcome of this activity will be verification that our Incident Commanders meet the required competencies, in cases where the member does not meet the competency requirement they may need additional time to close the gaps.

Competency Category	Description	Competency Requirements ¹	Your Feedback /Response
QatarEnergy IMT Induction Program	Attended an IMT Induction Program. Understands the roles and responsibilities of QatarEnergy Emergency Management and site specific Procedures	R	
Incident Command System	ICS 100/200/300 training. Experience with ICS through attending exercises or actual responses is beneficial.	R	
Previous Emergency Response Experience	Previous experience with Emergency Response is required before assuming a Key IMT position. Previous experience may include; ER experience with IC / IMT role within or outside QatarEnergy;	R	
QATARENERGY Operations	Understands all Key QATARENERGY Operations and the required interfaces in an Emergency situation.	K	
QATARENERGY Hazards and Operational risks	For all key QATARENERGY Operations understands the associated operational risks and how these will impact response decisions	K	
Participate in QatarEnergy Tier 2/3 Drills and Exercises	Required to participate in at least one Tier 2 exercise prior taking a role of IC. Attend at least one Tier 2/3 drill a year or Actual response;	R	
Behavior / Leadership	Understand required behavior and Leadership to fulfill Incident Command role. For IC and Section Chief IMT Positions the previous experience in Managerial role would be preferable.	K	

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

¹Competency Requirement Legend:

- Required: A measurable item (i.e. training course) that should be completed.
- Awareness: Demonstrates sound understanding of importance to the business and of own role and responsibilities.
- Knowledge: Demonstrates a good understanding of principles, processes & procedures, ability to productively participate and contribute.
- Skill: Demonstrates the ability to take a leading, independent role in the execution of significant tasks, solving problems as necessary

4.10.2 Post Incident Review

A post incident review or debrief is an essential part of the improvement process and shall be conducted at the earliest stage after the incident response is complete and situation is under control.

The debrief session(s) is conducted by the Emergency Response Coordinator or his delegate to check the effectiveness of the response arrangements applied during the incident.

The debrief form template includes a minimum list of questions that help a facilitator to make proper evaluation of the actions taken during the incident.

Based on the findings identified during the debrief session a corrective actions plan needs to be developed with indication of target dates and responsible personnel for each action.

The agreed corrective actions shall be reflected in the relevant action tracking tool and monitored up to completion. The responsibility for entering and tracking of actions raised from incidents involving IMT activation falls under Emergency Response Coordinator or his delegate, whereas Site ERT (Tier 1 incidents/drills) is under a relevant Site Management and maintained by Site Safety Advisor.

All the Lessons Learned related to the incident should be shared within the relevant teams and to be retained for audit purposes.

The Emergency Response Coordinator or his delegate facilitates the post incident review for IMT activations and HSE Manager endorses changes to the ER process (if any).

4.11 MEASUREMENT AND IMPROVEMENT

4.11.1 Key Performance Indicators

The Key Performance Indicators (KPIs) shall measure compliance with the QatarEnergy Emergency Management Process objective, defined as:

“Ensure that Company establish an effective and tested Emergency Management System and well-maintained performance-based response capability in line with Company risks portfolio”.

Hence, the KPIs must primarily measure the response capability, which accordingly includes related elements such as the competency of the response teams, the timely nature of the response, and the provision of sufficient response resources and equipment.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

QatarEnergy Operations (Offshore Fields) adopts the following key expectations for Emergency Response based on which the annual KPIs are developed and shall be regularly tracked and discussed / reviewed together with Management for continuous improvement:

- d. The competency of the response teams members is maintained at required level:
 - The response teams members attend all required training courses and each one knows his/her duty function
 - Each member of the response teams participates in a planned exercise(s) to practice the skills gained from the trainings and the minimum attendance requirement is met
- e. Conducted exercises and BCP Tests in line with QatarEnergy OM(O) Drills & Exercise schedule:
 - Drills and exercises and BCP Test objectives are met all the findings captured with a follow up action plan for continuous improvement
- f. Emergency Management documentation is developed and up to date to apply during a response process:
 - All the existing response plans and procedures including BCP shall be tested and validated during an exercise or real incident
 - ER and BCP documents shall be revised based on findings and lessons learned from tests, exercises, and real cases.

4.12 ER PROCESS ASSESSMENT & REVIEW

The Emergency Response Coordinator or his delegate is responsible for implementing of Assurance and Verification activities which may be delivered through testing and verification of the effectiveness of ER Process (i.e., inspections, audits, observations and evaluation through regular drills and exercises).

Any findings, review results, lessons learned from assurance reviews, incidents, drills and exercises shall be implemented to improve organizational, training and capability (materials, equipment, etc.) arrangements.

Assurance results shall be properly documented in a timely manner and used to correct any deficiencies and gaps in the ER process.

Emergency Response Planner or his delegate shall maintain the ER Activities Matrix which reflects the annual schedule of Assurance activities with minimum of the following:

- a. Review Open Actions Items (from Lessons learned, Incident reviews, Drills and Exercises, etc.) – Monthly by Emergency Response Planner or his delegate
- b. IMT Contact list verification (Verification of IMT contact lists by validating overall responder's names and phone numbers to ensure contact lists are accurate and up to date) – quarterly by Emergency Response Planner or his delegate.
- c. Self-Assessment of ER process which is annual assurance review of ER systems and processes in place in line QatarEnergy ER Standard, and/or with

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

pre-established checklist and procedure. This can be replaced with the external Audits / reviews – Once per year, coordinated by Emergency Response Coordinator.

4.13 PLAN MAINTENANCE

This Emergency Management Plan shall be reviewed once every two years, or whenever necessary to reflect fundamental changes in emergency planning and procedures, response capability, hazards and risks, organizational changes, or any lessons learned.

The Emergency Response Coordinator or his delegate shall support OH(O) in maintaining this Plan and coordinating the update and revision process in accordance with the company document management system.

4.14 MANAGEMENT OF CHANGE

Changes to the ER Process including the organizational structures, key personnel, procedures/plans and response equipment shall follow appropriate hazard evaluation through the Management of Change (MOC) process.

The Management of Change Process shall include ensuring that all relevant parties are fully aware of the changes and the implications of the changes on the ER activities, including as required, the regulatory authorities.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

4.15 PLAN REVIEW AND UPDATES

This Emergency Management Plan shall be reviewed once every two years, or whenever necessary to reflect fundamental changes in emergency planning and procedures, response capability, hazards and risks, organizational changes, or any lessons learned.

The Emergency Response Coordinator or his delegate shall support OH(O) in maintaining this Plan and coordinating the update and revision process in accordance with the company document management system.

Changes to the Emergency Management Process including the organizational structures, key personnel, procedures/plans and response equipment shall follow appropriate hazard evaluation through the Management of Change (MoC) process.

5.0 REFERENCES TO OTHER DOCUMENTS

TABLE 7: REFERENCES TO OTHER DOCUMENTS

Document Title	Document Number	Internal/External Document (if any)	Document Referencing
QatarEnergy HSE Policy	QP/17/00440	INTERNAL	UPWARDS
Standard for Occupational Health, Safety, Environment and Quality (HSE&Q) Training	QP-STD-S-024	INTERNAL	SIDEWAYS
QatarEnergy Procedure for Emergency Management	CORP-BCM-STD-011	INTERNAL	UPWARDS
Incident management system for the oil and gas industry	IPIECA/OGP (2014)	EXTERNAL	UPWARD
Petroleum and natural gas industries — Offshore production installations — Requirements and guidelines for Emergency Management	ISO 15544 (2000)	EXTERNAL	UPWARD
Standard on Continuity, Emergency, and Crisis Management	NFPA 1600	EXTERNAL	UPWARD
Offshore Blowout Contingency Plan	UD-BOC-PLN-002	INTERNAL	SIDEWAYS
Procedure for Emergency Response to Oil Spills	QPR-ORS-001	INTERNAL	SIDEWAYS

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

6.0 DEFINITIONS

TABLE 8: KEY TERMS DEFINED

Term	Definition
A7S Emergency Communication Centre (ECC)	The facility that handles incident calls for Offshore incidents and dispatches emergency resources i.e. Medevac Helicopter and mobilize Incident Management Team for Tier 2/3 incidents.
Incident Management System	The formalized and standardized system that allows organizations to effectively operate together within a common organizational structure, using common terminology and operating procedures for the command, control and coordination of incidents.
Operator	The legal entity operating the asset or facility, regardless of the ownership, having the authority and responsibility for the asset, facility or operation. This includes installations, buildings, vessels and other work locations and covers the terms: Asset Operator, Asset Holder and tenant as defined in the terminology for 'customers' in industrial cities.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

APPENDIX A – PROACTIVE PLANNING CYCLE (EXAMPLE)

The IMS Operational Planning Cycle guides the process for the IMT and is the systematic mechanism used to develop and disseminate a safe and effective Incident Action Plan (IAP) for Major and protracted Tier 3 incidents lasting >7 days.

The complexity and duration of an incident define how to use the Planning cycle. Combination of steps and meetings as described in Figure A.1 can be considered according to the complexity and duration of the incident.

FIGURE A.1: OPERATIONAL PLANNING CYCLE




TABLE A.1: STEPS OF THE PLANNING CYCLE

Step	Description
Incident Briefing	Provides participants with an initial briefing using “Key Facts” information from the PEAR Board and additional information received from the Site. The IC shall confirm the roles of the assembled IMT members.
Evaluate	Evaluate received information on the incident: • Determine the immediate threats / urgent support needs required. • Understanding the situation: Identify questions /gaps in that need answers. The meeting should be brief, and all important decisions and direction documented. The results of this meeting will help to guide the overall response efforts.

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
	Often combined with the Incident briefing in Initial Meeting.
Objectives & Actions	Set response priorities, identify limitations and constraints, develop incident objectives. Objectives should be high level statements (e.g. minimize, mitigate, protect etc.) and preferably linked to PEAR category. Aligned strategy and objectives along with decisions from the Initial Meeting will be input to establish response tactics. Discuss issues relevant to meeting the stated objectives. • Consolidate and prioritize issues related to PEAR objectives. • Keep objectives, issues, and actions segregated. For re-occurring meetings, all products will be reviewed and updated as needed. Identify action items to achieve objectives. Each action must be assigned with a responsible role, expected completion time and recorded in the “Action Log” (IMS 233).
Planning (Plan & Decide)	Assess the most credible and worst-case scenario for the incident and the potential to mitigate. Produce operational input needed to support the IAP, including proposed organization and input for safety plan (IMS 215a). Create an overview of the operational plan (IMS 215) and commitment to achieve the Command’s current direction, priorities, and objectives. • Compose the Incident Action Plan (IAP) • Validate and approve the IAP
Execute plan	Present the IAP to the Operations Section oncoming shift supervisors. Execute the plan, while validating effectiveness and adapt to changing conditions, maintaining safety and to achieve objectives.
Assess progress	Assess progress to help adjust current operations and help plan for future operations. Validate if Objectives are satisfied and actions addressed: No: continue with the Next cycle Yes: Conduct close-out meeting and de-activate IMT
Next cycle	Subsequent IMT process must formulate and refresh the response strategy, following: • An update of new information / key facts (OC) • Summary of any new facts from each section / officer • Update on status of Action Items • Review of PEAR Objectives and Issues, update as required • Review of Scenarios

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001 REV. 03
---	---

APPENDIX B – IMS FORMS (EXAMPLE)

The following selection of forms can be used in the IMT to compose the incident Action Plan. For a Complete overview of available forms and a description of the scope and objective, check the IMS Handbook and the IMT folder.


Form	Name	Prepared By
IMS-201	Incident Briefing Initial Incident	Initial Incident Commander/On-scene Commander
IMS-202	Incident Objectives	Planning Chief
IMS-204	Assignment List	Resources Unit Leader & Operations Chief
IMS-205a	Communications List	Communications Unit Leader
IMS-206	Medical Plan	Medical Unit Leader
IMS-207	Incident Organization Chart	Resources Unit Leader
IMS-208	Site Safety Plan	Safety Officer
IMS-215	Operational Planning Worksheet	Operations Chief
IMS-215a	Incident Action Plan – Safety Analysis	Safety Officer
IMS-233	Incident Open Action Tracker	Documentation Unit Leader
IMS-234	Work Analysis Matrix	Operations Section/Planning Sections

	IS EMERGENCY MANAGEMENT PROCEDURE DOC NO: IS-HSE-PRC-001	REV. 03
---	---	----------------

APPENDIX C – FACILITIES DESCRIPTIONS

QatarEnergy Offshore Operations are located offshore about 85 kilometers east of Doha, Qatar in the shallow waters of the Arabic Gulf and consists of:

- Offshore Assets: PS-1, PS-2, PS-3, NFA, FMB, All-Morjan & Halul Island





IS EMERGENCY MANAGEMENT PROCEDURE

DOC NO: IS-HSE-PRC-001

REV. 03

APPENDIX D – SUPPORT FORMS

1. Time-Out Checklist: OM(O)-SAF-PRC-038-B

STATE PRESENT SITUATION: (Examples Below)

- Incident Scene
- Equipment Status
- Muster / Casualties
- Logistics

STATE POTENTIAL

THESE ARE MY PRIORITIES: (Examples Below)

- People
- Environment
- Asset
- Reputation

THIS WHAT I WANT YOU TO DO (DELEGATE THE TASK):

If there is nothing new to tell the team or a team-member just say “carry on!”

OPERATIONS:

LOGISTICS

FACILITIES, ENGINEERING&CONSTRUCTION:

HSE:

IMT ADVISOR:

SCRIBE:

TIME OUT SUMMARY:

- Does everyone understand?
- Have I missed anything?
- End of time-out.



IS EMERGENCY MANAGEMENT PROCEDURE

DOC NO: IS-HSE-PRC-001

REV. 03

2. Incident Classification and IMT ACTIVATION: OM(O)-SAF-PRC-038-A

Emergency Tier classification and IMT Activation Matrix									
Consequence	#	Incident Description ¹ - describes site response and/or required support	Tier	IMT	Consequence	#	Incident Description ¹ - describes site response and/or required support	Level	IMT
Injury/Illness	1	Minor injury or health effect - Site response only	1	NO	Fire/Explosion	15	Minor - Site ERT responded, incident contained	1	NO
	2	Major injury or health effect - Assistance with MedEvac if required	1	NO		16	Significant (impacts production operation) - On-going incident. Site needs logistical support	2	Yes
	3	Single fatality - NOK authority notification, logistical support	1	Yes/No		17	Major Fire/Explosion - Significant damage; company level impact	2 or 3	Yes
	4	Multiple fatalities - NOK authority notification and response to initiating event	2 or 3	Yes/No	Aviation Incident	18	Refer to Incident Description for Injuries (#1-4)		
Gas/Vapour Releases	5	Small Immediate Area (e.g. single unit) - Site ERT responded, incident contained	1	NO	Health Exposure	19	Minor Impact (1 person) - Assistance with MedEvac	1 or 2	no
	6	Impact beyond immediate area, limited to site - Site ERT responded, incident on-going, personnel mustering etc.	1	NO		20	Cases of group (2 or more personnel) injuries and poisoning. - Medical and logistical support	2	Yes
	7	Impact beyond Site - Significant release, off-site impacts	3	Yes		21	Widespread - Business continuity issues	3	Yes
Hydrocarbon Liquid Spills - on land or water	8	Minor effect - Site ERT responded, incident contained	1	NO	Business Operations Impact, threaten Welfare	22	Limited to Site (e.g. small grievance) - Site response only	1	NO
	9	Localised effect - Site ERT needs operational and logistical support	2	Yes		23	Impacts Company - Requires Company support	2	Yes
	10	Major effect - Activate additional in-country resources	2 or 3	Yes		24	Impacts Region - Requires Government support	3	Yes
	11	Massive effect - Activate out of country resources	3	Yes	Terrorist / Bomb Threat	25	Impacts Company - Personnel welfare and Business continuity issues	2 or 3	Yes
Well Control Event	12	Caution (follows Well Control Response classifications) - Site response only	1	NO	Work Related Motor Vehicle Crashes involving employee or contractor	26	Minor vehicle incident, no injuries - Site ERT responded to incident	1	no
	13	Alert - Onshore technical support needed. IMT activation considered only for drilling activities.	1	NO		27	Vehicle incident, with injuries - External resources required to assist with response	1 or 2	Yes
	14	Emergency - Wide-ranging company resources, external well control experts	3	Yes	Reputation Issues External Exposure/ Media Coverage	28	Major International Impact - Requires activation of response plan for initial event and interfacing with media and partners	3	Yes



IS EMERGENCY MANAGEMENT PROCEDURE

DOC NO: IS-HSE-PRC-001

REV. 03

APPENDIX E – DUTY ROSTER SAMPLE

This section should have a sample of the IMS duty roster. It is the combination of a staff list with contact details of appointed IMT members and a roster for duty roles.

Core Incident Management Team			
IMT Position	Name	Position Title	Mobile phone number
Incident Commander	Hamad Al-Baker (15771)	Manager, Asset (IS)	55003119
	Jamal Al-Saleh (14685)	Advisor, SS	55818187
	Guillaume Berthaud (38286)	Manager, Field Operations (IS)	50371815
	Mohammed Al-Mansouri (21913)	Manager, Facilities, Eng. Construction	55872150
	Ibrahim Al-Ahmad (14127)	Manager, Health, Safety/Environment (IS)	55546263
Operations	Abdulla Al-Mohannadi (15025)	Asst. Manager, Site Operations	66668766
	Abdullah Ali Alharami (37844)	Sr. Operations Coordinator	55552950
	Talal Amoura (38162)	Wellhead Coordinator	55520226
	Ismail Djangi (39013)	Sr. Ops Coordinator	33090342
	Adnan Ghadban (4624)	Sr. Operations Coordinator	55854194
HSE	Soud Al-Khinji (21921)	Head, HSE Operations	55151000
	Nasser Al-Naimi (11798)	Head, Environment & Regulatory Affairs	55806116
	Adam Azzi (37847)	Sr Safety Officer (Operations)	60016444
	Neeraj Tiwari (29932)	Sr Safety Officer (Construction))	33026407
	Mohamed Mahmoud (27764)	Technical HSE Engineer	55843215
	Quinton Ferreira (38139)	Sr Safety Officer (RLIC)	3334 0478
	Tigor Maruli (37880)	Technical HSE Engineer	33453636
Logistics	Anthony Swindell	Technical HSE Engineer	77469108
	Waleed Al-Yafei (38133)	Head, SCM Logistics and Marine	30114111
	Deepak Kulkarni (38054)	Sr. Marine Advisor	33596656
	Hadi Al-Yafei (38038)	Sr. Logistics Supervisor	31311191
IMT Advisor	Sanjay Soni (38452)	Sr. Marine Advisor	55547404
	Gani Zharikessov (38349)	ER Coordinator	3315 7543
Scribe 1	Rustam Mammadov (37406)	ER Planner	55118538
	Rajesh Govindasami (38425)	Process Engineer	70565185
Scribe 2	Dinesha Anantharamu (37867)	Lead, Rotating Equipment	55847512
	Shankar Bhanushali (38515)	SR. SYSTEMS Engineer	70350770
	Vimal Gnanasekaran (38122)	SHUTDOWN Coordinator	55053812
	Kalyandurg Iqbal Basha (38614)	SR. Environmental Engineer	33211740
	Bakhtiyor Abdullaev (38475)	Petroleum Engineer	55602227
	Ray Anthony Domanais (39576)	ADMIN ASSISTANT (DOCUMENTS)	77393156
	Sivaraman Parambath (38005)	INSTRUMENT ENGINEER	66788754
	Mark Burns	Construction Supervisor	66616496




IS EMERGENCY MANAGEMENT PROCEDURE

DOC NO: IS-HSE-PRC-001

REV. 03

APPENDIX F – EXAMPLES OF UNIFIED AND COORDINATED COMMAND STRUCTURES FOR MULTI-AGENCY RESPONSE SCENARIOS

OPTION 1 – SINGLE IC UNIFIED COMMAND






IS EMERGENCY MANAGEMENT PROCEDURE

DOC NO: IS-HSE-PRC-001

REV. 03

OPTION 2 – MULTIPLE IC UNIFIED COMMAND



Page 42 of 43



IS EMERGENCY MANAGEMENT PROCEDURE

DOC NO: IS-HSE-PRC-001

REV. 03

ICT	Information and Communication Technology
IED	Improvised Explosive Device
IMS	Incident Management System
IMT	Incident Management Team
IT	Information Technology
LC	Logistics Chief
MCC	Motor Control Center
MoC	Management of Change
OC	Operations Chief
OSC	On Scene Commander
OSRL	Oil Spill Response Limited
PC	Planning Chief
PDA	Pre-determined Attendance
PEAR	People, Environment, Asset, Reputation
PR	Public Relations
PRA	Post Response Analysis
SERT	Site Emergency Response Team
SOFR	Safety Officer
STP	Sewage Treatment Plant
SUL	Situation Unit Leader
UL	Unit Leader

APPENDIX H – REVISION HISTORY LOG

Revision Number: 03

Date: 07/06/2023

Item Revised	Revision Description	Page No.
Common	Document was reviewed against new Corporate IMS manual and Standards in order to align against new ICS Terminology and standards.	-
Remarks:		