

Document Effective Date
03/12/2023



QatarEnergy-IS Pre-Marine Mobilization Review (PMMR) of Hired Vessels

DOC NO: IS-HSE-PRC-025

Rev: 02

Quality Reviewed By: OIB/4

CUSTODIAN DEPARTMENT	DOCUMENT AUTHOR	DOCUMENT OWNER
HEALTH, SAFETY & ENVR. (IDD EL-SHARGI)		
	OIH/15	OIH/1

FINAL APPROVAL
 03/12/2023
OIH

	PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS DOC NO: IS-HSE-PRC-025	REV. 02
---	--	----------------

TABLE OF CONTENTS

Page No.

1.0 PURPOSE	3
2.0 SCOPE AND APPLICABILITY	3
3.0 ROLES AND RESPONSIBILITIES.....	3
3.1 MANAGER, HEALTH, SAFETY & ENVIRONMENT, OIH	3
3.2 SENIOR SAFETY OFFICER, OIH/15.....	3
3.3 SENIOR MARINE ADVISOR, OIF/83.....	3
3.4 SPONSORING DEPARTMENT (SD)	3
4.0 PROCEDURAL STEPS.....	4
4.1 GENERAL REQUIREMENTS	4
4.2 SAFETY INSPECTION PROCESS.....	4
5.0 REFERENCES TO OTHER DOCUMENTS	4
APPENDIX.....	5
APPENDIX A - REVISION HISTORY LOG	5
APPENDIX B - LIST OF ABBREVIATIONS	5
APPENDIX C: SAFETY INSPECTION CHECKLIST	6
APPENDIX D: SAFETY INSPECTION REPORT.....	14
APPENDIX E: MARINE VESSEL SAFETY INSPECTION REGISTER.....	15
APPENDIX F: MARINE SYSTEMS CHECKLIST AND REPORT	16
APPENDIX G: INSPECTION MATRIX, TEAM-SME & QUALIFICATIONS..	29
APPENDIX H: VESSEL HIRE CERTIFICARTE.....	30
APPENDIX I: RESPONSIBILITY AND PROCESS FLOWCHART	31



PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS

DOC NO: IS-HSE-PRC-025

REV. 02

1.0 PURPOSE

This procedure determines the Pre-Marine Mobilization Review (PMMR) process for hired vessels, completion of a fully approved PMMR, including signed Vessel Hire Certificate.

2.0 SCOPE AND APPLICABILITY

This procedure covers the activities required in the specific areas of QatarEnergy owned, contracted or sub-contracted vessels operating or intending to work within QatarEnergy-IS operated offshore facilities/ location for marine operations, projects, and Joint Ventures activities.

This procedure is applicable to all IDD El-Shargi operational areas.

3.0 ROLES AND RESPONSIBILITIES

3.1 MANAGER, HEALTH, SAFETY & ENVIRONMENT, OIH

- a. Ensures the effective implementation of this procedure.
- b. Approve duty visits for all out of the country inspections.

3.2 SENIOR SAFETY OFFICER, OIH/15

- a. Primary focal point and Inspector for all HSE Inspections of Marine Vessels
- c. Communicate and collaborate with the Contract Holder/ Sponsoring Department to ensure closure of the HSE findings.

3.3 SENIOR MARINE ADVISOR, OIF/83

- a. Primary focal point and Inspector for all Marine Systems Inspections of Marine Vessels
- b. Communicate and collaborate with the Contract Holder/ Sponsoring Department to ensure closure of the HSE findings.

3.4 SPONSORING DEPARTMENT (SD)

- a. Raise inspection request to OIH/15; OIF/83
- b. Ensure timely availability and readiness of the vessel for inspection.
- c. Liaise with the Contractor Representative to ensure proper travel arrangement, access to Ports and vessels for overseas locations.
- d. Follow up with the Contractor Representative to ensure closure and compliance with the safety inspection findings.
- e. Obtain Safety Clearance to Sail after closing all inspection findings.
- f. Prepare the readiness of the vessel prior to request QatarEnergy-IS safety inspection.
- g. Ensure all inspection certificates, calibration reports and maintenance records are available prior to the safety inspection.
- h. Provide close out report/s with documentary and photographic evidence of compliance.

**PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS****DOC NO: IS-HSE-PRC-025****REV. 02**

- i. Maintain HSE compliance, incident free and safe operations while working in IS operational areas.

4.0 PROCEDURAL STEPS**4.1 GENERAL REQUIREMENTS**

- a) All hired vessels, prior to commencement of service to QatarEnergy-IS are required to undergo an inspection of compliance for Health & Hygiene, H2S, Lifting Equipment and Marine as described In this Procedure.
- b) Completion of a fully approved PMMR, including signed Vessel Hire Certificate shall be in-place to any Contractor vessel coming on hire/Contract.

4.2 SAFETY INSPECTION PROCESS

- a. Inspection date shall be arranged with vessel contractor, prior to coming on Hire/Contract.
- b. Inspection shall be executed together with vessel Crew Representative, focused on Health & Hygiene, H2S, Lifting Equipment and Marina systems.
- c. Inspection checklists shall be Completed including attached supporting media and the report shall be issued to HSE Management In coordination with Contracts and Marine sections. Relevant actions/ pending Non-conformances shall be addressed.
- d. Communication to HSE Management and Contracts that the PMMR report process Is complete, and all identified Non-Conformances have been addressed/closed out, and subject vessel is ready to come on hire.
- e. Signed Vessel Hire Certificate shall be issued conforming that all pending Non-Conformances have been addressed and closed out, including any relevant restrictions and/ or conditions for subject vessel.

5.0 REFERENCES TO OTHER DOCUMENTS

Document Title	Document Number	Internal/External Document (if any)	Document Referencing
HSE Training Procedure	IS-HSE-PRC-002	Internal	Sideward
Procedure for Personal Protective Equipment selection and use	IS-HSE-PRC-005	Internal	Sideward
Hydrogen Sulphide Safety Procedure	IS-HSE-PRC-023	Internal	Sideward
Corporate HSE Regulations for Contractors	QP-REG-S-001	Internal Document	Upward
Corporate Standard for Lifting Equipment Standard	QP-PAI-STD-005	Internal Document	Upward

	PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS DOC NO: IS-HSE-PRC-025 REV. 02
---	--

APPENDIX

APPENDIX A - REVISION HISTORY LOG

Revision Number: 02

Date: 07/11/2023

Item Revised	Revision Description	Page No.
3.0 and Appendix C to I	Updated Roles and Responsibilities and Inspection Checklists for alignment with OM(O).	2 to 4, 6 to 31
Remarks:		

APPENDIX B - LIST OF ABBREVIATIONS

Abbreviation	Description
QatarEnergy-IS	IDD El-Shargi Asset of QatarEnergy
OIS	Offshore Installation Superintendent
SWP	Safe Working Pressure

	PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS DOC NO: IS-HSE-PRC-025 REV. 02
---	--

APPENDIX C: SAFETY INSPECTION CHECKLIST

 (Offshore IDD El-Shargi)	SAFETY INSPECTION for MARINE VESSELS		
VESSEL		CONTRACT No	
DUTY		INSPECTION DATE	
OWNER		LOCATION	
HSE REQUIREMENTS		Y-N-NA	REMARKS
1.	Approved Contract HSE Plan & Risk Assessment available		
2.	Emergency Response Procedures including H2S contingency plan are available and implemented		
	a. Emergency Drill Plan		
	b. Emergency Drill Report capturing the lessons learnt		
	c. Muster Stations are designated, and signage posted		
3.	Emergency Escape Breathing Apparatus (EEBA) 15 minutes		
	a. Inspected and certified annually by Third Party		
	b. Monthly visually inspected by vessel crew		
	c. Hydro tested every 5 years		
	d. Positive Pressure and full facemask type with mask mounted demand regulators		
	e. Anti-static carrying bag with quick connect pig tail fittings		
	f. Adequate number - 125% of the maximum POB		
	g. Compliance to QatarEnergy Facial Hair Policy		
4.	Self-contained air-breathing apparatus (SCBA) 30/45 minutes		
	a. Inspected and certified annually by Third Party		
	b. Hydro tested every 5 years		
	c. Clean, sanitize, fully pressurized and accessible.		
	d. Fitted with quick-refill and quick cascade connection fittings		
5.	Fireman's Outfit (Fire axe, ex-proof flashlight, fireman's boots, rubber gloves, rigid helmet with visor)		
6.	Photo luminescent safety signs and escape routes signs posted in the accommodation, engine room, working areas, and muster station		
7.	Emergency lights are available, tested regularly and in good condition		
8.	Fixed Gas Detection System (CH ₄ & H ₂ S)		
	a. Calibrated and certified bi-annually by Third Party		
	b. Fixed Gas Detection System Bump Tested Weekly		
	c. Control Panel located within 24-hour manned area e.g., Vessel Bridge		

	PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS DOC NO: IS-HSE-PRC-025 REV. 02
---	--

	d. Control Panel or monitor has zero indication or no error reading		
	e. Adequate number of visual and audible alarms		
	f. CH ₄ & H ₂ S fixed detectors/ sensors shall be located at each of the following locations as a minimum: Lower accommodation air intakes – port & starboard of vessel, stern, bridge and bow of vessel (minimum total number of 5 locations)		
	g. H ₂ S sensors set to activate at a maximum reading of 10 ppm - Low Level Alarm (Visual Alarm & Local audible alarm), 20ppm - High Level Alarm (Visual Alarm & Audible GPA)		
9.	Portable Gas Detection Equipment		
	a. Minimum of 2 Nos. Portable Multi- Gas Detectors		
	b. Bi-annually calibrated and certified by Third Party		
	c. Personal H ₂ S gas Detectors for all personnel working outside		
	d. Regularly bump tested or function tested		
10.	Air receivers on the vessel		
	a. Marked with Safe Working Pressure (SWP)		
	b. Safety relief valves calibrated & certified (every 2 years)		
11.	Fire Fighting Equipment		
	a. Fire Extinguishers inspected and certified annually by TPA, and check monthly		
	b. Fire hoses & boxes are in good condition, checked and tested		
	c. Dual-purpose type fire nozzles for hoses in the fire hydrants		
	d. Fire hydrants operational with key/spanner		
	e. Fire Extinguishers properly mounted, intact with seal/pin, and unobstructed		
	f. Fire blankets available in all relevant location		
	g. Fire Axe available		
12.	Certified non-conductive rubber matting in the electrical panels		
13.	Paint locker		
	a. Properly constructed with spill containment trays		
	b. Fitted with explosion proof powered ventilation and lighting		
	c. Fire detection system connected to the vessel system		
	d. Certified fire extinguishing system		
	e. Portable DCP outside the door		
	f. Warning signs and appropriate instructions		
14.	All lifting equipment shall comply with QatarEnergy Lifting Equipment Regulation (QatarEnergy-Reg-Q-001);		
	a. Lifting Equipment Register is updated		

**PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS****DOC NO: IS-HSE-PRC-025****REV. 02**

	b. Lifting gears inspected, certified, colour coded by QatarEnergy approved LE Service Provider.		
	c. Lifeboat/ Fast Rescue boat davits inspected and certified bi-annually by QatarEnergy approved LE Service Provider.		
	d. Winches inspected and certified bi-annually by QatarEnergy approved LE Service Provider (excluding anchor handling, tugger and towing winches).		
	e. Gangway with safety net have 4 lifting points, inspected and certified bi-annually by QatarEnergy approved LE Service Provider.		
	f. Cargo Basket, Cargo Net, Skips, Containers, cylinder racks, A-Frames & lifting frames inspected and certified bi-annually by QatarEnergy approved LE Service Provider.		
	g. Safety Harness/Lanyard/ Fall Arrestor inspected & certified bi-annually by QatarEnergy approved LE Service Provider and to be discarded after 4 years from the date of manufacture.		
15.	Cranes		
	a. Unobstructed access and egress		
	b. Load capacity chart posted in operators view. Dynamic & Static Charts.		
	c. Controls marked / Illuminated		
	d. Are weekly crane inspections carried out - is crane in good mechanical order and hydraulic hoses are in good condition		
	e. Emergency stop with manual re-set capability inside C/O Cabin.		
	f. Crane Hooks provided with positive locking or spring-loaded safety latches		
	g. SWL prominently marked on the hook block		
	h. Inspected, certified, and colour coded bi-annually by QatarEnergy approved LE Service Provider.		
	i. Approved life jacket inside the Crane Operation		
	j. Escape BA set		
	k. Fire Extinguisher within reach by Crane Operator		
	l. Hands free communication device used by Crane Operator		
	m. Wire ropes are within the replacement frequency (4 years)		
16.	Diesel driven equipment		
	a. Fitted with Chalwyn valves on air intakes		
	b. Spark arrestors and wire mesh/screen on big exhaust funnel		
	c. Battery terminals protected with nonconductive safety caps		

**PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS****DOC NO: IS-HSE-PRC-025****REV. 02**

	d. Side covers in good condition to protect from water ingress		
	e. Equipment fitted with 4 certified lifting pad eyes		
	f. Emergency stop button available		
	g. Cables in good condition		
	h. Earth cable available for the machine		
	i. Fire extinguisher available		
	j. Circuit breaker available (welding machine as power supply)		
17.	Gas Cylinders and Flash back arrestor are in good conditions		
	a. Oxy-acetylene hoses & regulators are in good conditions		
	b. Hoses are crimped with quick connect fittings		
	c. Proper storage of oxygen and acetylene cylinders as per QatarEnergy-REG-S-001.		
18.	Clinic		
	h. Visibly marked at entrance, clean and free of clutter		
	i. First Aid kits available and regularly check		
	j. Fridge available for storage of temperature-controlled medications		
	k. Valid medicines available		
	l. Suitable Stretchers & spine board available		
	m. Stretchers have head immobilisation and cervical collars available		
	n. Valid medical chest certificate available		
	o. Are medications in a locked cupboard and only accessible by the ships master / or authorised and qualified person		
	p. 2 Oxygen Resuscitators with spare cylinders		
	q. Oxygen Cylinder Hydro tested every 5 years		
	r. AED with calibration certificate		
	s. Availability of telephone or communication device to the Bridge		
	t. Clean toilet, shower & tub with hot and cold-water supply		
19.	Rotating equipment protected with guard		
20.	Electrical outlets and cables are waterproof, marine grade and in good condition		
21.	Personnel Transfer Basket		
	a. Billy Pugh X904 or Equivalent - Clean and serviceable		
	b. Bi-annually inspected and certified by QatarEnergy approved LE Service Provider.		
	c. Clean and regularly check before use		
	d. Man riding certificate of the crane is available and valid		
	e. Weather protected/ covered when not in use or properly stored		
22.	Scramble Nets available, tested and in good condition		
23.	Personal Protective Equipment (PPE) as per QatarEnergy Requirement		

**PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS****DOC NO: IS-HSE-PRC-025****REV. 02**

	a. Offshore type safety shoes available and used by the crew		
	b. Long sleeve fire retardant coverall with reflective tapes		
	c. Appropriate safety glasses and helmet used		
	d. Gloves appropriate for the job		
	e. Fire retardant & anti-static Winter Jacket (ex. Nomex)		
	f. Adequate stock of spare PPE available		
24.	Safety Officer and Medic for vessel carrying more than 50 persons		
	a. Is the Safety Officer approved & passed the interview of QatarEnergy		
	b. Is the Medic approved by QatarEnergy Healthcare Department		
25.	Helideck certified and approved for use by GH company		
	a. Breathing Air Cascade System		
	b. Has min. breathing air capacity of 60 minutes for the max. POB		
	c. Sufficient number of manifolds & hoses w/ quick connect fittings		
	d. Two breathing air compressors installed in opposite sides		
	e. Breathing Air compressors are in good condition and start promptly		
	f. Breathing Air Compressor Maintenance Log recorded and up to date		
	g. Breathing Air Compressor Inlet Snorkel elevated and sited in safe area		
26.	Breathing Air Compressor safety guards in place		
	h. Cascade cylinders and racks are in good condition		
	i. Cascade System pressure gauge and low pressure manifold visual & audible alarm available in 24-hour manned area e.g., Vessel Bridge		
	j. Cascade Cylinders Hydro Test is current - (5-year Validity)		
	k. Cascade manifolds, fittings and hoses are in good condition and well maintained		
	l. Cascade Manifold fitted with pressure gauge		
	m. Certified Relief valves installed		
	n. Each Cascade rack fitted with isolation valve - Valve in open position and fitted with a low-pressure alarm		
	o. Air Quality Tested and Certified		
	p. Pneumatic pressure test of breathing air system carried out (110% of working pressure) (NOTE: For Cascade System equipped vessels only)		
27.	Emergency Shower and Eye Wash Station		
	a. Has adequate pressure of clean water		
	b. Good condition and free from any obstructions		
28.	Chemicals		
	a. Has proper storage, containment and means of control		

**PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS****DOC NO: IS-HSE-PRC-025****REV. 02**

	b. Safety Data Sheet available and updated		
	c. Appropriate chemical PPE in good condition		
29.	Housekeeping, storage, and cleanliness of the vessel is satisfactory		
30.	Trainings and Certifications		
	a. H2S/BA training certificates from QatarEnergy or OPITO approved training provider for all POB		
	b. T-BOSIET training certificates from OPITO approved training provider		
	c. Coxswain certificate for Commanders and Deputies		
	d. Crane Operator and Riggers certified by a QatarEnergy approved LE Training Service Provider and endorsed by QatarEnergy		
	e. Food Handlers Medical Fitness Certificate		
	f. QatarEnergy Offshore Medical Fitness Certificates for all POB		
	g. First Aid Training Certificates available		
	h. e-PTW training certificate available and valid		
	i. Basic and/or advance Fire Fighting Certificates available		
	j. Fire watch training certificate for Marine Vessel doing hot works		
	k. Scaffolding Supervisor and scaffolders have valid certificates		
31.	Hygiene		
	a. Written program - policy for food service and accommodation hygiene		
	b. Documented cleaning policy which includes a colour coded cleaning plan to prevent cross contamination and a cleaning schedule which are retained for 3 months.		
	c. Monthly health & hygiene inspections and records retained in file		
	d. Galley and food storage room hygiene are satisfactory		
	e. Food preparation work surfaces are, clean, free of grease, rubbish, food waste or corrosion and cleaned with a food safe sanitizer and paper towel after use		
	f. Hand washing instructions and "Hand Wash Only" posters are displayed above hand washing facilities		
	g. Galley personnel hygiene is satisfactory		
	h. Galley personnel provided with, and wear aprons, head covers and disposal gloves		
	i. Separate sanitary facilities are provided for the use of catering crews separate from the kitchen and away from other members to prevent cross infection		
	j. Galley floor is constructed from an anti-slip material and is clean and grease free		

**PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS****DOC NO: IS-HSE-PRC-025****REV. 02**

k.	A hygienic means of controlling flying insects is in place, is clean, in good condition and functioning correctly		
l.	Fire protection system is provided for cooking surfaces and ventilation hood		
m.	At least one fire blanket is available, and is checked monthly		
n.	Regular pest control bi-annual is carried out with certificate		
o.	Chillers/Refrigerator/s are clean and free from ice build up		
p.	Is temperature logged regularly between 1 to 5C for Chiller		
q.	Cooked food stored not kept more than 3 days		
r.	Food samples are taken from each meal labelled and stored in the freezer for a minimum period of 5 days, after this period they are correctly disposed of		
s.	Chiller has safe door latch and alarm mechanism		
t.	Freezer is clean and from dirt/ odour		
u.	Freezer temperature is maintained at -18C below and recorded regularly		
v.	Freezer is equipped with safe door latch and alarm mechanism		
w.	Food storage area is clean and free from insects		
x.	Food storage shelves or racking are of metal material, free of residue, corrosion and clean (wooden shelves are prohibited)		
y.	Foods are labelled with use dates		
z.	Food storage practice First in First Out (FiFo)		
aa.	All dry goods are stored in a room where the air is circulated and temperature between 10 °C -21 °C		
bb.	Used cooking oil is collected in a separate labelled container		
cc.	Drink dispensers cleaned daily with the beverage system and storage interior sanitized monthly. Monthly records are maintained and available for a period of 3 months.		
dd.	Is drinking water in good quality		
ee.	Is ventilation hood are cleaned regularly		
ff.	Is cold and hot water provision available		
gg.	Is macerator available and in good working condition		
hh.	Colour coded chopping boards and knives available		
ii.	Different types of colour coded chainmail gloves are available onboard		
jj.	Cabins are clean and tidy		
kk.	Is lighting in the cabins adequate		
ll.	Are the cabins have comfortable ventilation		
mm.	Bathrooms are clean and tidy		

**PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS****DOC NO: IS-HSE-PRC-025****REV. 02**

	nn. Is the cabin free from noise, noise test report available		
	oo. Is the cabin free from vibration		
32.	Safety signs and emergency escape route available in the Cabin		
33.	Smoking is not evident inside the Cabin		
34.	Designated enclosed smoking area is available with exhaust fan, fire extinguisher, approved ash tray (Outdoor smoking strictly prohibited within 500m zone of any offshore installation and/or rig)		
35.	Laundry room & dryer filter are cleaned daily with record		
36.	All washing machines are in good working condition		
37.	Waterproof electrical fixture and fittings in the laundry room		
38.	Only approved electrical appliance and equipment are use onboard		
39.	Other Contract Specific Requirements		

	PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS DOC NO: IS-HSE-PRC-025	REV. 02
---	--	----------------

APPENDIX D: SAFETY INSPECTION REPORT

	(Offshore IDD El-Shargi)	SAFETY INSPECTION REPORT	
VESSEL		CONTRACT No	
DUTY		INSPECTION DATE	
OWNER		LOCATION	
No.	DESCRIPTION OF OBSERVATIONS & FINDINGS		
QATARENERGY SAFETY REP. SIGNATURE		VESSEL MASTER SIGNATURE	
DATE:		DATE:	

	PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS DOC NO: IS-HSE-PRC-025 REV. 02
---	--

APPENDIX E: MARINE VESSEL SAFETY INSPECTION REGISTER

	MARINE VESSEL SAFETY INSPECTION REGISTER IDD El-Shargi HSE PRE-MARINE MOBILIZATION REVIEW (PMMR)			
Vessel / JUB	Operational Status in ISND Field	Last PMMR Conducted	PMMR Renewal Due Date	Additional Notes
Jack-Up Barges				
WHM Work Boat				
Anchor Handling Tug Supply Vessel - AHTS				
Dive Support Vessels				
Drilling / Stimulation / Well Services				
Non-ISND Tug Vessels				



PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS

DOC NO: IS-HSE-PRC-025

REV. 02

APPENDIX F: MARINE SYSTEMS CHECKLIST AND REPORT

A		Crew Particulars				
Marine License endorsed in accordance with STCW 1978/95						
Rank		License Grade	Rank Experience	Country of Issue	Issue Date	Expiry Date
Name		License Number				
Master		Master				
Chief Mate		Chief mate				
Chief Engineer		Chief Engineer				
1st Engineer		1st Engineer				
GMDSS Certification for Deck Officers Only						
Rank		License Grade		Country of Issue	Issue Date	Expiry Date
Name		License Number				
Master		Master				
Chief Mate		Chief Mate				
DP Certificates and Logbooks have to be sighted as required						
Rank		DP Grade		Issue Date	Type of Vessel	Total Hours
Name		License Number				
Master						
Chief Mate						
2 nd Mate						
3 rd Mate						
Chief Engineer						
1st Engineer						



PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS

DOC NO: IS-HSE-PRC-025

REV. 02

B	Vessel Certification		Yes	No	N/A	Comments
A	Conditions of class (if any)					
B	Special survey date	Due date:				
		Last dry docking:				
A	Qtel cert. Gmdss compliant	Expiry date:				
		Shore based maintenance. Y/n				
B	De-rat and last fumigation	De-rat - within 6 months				
B	FAC certification	Annual:				
B	FAC davit certification;	5-year load test:				
A	DP certificate of compliance (if vessel is dp2 inspect FMEA)	Letter of certification from class				
A	DP cert's & logbooks	All staff on bridge, c/Eng & 1 st Eng.				
B	Fresh water tanks last cleaned	QatarEnergy – within last 6 months.				
B	Fuel meter	Calibration date:				
		(Within 1 calendar year)				
B	Fresh water meter	Calibration date:				
		(Within 1 calendar year)				
A	ISM document of compliance	Copy of company cert.				
A	ISM safety management certificate (smc)	Last audit:				
A	Deck & ER logbook entries	Machinery running hours:				
		Watchkeeping records:				
		Test of alarms & trips:				
		Date & type of last drill				
A	Official logbook entries	Up to date crew list:				
		Fire & safety drills:				
		Vessel inspections:				
B	Oil record book	Within one month:				
B	GMDSS logbook	View the entries:				
A	Qatar work permit	Sight area of operations				
A	OVID inspection	Sight copy held onboard must be no more than 12 months old				



PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS

DOC NO: IS-HSE-PRC-025

REV. 02

C	Navigation Equipment	Yes	No	N/A	Comments
A	RADAR 1				
A	RADAR 2				
A	Marine VHF radio (min 2)1 @ each manoeuvring position				
A	Radio frequencies & channels programmed as per IT checklist				
B	Inmarsat - Not required unless part of GMDSS				
A	Master Gyro Compass				
A	Steering gyro repeater				
B	Aft gyro repeater				
B	Magnetic compass				
B	Deviation card - If no regular errors taken, within last 2 ½ years.				
B	Black start test carried out - If no evidence of use, run self-est.				
A	DGPS/GPS receiver - Check position:				
A	Portable ships VHF's - Minimum 2 required				
A	Solas handheld VHF's - At least 3 units, test transmission				
A	Echo sounder				
A	Search lights - At least 1 required, test function				
B	Aldis lamp + battery + method of charging battery				
A	Navigation lights - Check panel indication, check AC/DC				
A	Ships Whistle				
B	Binoculars - 2 minimum				
A	Admiralty charts - Last nm received				
B	QatarEnergy-IS field charts				
A	QatarEnergy-IS Marine Operations Manual				
B	Chart instruments				
A	Emergency stops for engines/thrusters				
A	Bridge instrumentation (main engines / thrusters / steering)				
A	Stern controls				



PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS

DOC NO: IS-HSE-PRC-025

REV. 02

D	Fire & Life Saving		Yes	No	N/A	Comments
A	General alarm	Must work on 24 v battery				
B	Muster list	Detail of stations & alarms				
B	Fire plans	+ external fire plan endorsed by class				
A	Emergency Response Plan	Details of various emergencies along with QatarEnergy-IS ERP				
A	Emergency lighting - records	Accommodation / Eng. Room				
A	Fire pump	Type:				
A	Emergency fire pump	Type:				
A	Fixed fire detection system	Control panel:				
		Detector heads:				
		Last service:				
A	Smoke / heat detectors	Type & no:				
		Tested:				
A	Fixed fire extinguishing system	Type:				
		Last service:				
		Co2 alarms:				
		Local / remote control:				
A	Portable extinguishers	No & type:				
		Last service:				
		Last hydro test:				
A	Fire hydrants	C/w keys / spanners				
A	Fire monitors - (AHTS)	No. & capacity				
A	Fire hoses	Condition:				



PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS

DOC NO: IS-HSE-PRC-025

REV. 02

D	Fire & Life Saving		Yes	No	N/A	Comments
A	Fire nozzles	Jet:				
		Spray:				
		Dual purpose:				
A	Int'l shore connection					
A	Lifeboats	No. & capacity				
		Expiry dates:				
A	Life rafts	No. & capacity				
		Expiry dates:				
A	Hydrostat. Release units	Tested within last 12 months				
A	Lifebuoys	No of smokes:				
		No of lights:				
		No of ring with line:				
		No of ring only:				
A	Lifejacket	No of jackets:				
		Name of vessel:				
		Light, whistle & reflect. Tape:				
B	Work vest	No:				
		Condition:				
A	Pyrotechnics	No of parachute flares:				
		No of handheld flares:				
		No of smoke canisters				
A	EPIRB	406 MHz:				
		Battery:				
A	SARTS	No:				
		Battery:				
A	MOB Smoke floats	No:				
		Expiry dates:				
B	Line throwing appliances	No of canisters:				
		No of rocket charges:				
		Expiry date:				



PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS

DOC NO: IS-HSE-PRC-025

REV. 02

SBV Fast Rescue Craft						
A	Type of craft	Inflatable:				
		Semi-rigid:				
		Rigid:				
	SOLAS Equipment					
	Maximum speed	Kts:				
	Engine	Inboard / outboard:				
		Petrol / diesel:				
	Safety equipment	Visual check				
	Last MOB Drill	Check records:				
	Launching apparatus	Crane:				
		Davit:				
	Crane / davit inspected	Date:				
		Inspected by:				
	Spare diesel tank					
	Maintenance records	Check with Ch/officer				
	FRC crew certifications	View records				
	Equipped as per Solas requirements					

**PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS****DOC NO: IS-HSE-PRC-025****REV. 02**

E	General	Yes	No	N/A	Comments
B	Fendering				
B	Aluminium Gangway & safety net				
B	Cargo deck				
B	Bulwarks & handrails				
B	Shell plating condition				
B	Anchors & windlass				
B	Mooring ropes				
B	4-point mooring system				
A	Black start test carried out (tankers only)				
A	Watertight integrity				
A	Deck lighting				
A	Visibility				
A	Internal communication				
B	Successful Function Test Bilge Alarms prior to hire date				
B	Are field charts available onboard				
B	Sea Trials Carried Out				
B	Function Test Windlass				
B	Successful Function Test Fire monitors prior to hire date				

**PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS****DOC NO: IS-HSE-PRC-025****REV. 02**

Paint Locker		Yes	No	N/A	Comments
A	Ventilation adequate - intrinsically safe				
A	Fi-fi equipment adequate				
B	Safety signs posted				
B	Respiratory protection for spray painting provided				
A	Fire smothering system.				
A	Intrinsically safe lighting.				
B	Bin for paint saturated rags				
B	General housekeeping				
Storage Room(s)		Yes	No	N/A	Comments
B	Ventilation adequate				
B	Fi-fi equipment adequate				
B	Safety signs posted				
B	Proper access ladder provided for top shelves				
B	Supplies stacked neatly on shelves				
B	Trash container available				
B	Top plates mounted for top shelves				
B	Combustible materials stored on top shelves				
B	General housekeeping				

**PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS****DOC NO: IS-HSE-PRC-025****REV. 02**

Pollution Control		Yes	No	N/A	Comments
A	All drains captured prior discharge				
B	Local spill equipment, MSDS & PPE available				
B	Drain lines in working order				
A	Sump system in working order (Tankers only)				
B	Spill response notification poster on site				
B	Drip pans provided under pollution sources				
B	Waste minimization procedures available & used				
Fuel Storage		Yes	No	N/A	Comments
A	Fuel storage tank has means to contain fuel spills				
B	Hose stored on rack / reel				
A	Each hose has a static ground device				
A	Each nozzle has a "Deadman" control				
A	Wiring & switches explosion proof				
B	Area labelled				
B	Fuel transfer procedure available.				
B	Fuel transfers recorded in oil record book				



PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS

DOC NO: IS-HSE-PRC-025

REV. 02

F - Machinery Spaces			Yes	No	N/A	Comments
A	Main Engines	Type:				
		Bhp:				
		Clutch / cp:				
		Control & monitoring:				
		Planned Maintenance				
A	Bow thruster / azimuth	No:				
		Type:				
		Bhp:				
		Planned Maintenance				
		Fixed / cp				
A	Stern thruster	No:				
		Type:				
		Bhp:				
		Fixed / cp				
		Planned Maintenance				
		Control & monitoring:				
A	Generators	No:				
		Type:				
		Kw:				
		Planned Maintenance				
A	Emergency generator	No:				
		Type:				
		Kw:				
		Planned Maintenance				
		Auto switch:				



PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS

DOC NO: IS-HSE-PRC-025

REV. 02

F - Machinery Spaces			Yes	No	N/A	Comments
A	Main air compressor	Capacity:				
		Pressure relief valve:				
		Cut off at:				
A	Emergency air compressor	Capacity:				
		Safety devices:				
B	Control room	If no control room, check monitoring in e/r & bridge				
A	Switchboard	Distribution:				
		Main voltage:				
		Parallel load:				
		Planned Maintenance				
		Reverse power:				
A	Steering gear	Changeover procedure:				
		Emergency steering:				
		Planned Maintenance				
		Control system:				
A	Vessel black out	Communication deck- er, vhf:				
		First start system:				
		Emergency lighting:				
		Alarms:				



PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS

DOC NO: IS-HSE-PRC-025

REV. 02

F - Machinery Spaces			Yes	No	N/A	Comments
A	Batteries & Emergency Batteries	Check chargers & condition				
B	Bilge pump	Type & capacity				
B	General service pump	Type & capacity				
A	Fire pump	Type & capacity				
A	For transfer pump	Type & capacity				
B	Fwd. transfer pump	Type & capacity				
A	Ballast pump	Type & capacity				
B	Lo purifier	Type & capacity				
B	FO purifier	Type & capacity				
A	Oily water separator	Type & capacity				
A	Air conditioning	Emergency shut off				
A	Watertight doors					
B	Rotating equipment guards	Engine room walk-thru				
A	Spark arrestors funnels					
A	Emergency stops (test them from bridge both stations)	Main engines:				
		Thrusters:				
		Generators:				
		Fans:				
A	Emergency fuel shut off	Quick closing valves:				



PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS

DOC NO: IS-HSE-PRC-025

REV. 02

F - Machinery Spaces			Yes	No	N/A	Comments
B	Oxygen / acetylene	Cylinders stowed apart:				
		Hoses emptied when not in use				
		Acetylene pressure kept at:				
		Flash arrestors in use:				
B	Welding machine	Grounded:				
		Diesel driven type onboard:				
		Welding leads condition:				
		Permit used when welding:				
A	Bilge alarms	Test:				
		Condition:				
B	Logbook	Check				
B	Safety warning notices	Engine room walk-thru:				
B	All pipe work colour coded					
A	Sewage system	Type:				
		Samples taken:				
A	Holding tank for sewage system	Capacity:				
		Condition:				
B	Oil record book, part 1 machinery space operation	Up to date: (check receipts)				

	PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS DOC NO: IS-HSE-PRC-025 REV. 02
---	--

APPENDIX G: INSPECTION MATRIX, TEAM-SME & QUALIFICATIONS

	Marine	H/H	H2S	LECOP	OVID*	3 rd Party
Checklist Reference	A-F	C	A	B	N/A	N/A
Lifeboat	1	3, 2, 4, 1	2, 1	4, 2, 1	1	
Accommodation Barge	1	3, 2, 4, 1	2, 1	4, 2, 1	1	
Wellhead Maintenance	1	3, 2, 4, 1	2, 1	4, 2, 1	1	QatarEnergy
Construction	1	3, 2, 4, 1	2, 1	4, 2, 1	1	QatarEnergy
Platform Supply	1	3, 2, 4, 1	2, 1	4, 2, 1	1	DP Trial & FMEA
Standby Vessel	1	3, 2, 4, 1	2, 1	4, 2, 1	1	
Asset Integrity	1	3, 2, 4, 1	2, 1	4, 2, 1	1	DP Trial & FMEA
Dive Vessel	1	3, 2, 4, 1	2, 1	4, 2, 1	1	CMID*
Construction Derrick Barge	1	3, 2, 4, 1	2, 1	4, 2, 1	1	DP Trial & FMEA
Anchor Handling/Rig Moving Tug	1	3, 2, 4, 1	2, 1	4, 2, 1	1	DP Trial & FMEA
Survey Vessel	1	3, 2, 4, 1	2, 1	4, 2, 1	1	QatarEnergy / DP Trial & FMEA

Marine 1
HSE 2
OHN 3
LTA 4

SME Stated in order of priority

* OVID - Offshore Vessel Inspection Database; CMID – Common Marine Inspection Document; DP/ FMEA – Dynamic Positioning / Failure Mode and Effects Analysis.

NOTES:

1. Long Term Hire vessels – Vessels on hire for 6 months or more.
 2. Short Term Hire vessels – Vessels on hire for <6 months.
 3. PMMR is only valid for 6 months for all vessels. For Long Term Hire vessels, the PMMR may be repeated in the field within 30 days after the 6-month validity has expired.
- All vessels that will have QatarEnergy-IS or QatarEnergy-IS contractors on board will require a QatarEnergy-IS representative (proponent) to attend the PMMR inspection.

PMMR Team - SMEs & Qualifications List

PMMR Topic	Minimum Qualifications
Marine	-Master Mariner or Chief Engineer -Experience as Master or Chief Engineer on DP OSV for minimum of 5 years
Health & Hygiene	- Level III Food Preparation Training/ - OJT- For medical topics shadow primary SME for 3 PMMRs
H₂S	OJT-Shadow primary SME for 3 PMMRs
Lifting	OJT-Shadow primary SME for 5 PMMRs

	PRE-MARINE MOBILIZATION REVIEW (PMMR) OF HIRED VESSELS DOC NO: IS-HSE-PRC-025	REV. 02
---	--	----------------

APPENDIX H: VESSEL HIRE CERTIFICATE

A Marine vessel / Barge / Lift Ship etc cannot be mobilized with any outstanding Category "A" items without Asset Manager (OI) Approval. Vessel may be mobilized with restrictions and/or conditions providing the vessel's mission and ability to operate safely and within QatarEnergy-IS policies and procedures is not compromised.

Cat	Item	Yes	No	N/A	Comments
A	Are all the vessel's certifications valid?				
A	Is the OVID Inspection in date				
A	Have all Category A findings on the OVID inspection been closed out?				
A	Have all Category A findings on the H2S Audit been closed out?				
A	Have all Category A findings from the QatarEnergy-IS Health and Hygiene assessment been closed out?				
A	Have all Category A findings on the LECOP Audit been closed out				
A	Does the vessel have a current Gulf Helicopter (JAOC) certificate of compliance?				
A	Have all Category A items on the CMID (diving) Audit been closed out?				
A	Are Radio Frequencies compatible with QatarEnergy-IS requirements?				
A	Are lifesaving appliances as per class requirements and meet QatarEnergy-IS specification?				
A	Are Senior Officers (Master and Chief Officer) trained in Major Emergency Management?				
A	Has a successful Function Test of the Emergency Fire Pump been carried out?				
A	Has a Successful Function Test of the Emergency Stops on Generators been carried out?				
A	Has Navigation Equipment been Successful Function Tested?				
A	Has the General Alarm been successfully function tested?				
A	Have the Smoke / Heat / Fire Detectors been successfully function tested?				
A	Has the Fixed Gas Detection System been successfully tested and calibrated?				
A	Successful Function Test Fast Rescue Craft Launched and Tested prior to hire date?				
A	Have DP trials & FMEA been completed?				
A	Are Officers and Crew training requirements in date for working in QatarEnergy-IS field?				
A	Has the QatarEnergy-IS IT Vessel Mobilisation Checklist been completed?				
A	Has the Medical inventory been approved by the QatarEnergy-IS OHN?				

Vessel Name:

Cleared to enter
Field by: Date

	Marine Supt.	
	Field Ops. Manager	
	HSE Manager	
	Proponent	

If there are outstanding Cat A items Asset Manager (OI) approval required

Asset Manager
(OI) Date


Form can be signed electronically

This vessel is placed on hire with the following restrictions and/or conditions



APPENDIX I: RESPONSIBILITY AND PROCESS FLOWCHART

PMMR –Responsibilities & Process Flowchart



*FOPS – Field Operations (QatarEnergy-IS)