



Document Effective Date
07/12/2021

QatarEnergy-IS TRANSPORTATION SAFETY PROCEDURE

DOC NO: IS-HSE-PRC-039

Rev: 01

Quality Reviewed By: OIH/14

CUSTODIAN DEPARTMENT	DOCUMENT AUTHOR	DOCUMENT OWNER
HSE (IDD EL-SHARGI)		
	OIH/15	A/OIH/1

FINAL APPROVAL
OIH

	QatarEnergy-IS TRANSPORTATION SAFETY PROCEDURE DOC.NO. IS-HSE-PRC-039	REV. 01
--	--	----------------

TABLE OF CONTENTS

	Page No.
1.0 PURPOSE	2
2.0 SCOPE AND APPLICABILITY.....	2
3.0 ROLES AND RESPONSIBILITIES.....	2
4.0 PROCEDURAL STEPS.....	3
4.1 RISK ASSESSMENT.....	3
4.2 WEATHER	4
4.3 PASSENGER SAFETY	4
4.4 EMERGENCY PREPAREDNESS.....	4
4.5 HAZARDOUS MATERIALS.....	5
4.6 PERSONNEL TRACKING.....	5
4.7 ROAD VEHICLES	5
4.8 MARINE VESSELS	7
4.9 AIRCRAFT (ROTARY WING)	7
5.0 REFERENCES TO OTHER DOCUMENTS	8
6.0 DEFINITIONS.....	8
APPENDIX.....	10
APPENDIX A - VEHICLE INSPECTION	10
APPENDIX B - TRANSPORT EMERGENCY CARD	11
APPENDIX C - IMPORTANT TELEPHONE NUMBERS.....	13
APPENDIX D – REVISION HISTORY LOG	13
APPENDIX E – LIST OF ABBREVIATIONS	14

	QatarEnergy-IS TRANSPORTATION SAFETY PROCEDURE DOC.NO. IS-HSE-PRC-039 REV. 01
--	--

1.0 PURPOSE

The purpose of this Procedure is to provide guidance on the safe and environmentally sound use of transportation systems throughout QatarEnergy-IS Operations.

QatarEnergy-IS shall proactively manage transportation risks to:

- Reduce or eliminate transportation related incidents, injuries and fatalities.
- Protect the environment.
- Reduce costs associated with transportation incidents.
- Minimize the number of journeys to reduce risk to personnel
- Establish, implement and maintain safe transportation Procedures.
- Ensure transportation contractors conform to applicable local and international laws and regulations.
- Ensure transportation equipment is correctly maintained in a safe, reliable and secure condition.
- Ensure clear guidance is provided on the safe transfer of personnel between vessels and between vessels and remote installations, and.
- Outline emergency preparedness and response Procedures.

2.0 SCOPE AND APPLICABILITY

This Procedure applies to all employees and contractors who utilize road, marine and aircraft transportation in QatarEnergy-IS onshore and offshore operations.

3.0 ROLES AND RESPONSIBILITIES

ASSET MANAGER

- Govern a formal HSEMS (Health, Safety and Environment Management System) to address management of risks associated with transportation activities.

HSE MANAGER

- Monitor HSE related training programs, in accordance with QatarEnergy-IS Training procedure (IS-HSE-PRC-002).
- Provide internal monitoring and management feedback on the effectiveness of the HSE programs related to transportation activities.
- Appoint a Risk Engineer for the purposes of transport risk assessment.

HEAD LOGISTICS & MARINE

- Manage offshore supply boats, standby boats and helicopters.
- Coordinate and authorize transportation assistance during emergency response operations.
- Manage offshore construction and other support vessels.
- Arrange both pre-job and annual marine safety inspections of vessels operating for QatarEnergy-IS.

	QatarEnergy-IS TRANSPORTATION SAFETY PROCEDURE DOC.NO. IS-HSE-PRC-039 REV. 01
--	--

HELICOPTER COORDINATOR

- Work with Gulf Helicopters to schedule and dispatch flights from Doha to QatarEnergy-IS offshore installations, as well as interfield personnel / material transfers.
- Maintain current manifests of personnel and materials transferred by helicopter.
- Providing liaison and assistance to A7S and QatarEnergy-IS Emergency Response Team during emergency response activities requiring air transportation.

HELICOPTER LANDING OFFICER (HLO)

- Control all the ground aspects of helicopter operations to ensure instructions/requirements of the aircraft captain are enforced as well as the general rules of helicopter operations such as safe movement around the aircraft.
- Prepare any necessary passenger and cargo manifests and ensure that cargo is adequately labelled and stowed in accordance with QatarEnergy-IS, Gulf Helicopter and IATA regulations.

SR. MARINE ADVISOR

- Work with QatarEnergy-IS vessel contractors to support offshore operations with supply, construction, Pipelay and standby vessels.
- Conduct both pre-job and PMMR marine safety inspections of vessels operating for QatarEnergy-IS

4.0 PROCEDURAL STEPS

4.1 RISK ASSESSMENT

As part of the HSEMS and Process Risk Management program, QatarEnergy-IS shall perform formal Risk assessment of transportation activities as needed.

Transportation activities reviewed during the Risk Assessment may include:

- Automobiles.
- Transportation contractor selection, HSE performance and recent incident history.
- Emergency preparedness and response arrangements.
- Helicopter operations.
- Marine vessels (including Standby Boats, Supply Boats, Construction Boats, Lift Boats, Self-Propelled MODUs).
- Offshore transportation operations.
- Operating Procedures, HSE arrangements and training requirements.
- Transportation of people or materials/equipment or both, and
- Travel frequencies.

The organization of these assessments and the interpretation of the results shall be undertaken by the Risk Engineer.

	QatarEnergy-IS TRANSPORTATION SAFETY PROCEDURE DOC.NO. IS-HSE-PRC-039 REV. 01
--	--

4.2 WEATHER

QatarEnergy-IS shall receive weather updates and forecasts from the QatarEnergy Marine Department and has arrangements with other, commercial, sources to supply additional forecasts for making marine and aviation decisions. The forecasts are received by an individual in the Engineering and Construction Group who then promulgates the information to those Departments who have requested a copy.

4.3 PASSENGER SAFETY

Employees, contractors and visitors shall receive screening, orientation and training, as appropriate, prior to traveling in company provided transportation, including:

- Health Screening Requirements for working / traveling offshore;
- Training through the T-BOSIET (OPITO approved) and Helicopter Safety Briefing at Gulf Helicopters Heliport, as well as at each QatarEnergy-IS operated installation prior to returning to Doha (required if not viewed in the previous 24 hours);
- Training in personnel transfers using personnel basket (Billy Pugh type), Fast Access Craft and Swing Ropes (These items are specific offshore activities and their use shall be reviewed as needed);
- Driver training (valid driver's license) and qualification requirements (e.g. for road vehicles, transport boats).
- Defensive driving training.

Orientation and training shall be communicated in the English language and translated, as necessary, to assure understanding by non-English speaking crews.

4.4 EMERGENCY PREPAREDNESS

Training requirements for all personnel shall be controlled through QatarEnergy-IS Training Procedure (IS-HSE-PRC-002) which considers the individual's job function within QatarEnergy-IS

The following emergency preparedness and response criteria shall be incorporated as part of the QatarEnergy-IS Transportation Guidelines:

- Employees who regularly travel offshore by way of Helicopter shall receive T-BOSIET Training (OPITO approved) .
- All passengers that travel offshore by way of Marine Vessel shall receive T-BOSIET (OPITO approved)
- Emergency Response Drills for Man Overboard, Helicopter Crash and Facility Abandonment shall be conducted regularly to comply with QatarEnergy-IS Emergency Management procedure (IS-HSE-PRC-001) and PS-1 Emergency Procedure (IS-FOP-PRC-210).
- Transportation incidents shall be reported as per the requirements outlined in QatarEnergy procedure for HSE incident reporting, investigation & learning (QP-HSE-PRC-022)

Refer to Appendix B for Transport Emergency actions.

	QatarEnergy-IS TRANSPORTATION SAFETY PROCEDURE DOC.NO. IS-HSE-PRC-039 REV. 01
--	--

4.5 HAZARDOUS MATERIALS

The following Procedures shall be followed for the transportation of hazardous materials within QatarEnergy-IS operations:

- Hazard Communication procedure (IS-HSE-PRC-006) and Waste Management Manual (IS-HSE-PRC-012) shall be followed during the transportation of Hazardous Materials.
- The transportation of hazardous materials to/from QatarEnergy-IS Warehouse(s) by sea shall comply with applicable local and international laws and regulations.
- Transportation of hazardous materials by helicopter shall comply with IATA and Gulf Helicopter requirements.
- Radioactive and explosive materials shall be carried by a licensed contractor in accordance with applicable local and international laws and regulations; and
- Hazardous materials shall be documented on a QatarEnergy-IS Manifest through the Supply Chain Department in accordance with the requirements of Waste Management Procedure (IS-HSE-PRC-012).

4.6 PERSONNEL TRACKING

Passenger (PAX) lists (manifests) shall be maintained for each offshore personnel movement, as well as the mode of transportation used. These manifests shall include, but not be limited to:

- Helicopter PAX for outbound, inbound and in-field transfers;
- Helicopter PAX for Special Medivac Helicopters;
- Vessel PAX for Standby, Supply, Construction, Wellhead Maintenance, Dive and other support vessels;
- Construction and Pipe lay Barges; and
- PAX lists during emergency response operations.

Each installation/vessel shall also be responsible for the preparation of a daily Personnel on Board (POB) list. The POB list indicates the personnel onboard that installation/vessel at 23:59 hrs daily and shall be transmitted to the relevant Onshore Department as appropriate e.g. to Operations for PS-1, to Drilling for a rig, etc. Preparation of the POB is usually the responsibility of the HLO (PS1) or the Medic/Clerk/Captain on other installations.

The POB may include a summary of the various passenger lists (above) to give an overall indication of personnel movements.

Some installations have few or infrequent passenger movements. In this case a POB need only be transmitted when a change has taken place.

4.7 ROAD VEHICLES

QatarEnergy owned and leased vehicles shall only be operated by the authorised driver(s). The following safety guidelines shall apply:

- a) Vehicles shall be equipped with front and rear seat belts for each passenger
- b) The driver shall ensure that seat belts are fastened, by all occupants, before starting the vehicle and they shall remain fastened while the vehicle is in motion

	QatarEnergy-IS TRANSPORTATION SAFETY PROCEDURE DOC.NO. IS-HSE-PRC-039 REV. 01
--	--

- c) There shall be a reminder sticker, visible from all seats, in all QatarEnergy vehicles indicating "Seat Belts Required"
- d) The company reserves the right to check the motor vehicle records of each driver of QatarEnergy owned or leased vehicles for accidents and moving violations
- e) There shall be no smoking in QatarEnergy owned or leased cars. All owned or leased cars shall contain signs, visible from each seat, indicating "No Smoking"
- f) Vehicles shall be equipped with a fire extinguisher, first aid kit, and a list of emergency contacts
- g) Passengers shall close their own doors after they are settled in the vehicle
- h) Drivers shall use the attached vehicle inspection form (Appendix A) on a regular basis to maintain vehicle in reliable and safe condition and report deficiencies to the Vehicle Administrator.
- i) Vehicles shall be serviced according to a predefined timetable
- j) All accidents, no matter how minor shall be reported to the relevant Department Manager, HSE Manager and the Vehicle Administrator
- k) Employees, pool drivers, and all contractors that drive QatarEnergy owned or leased vehicles shall have a valid driver's license and shall take a computer based defensive driving course or other drivers training as required by the HSE Department;
- l) Pool drivers involved in any vehicle accident shall have to attend refresher training;
- m) Pool drivers shall notify the QatarEnergy-IS OHN when taking prescription medications;
- n) QatarEnergy-IS and contractor personnel shall not be transported in open top trucks and pick- ups. Transportation in trucks and pick-ups is only permitted in closed top vehicles with fixed seating and front and rear seat belts; and
- o) No company vehicle shall be operated while under the influence of a regulated substance above an allowed legal limit or which impairs the driver's ability.

NOTE

An assigned QatarEnergy-IS or leased car driver requiring his or her spouse to drive the car shall inform the HR Department of dual usage. Further to this they have a responsibility to ensure that the spouse is aware of QatarEnergy-IS safety requirements and accident reporting.

4.7.1 Accident Reporting

All traffic accidents involving QatarEnergy owned or leased vehicles, no matter how minor, shall be reported and the completion of an Incident Report is mandatory.

If you are involved in a road accident in Qatar, do the following:

- Immediately contact the police on phone number 999 to register the accident stating the location, if there are any injuries and damage.
- Act on their advice – do not move the vehicle unless told to do so.
- Wait by your vehicle until the police arrive.

	QatarEnergy-IS TRANSPORTATION SAFETY PROCEDURE DOC.NO. IS-HSE-PRC-039 REV. 01
--	--

- They shall take the details, file a report and give instructions on how to collect the Police Accident Report;
- Inform DRO about the incident
- Proceed directly to or as soon as possible to the Police Traffic Division to obtain a Police Accident Report.

Refer to Appendix C for a list of Important Telephone Numbers.

4.8 MARINE VESSELS

Refer to the QatarEnergy Marine Procedures and QatarEnergy-IS Marine Operations Manual (IS-SCM-MAN-001) for information regarding the safe operation of vessels working at QatarEnergy-IS locations.

4.9 AIRCRAFT (ROTARY WING)

General rules applying to helicopters:

- The HLO and Helideck crew at QatarEnergy-IS locations shall be trained to the standard required by local regulations and the aircraft operator.
- All flights shall be undertaken with two pilots except in an emergency.
- All flights shall be undertaken in accordance with aircraft operator Procedures and applicable local and international laws and regulations.
- All flight destinations shall be equipped in accordance with ICAO Annex 14 or local regulation, whichever is the most stringent.
- Separate Procedures shall be prepared for unusual, or underslung, cargoes;
- Passengers shall be manifested in accordance with the aircraft operator's requirements and all cargo shall be manifested with IATA regulations.

Personnel shall comply with the following helicopter safety guidelines;

- Hearing protection is required prior to boarding, during flight and during egress from the helicopter for all flights;
- Personnel shall undergo T-BOSIET training (OPITO approved)
- Personnel shall obey the instructions of the HLO while boarding/disembarking at offshore locations; and
- Personnel shall obey the instructions of the Pilot while in flight and until instructed to disembark by the HLO/ground crew.

In addition, passengers shall follow flight rules as imposed by Gulf Helicopters including:

- All passengers shall wear Gulf Helicopter supplied life jackets or other Gulf Helicopter approved lifejackets at all times in the cabin of the helicopter.
- No person shall inflate life jackets in the cabin of the helicopter.
- No person shall remove their life jacket until they are well inside the offshore facility heli-lounge or as otherwise instructed by the pilots/HLO.
- No person shall approach the helicopter if the anti-collision lights are flashing.
- No person shall board or disembark the helicopter while carrying loose articles of any type (newspapers, earplugs, etc).
- No headgear of any type is allowed around the aircraft.
- No person other than the pilots or the ground crew shall go beyond the cabin door towards the tail of the aircraft.

	QatarEnergy-IS TRANSPORTATION SAFETY PROCEDURE DOC.NO. IS-HSE-PRC-039 REV. 01
--	--

- No person shall unfasten his/her safety belt until specifically told to do so by the pilots or the helicopter ground staff.
- No person shall load or unload their own baggage unless directed to do so by the pilots or helicopter ground staff, and
- No person shall open a door or an emergency exit while the aircraft is in flight.

5.0 REFERENCES TO OTHER DOCUMENTS

Document Name	Document Number	Internal/External Document	Document Referencing
Emergency Management Procedure	IS-HSE-PRC-001	Internal Document	Sideways
Training Procedure	IS-HSE-PRC-002	Internal Document	Sideways
QatarEnergy procedure for HSE incident reporting, investigation & learning	QP-HSE-PRC-022	Internal Document	Sideways
Hazard Communication Procedure	IS-HSE-PRC-006	Internal Document	Sideways
Waste Management procedure	IS-HSE-PRC-012	Internal Document	Sideways
Procedure for Helicopter Transportation Services	OMO-AVI-PRC-005,	Internal Document	Sideways
Marine Operations Manual	IS-SCM-MAN-001	Internal Document	Upwards
Visiting and Working on Unmanned Remote Installations	IS-FOP-PRC-204	Internal Document	
PS-1 Emergency Response	IS-FOP-PRD-210	Internal Document	

6.0 DEFINITIONS

Term	Definition
Competent	To possess the required skills to undertake the work correctly and safely as verified by supervision and/or management. Competence is a combination of training, knowledge, education and experience.
Hazard	A potential source of danger that if not adequately controlled, or if suitable precautions are not taken, could create an unsafe condition.
Risk Assessment	A careful assessment by trained and competent personnel of the potential hazards associated with transportation activities. The potential impact of each hazard, its severity and likelihood of occurrence shall be considered to determine the effort required to make the transportation

	QatarEnergy-IS TRANSPORTATION SAFETY PROCEDURE DOC.NO. IS-HSE-PRC-039 REV. 01
--	--

Term	Definition
	activity as safe as reasonably practicable. The assessment process shall include recommending suitable safe working practices and precautions, as well as reviewing roles and responsibilities.
Hazardous Materials	Materials that meet the physical and health hazard criteria defined in Hazard Communication Procedure (IS-HSE-PRC-006)
Marine Vessel	Any marine vessel or barge engaged in sea going or inland waterway transportation activities.
Precaution	Action required to eliminate, reduce and/or control risks to an acceptable level.
Risk	The likelihood of an undesired event occurring within a specified period or circumstances. Risk may be defined as frequency or likelihood of occurrence, multiplied by consequence. Risk may also be defined as an element of business activity that has the potential, either abruptly or from cumulative exposure, to cause injury to people, environmental impairment, damage to facilities and/or unplanned production interruption.

	QatarEnergy-IS TRANSPORTATION SAFETY PROCEDURE DOC.NO. IS-HSE-PRC-039 REV. 01
--	--

APPENDIX

APPENDIX A - VEHICLE INSPECTION

It is every driver's responsibility to ensure that their vehicle is in roadworthy condition. Routinely, you shall check the following:

☐	EXTERIOR – Visual examination of the vehicle to check for damage or defects.
☐	TOOLS – Check all tools are present and in working order. Specialist equipment may be required, dependent upon the type of terrain to be crossed.
☐	WHEELS – Ensure they are secure. Check the wheel nuts; check that rims are not damaged and that the balance weights are in place.
☐	TIRES (Including spares) – Check pressure when cold. Spare tire pressure is to be that of highest recommended for the vehicle. Check that the tread depth is legal and that the wall is not damaged. Check for any foreign objects protruding from the tire.
☐	OIL, WATER, WINDSCREEN WASHER BOTTLE – All fluid levels are to be checked and corrected if necessary.
☐	FAN BELTS – Check for wear and tension. If possible carry a spare.
☐	LIGHTS – Check operation of all lights and carry spares if possible.
☐	WINDSCREEN AND WINDOWS – These shall be clean and free from cracks and chips.
☐	WASHER AND WIPERS – Check that they function correctly and are not worn.
☐	HORN – Check that it is working and is audible.
☐	COMMUNICATION (if fitted) – Check they function correctly.
☐	FIRST AID KIT – Inspect at least once a month and ensure full stock of all materials. Contact HR if you require restocking.
☐	FIRE EXTINGUISHER – Shall be fitted in a stowage bracket and be functional (i.e. full).
☐	SEAT BELTS – Shall be able to run freely and shall not be frayed or torn. Check the anchor points and the operation of the ratchet.
☐	HEAD RESTS – Check that they are adjusted to give the adequate support to the head and neck so that in the event of an accident whiplash injuries are reduced.

**APPENDIX B - TRANSPORT EMERGENCY CARD**

Transport Emergency Card (Tremcard)

(Company owned / leased cars / pool Drivers)

You are responsible for the safety of your passenger(s) and yourself.

Do not drive until all your passengers and yourself have donned the seatbelt.

Do not drive if fatigued, tiredness can cause you to have an accident.

Do not drive if under the influence of alcohol or drowsiness causing drugs.

Do not drive the vehicle if you suspect a fault that may cause an accident – call your immediate supervisor and or the QatarEnergy-IS administrator.

Emergency	Response
# 1 Collision	- Where the accident is minor, there are no injuries and one of the drivers admits fault, contact the police on 999 to register the accident and then move the cars to allow traffic movement- report to the traffic division for a police report - Immediately contact the police on phone number 999 to report the accident; stating the location and if there are any injuries. Act on their advice and follow the instruction. Move the cars to allow traffic movement, only if said by the police to do so. - Wait by your vehicle until the police arrive. They shall take the details, file a report and give instructions on how to collect the Police Accident Report; - Switch on hazard warning lights - Remove <u>all</u> passengers to a safe area. - If possible set up cones to warn oncoming vehicles - Call DRO and inform them of the incident - Employees driving QP owned or lease cars shall also call immediate Supervisor. - In addition to above - Ras Laffan Crew Change bus multi casualty incident – telephone the ERCC on phone number 135 and Duty Response Officer (DRO)
# 2 Fire	- Immediately contact the police on phone number 999 to report the accident; stating the location and if there are any injuries, act on their advice and follow the instruction. Move the cars to allow traffic movement, only if said by the police to do so. - Wait by your vehicle until the police arrive. They shall take the details, file a report and give instructions on how to collect the Police Accident Report; - Switch on hazard warning lights - Remove all passengers to a safe area. - Telephone emergency services - If possible set up cones to warn oncoming vehicles - Call DRO and inform them of the incident

	QatarEnergy-IS TRANSPORTATION SAFETY PROCEDURE DOC.NO. IS-HSE-PRC-039 REV. 01
--	--

	• Employees driving company owned or lease cars, also call immediate Supervisor. • Use the car fire extinguisher <u>ONLY</u> if it is safe to do so – do not place your passengers or yourself in danger.
# 3 Breakdown	• Immediately contact the police on phone number 999 to report the accident; stating the location and if there are any injuries, act on their advice and follow the instruction. Move the cars to allow traffic movement, only if said by the police to do so. • Wait by your vehicle until the police arrive. They shall take the details, file a report and give instructions on how to collect the Police Accident Report; • Switch on hazard warning lights • Remove <u>all</u> passengers to a safe area. • Telephone emergency services • If possible set up cones to warn oncoming vehicles • Call DRO and inform them of the incident • Employees driving company owned or lease cars – call immediate Supervisor. • Call for breakdown assistance to designated provider
# 4 Spillage	• Immediately contact the police on phone number 999 to report the accident; stating the location and if there are any injuries, act on their advice and follow the instruction. Move the cars to allow traffic movement, only if said by the police to do so. • Wait by your vehicle until the police arrive. They shall take the details, file a report and give instructions on how to collect the Police Accident Report; • Switch on hazard warning lights • Remove <u>all</u> passengers to a safe area. • Telephone emergency services • If possible set up cones to warn oncoming vehicles • Call DRO and inform them of the incident • Employees driving company owned or lease cars – call immediate Supervisor.

	QatarEnergy-IS TRANSPORTATION SAFETY PROCEDURE DOC.NO. IS-HSE-PRC-039 REV. 01
--	--

# 5 Illness /Injury	• Immediately contact the police on phone number 999 to report the accident; stating the location and if there are any injuries, act on their advice and follow the instruction. Move the cars to allow traffic movement, only if said by the police to do so. • Wait by your vehicle until the police arrive. They shall take the details, file a report and give instructions on how to collect the Police Accident Report; • Call DRO and inform them of the incident • Park in a safe area, switch on hazard warning lights and call for help – the emergency services and inform QatarEnergy-IS Occupational Nurse. Or • Park in a safe area, make the patient comfortable, then proceed as quickly as possible to the nearest medical facility.
------------------------	---

APPENDIX C - IMPORTANT TELEPHONE NUMBERS

Important Telephone Numbers		
Emergency Services – Ambulance/Police /Civil Defense	999	
HSE	<u>Occupational Nurse:</u> Work Number: 40149810 Mobile: TBA	<u>HSE Manager</u> Work Number: 40134452 Mobile:TBA
	<u>Senior Safety Officer</u> Work Number 40149457/ 40149597/ 40132533 Mobiles: TBA	<u>Senior Environmental Engineer</u> Work Number: 40132812 Mobile: TBA
Security	Work Number: TBA	
Vehicle Administrators	Work Number: TBA	
Breakdown Service	TBA	

APPENDIX D – REVISION HISTORY LOG

Revision Number: 01

Date: 06/12/2021

Item Revised	Revision Description	Page No.
Common	Updated based on new QatarEnergy Management system procedure format and current organizational structure.	
Remarks :		

	QatarEnergy-IS TRANSPORTATION SAFETY PROCEDURE DOC.NO. IS-HSE-PRC-039 REV. 01
--	--

APPENDIX E – LIST OF ABBREVIATIONS

Term	Definition
BOSIET	Basic Offshore Safety Induction & Emergency Training
DRO	Duty Response Officer
ERCC	Emergency Response Coordination Centre
HSEMS	Health, Safety and Environment Management System
HLO	Helicopter Landing Officer
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
MODU	Marine Offshore Drilling Unit
PAX	Passengers
POB	Persons On Board
TBA	To Be Announced