

## Assignment No 13

**Step 1)** `java -version`

**Step 2)** Install **Scala** from the apt repository by running the following commands to search for scala and install it.

`sudo apt search scala` ⇒ Search for the package

`sudo apt install scala` ⇒ Install the package

**Step 3)** To verify the installation of **Scala**, run the following command.

`scala -version`

### **2) Apache Spark Framework Installation**

Apache Spark is an open-source, distributed processing system used for **big data workloads**. It utilizes in-memory caching, and optimized query execution for fast analytic queries against data of any size.

**Step 1)** Now go to the official Apache Spark download page and grab the latest version (i.e. 3.2.1) at the time of writing this article. Alternatively, you can use the `wget` command to download the file directly in the terminal.

`wget https://apachemirror.wuchna.com/spark/spark-3.2.1/spark-3.2.1-bin-hadoop2.7.tgz`

**Step 2)** Extract the Apache Spark tar file.

`tar -xvzf spark-3.1.1-bin-hadoop2.7.tgz`

**Step 3)** Move the extracted **Spark** directory to **/opt** directory.

`sudo mv spark-3.1.1-bin-hadoop2.7 /opt/spark`

### **Configure Environmental Variables for Spark**

**Step 4)** Now you have to set a few environmental variables in **.profile** file before starting up the

spark.

```
echo "export SPARK_HOME=/opt/spark" >> ~/.profile
```

```
echo "export PATH=$PATH:/opt/spark/bin:/opt/spark/sbin" >> ~/.profile
```

```
echo "export PYSPARK_PYTHON=/usr/bin/python3" >> ~/.profile
```

**Step 5)** To make sure that these new environment variables are reachable within the shell and available to Apache Spark, it is also mandatory to run the following command to take recent changes into effect.

```
source ~/.profile
```

**Step 6)** `ls -l /opt/spark`

### **Start Apache Spark in Ubuntu**

**Step 7)** Run the following command to start the **Spark** master service and slave service.

```
start-master.sh
```

```
start-workers.sh spark://localhost:7077
```

(if workers not starting then remove and install openssh:

```
sudo apt-get remove openssh-client openssh-server
```

```
sudo apt-get install openssh-client openssh-server)
```

**Step 8)** Once the service is started go to the browser and type the following URL access spark page. From the page, you can see my master and slave service is started.

```
http://localhost:8080/
```

Spark Master at spark://LinuxShellTips:7077

URL: spark://LinuxShellTips:7077

Alive Workers: 1

Cores in use: 1 Total, 0 Used

Memory in use: 5.6 GiB Total, 0.0 B Used

Resources in use: 0 Running, 0 Completed

Applications: 0 Running, 0 Completed

Drivers: 0 Running, 0 Completed

Status: ALIVE

+ Workers (1)

Worker Id	Address	State	Cores	Memory	Resources
worker-20210501104244-192.168.1.5-39895	192.168.1.5:39895	ALIVE	1 (0 Used)	5.6 GiB (0.0 B Used)	

+ Running Applications (0)

Application ID	Name	Cores	Memory per Executor	Resources Per Executor	Submitted Time	User	State	Duration
----------------	------	-------	---------------------	------------------------	----------------	------	-------	----------

+ Completed Applications (0)

Application ID	Name	Cores	Memory per Executor	Resources Per Executor	Submitted Time	User	State	Duration
----------------	------	-------	---------------------	------------------------	----------------	------	-------	----------

**Step 9)** You can also check if **spark-shell** works fine by launching the **spark-shell** command. Spark-shell

sudo apt install snapd

snap find "intellij"

sudo snap install intellij-idea-community --classic

**Start IntelliJ IDE community Edition**

**Source Code:**

**/\* Sample Code to print Statement \*/**

```
object ExampleString {
  def main(args: Array[String]) {

    //declare and assign string variable "text"
    val text : String = "You are reading SCALA programming language.";

    //print the value of string variable "text"

    println("Value of text is: " + text);

  }
}
```

**/\*\*Scala program to find a number is positive, negative or positive.\*\*/**

```
object ExCheckNumber {  
  def main(args: Array[String]) {  
  
    /**declare a variable*/  
    var number= (-100);  
  
    if(number==0){  
      println("number is zero");  
    }  
    else if(number>0){  
  
      println("number is positive");  
    }  
    else{  
      println("number is negative");  
    }  
  }  
}
```

**/\*\*Scala program to print your name\*/**

```
object ExPrintName {  
  def main(args: Array[String]) {  
    println("My name is Mike!")  
  }  
}
```

**/\*\*Scala Program to find largest number among two numbers.\*\*/**

```
object ExFindLargest {  
  def main(args: Array[String]) {  
    var number1=20;  
    var number2=30;  
    var x = 10;  
  
    if( number1>number2){  
      println("Largest number is:" + number1);  
    }  
    else{  
      println("Largest number is:" + number2);  
    }  
  }  
}
```