

PathScribe AI · ForMedrix

v0.9.0

# PathScribe by ForMedrix AI

## User Guide

Clinical Reporting System  
For Pathologists and Residents

---

May 2026 · Confidential — PathScribe AI

# 1. Getting Started

## 1.1 Logging In

Open Chrome or Edge and navigate to your PathScribe by ForMedrix AI address. Enter your email and password on the ForMedrix login screen and click Sign In.

Credentials are issued by your system administrator. Contact them if you have not received login details.

## 1.2 Biometric Setup

On first login PathScribe may prompt you through the Biometric Setup Wizard (fingerprint or face recognition). You may skip this; it can be completed any time from your profile.

## 1.3 The Navigation Bar

The dark navigation bar is present on every screen:

| Element                         | Action                                                                    |
|---------------------------------|---------------------------------------------------------------------------|
| PathScribe logo                 | Click anywhere to return to the Home screen.                              |
| Enhancement Request (lightbulb) | Submit feature requests or bug reports.                                   |
| Voice toggle (microphone)       | Enable/disable hands-free voice commands.                                 |
| Messages (speech bubble)        | Open the internal messaging drawer.                                       |
| Clinical Links (chain)          | Quick access to CAP protocols, WHO Classification, and PathologyOutlines. |
| Your name / initials badge      | Profile card — User Guide, Admin Guide (if admin), System Information.    |
| Sign Out (arrow)                | Log out of PathScribe.                                                    |

## 2. The Home Screen

Six tiles provide one-click access to all application areas:

| Tile            | What it opens                                                        |
|-----------------|----------------------------------------------------------------------|
| Worklist        | Your active case queue — the primary daily view.                     |
| Contribution    | Personal productivity dashboard: workload, quality, and TAT metrics. |
| Search          | Cross-institutional case search with advanced filters.               |
| System Audit    | Audit trail of all system events (admin-visible).                    |
| My Contribution | Detailed personal metrics by specialty, TAT trend, and quality.      |
| Configuration   | System settings, user management, template builder (admin role).     |

## 3. The Worklist

The Worklist is your primary clinical view. STAT / critical cases are pinned at the top under a red Urgent banner; remaining cases follow in sort order.

### 3.1 Status Tiles

The coloured tiles in the top-right give at-a-glance counts and act as one-click filters. Clicking a tile filters the table to that category; click it again to clear the filter.

| Tile            | Colour | What it shows                                                                           |
|-----------------|--------|-----------------------------------------------------------------------------------------|
| Total Cases     | Grey   | Your full non-pool caseload. Always a summary — not a filter.                           |
| Pool Cases      | Indigo | Unassigned cases in the shared pool. Click a pool case to open the Pool Claim workflow. |
| Delegated to Me | Cyan   | Cases routed to you by another pathologist for review or second opinion.                |
| Critical        | Red    | STAT-priority or critically flagged cases. These are also pinned at the top.            |
| In Progress     | Blue   | Cases actively being worked on in the reporting workflow.                               |
| Needs Review    | Amber  | Cases with an AI-generated synoptic draft awaiting your sign-off.                       |
| Amended         | Purple | Finalised reports re-opened for amendment.                                              |
| Completed Today | Green  | Reports finalised today — useful for end-of-day productivity tracking.                  |

### 3.2 Table Columns

| Column         | Contents                                                                                        |
|----------------|-------------------------------------------------------------------------------------------------|
| ■ (dot)        | Pulsing red dot = STAT/critical. No dot = routine.                                              |
| Case           | Accession number. Red = critical, cyan = routine. Click to open.                                |
| Patient        | Last, First name (PHI). Sortable alphabetically.                                                |
| MRN            | Medical Record Number (PHI-protected).                                                          |
| Sex            | M / F / O. Sortable.                                                                            |
| DOB (Age)      | MM/DD/YYYY with compact age label (e.g. 52y, 3mo).                                              |
| Specimen(s)    | Up to 3 specimen label chips. Hover for full description. "+N" = overflow.                      |
| Accession Date | Date specimen received in the laboratory. Sortable.                                             |
| Physician      | Requesting/submitting physician. Sortable.                                                      |
| Flag(s)        | Coloured flag chips. Solid border = case-level. Dashed border = specimen-level. Hover for name. |
| Status         | Coloured dot: Draft · In Progress · Pending Review · Finalizing · Finalized · Amended.          |

### 3.3 Sorting

Click any column header to sort. Click again to reverse direction. PathScribe supports multi-column sort — up to three sort keys simultaneously. Sort preferences persist across sessions.

### 3.4 Pool Cases

Pool cases are unassigned cases visible to all pathologists at your institution. Click a pool case row to open the Pool Claim modal. Select the case and click Claim to assign it to yourself.

### 3.5 Delegated Cases

When another pathologist delegates a case to you, it appears in the Delegated to Me tile. Open the case and review the delegation note. You may accept the delegation or return the case with a comment.

## 4. Opening a Case

Click any worklist row to open the case. The case layout has three panels:

| Panel  | Contents                                                                                               |
|--------|--------------------------------------------------------------------------------------------------------|
| Left   | Patient demographics, order details, clinical indication, requesting physician, and submitting client. |
| Centre | Diagnostic workspace: gross description, microscopic description, ancillary studies.                   |
| Right  | Synoptic reporting form, AI Copilot suggestions, and the Computational Sidecar tab.                    |

### 4.1 Navigation within a Case

Specimen tabs — multi-specimen cases show lettered tabs (A, B, C...) at the top of the right panel.

Breadcrumb navigation — a breadcrumb bar shows your current location. Click any crumb to return to that level.

Previous / Next Case — use the arrow buttons in the case header bar (or voice commands) to move through your worklist.

## 5. Diagnostic Information

The centre panel contains three autosaving rich-text fields. The AI Copilot reads these in real time and generates synoptic suggestions as you type.

| Field                   | Contents                                                                                                       |
|-------------------------|----------------------------------------------------------------------------------------------------------------|
| Gross Description       | Macroscopic findings — specimen dimensions, tumour measurements, margin distances, and macroscopic appearance. |
| Microscopic Description | Histological findings — tumour type, grade, invasion, margins, lymph nodes.                                    |
| Ancillary Studies       | IHC, FISH, molecular, flow cytometry, and any other supplementary results.                                     |

Tip: Enter the gross description first — the AI begins generating synoptic suggestions immediately. Complete or refine microscopic and ancillary text to trigger further suggestion updates.

## 6. Synoptic Reporting & AI Copilot

PathScribe uses CAP-compliant and RCPATH synoptic templates. The template displayed matches the specimen type and selected protocol.

### 6.1 AI Copilot Suggestions

When analysis is complete, each synoptic field with a suggestion shows a coloured AI badge alongside the suggested value:

| Badge colour | Confidence | Meaning                                                                |
|--------------|------------|------------------------------------------------------------------------|
| Green        | ≥ 85%      | High confidence — strongly supported by diagnostic text.               |
| Amber        | 50–84%     | Moderate confidence — review the source citation carefully.            |
| Red          | < 50%      | Low confidence — treat as a starting point only; verify independently. |

### 6.2 Accepting and Rejecting Suggestions

| Action              | How                                                         |
|---------------------|-------------------------------------------------------------|
| Accept a suggestion | Click the tick (✓) icon — applied to the field immediately. |
| Reject a suggestion | Click the cross (✗) icon and enter your own value.          |
| Accept all          | Click Accept All at the top of the synoptic panel.          |

**Important:** AI suggestions are advisory only. You as the pathologist are responsible for reviewing and verifying every field before finalising. Confidence scores reflect computational certainty, not clinical accuracy.

### 6.3 Coding

As synoptic fields are completed, PathScribe automatically suggests ICD-10 and SNOMED CT codes. Review and confirm, add manual codes, or override suggestions in the Coding panel.

## 7. Computational Sidecar

The Computational Sidecar brings live laboratory results — IHC, molecular, FISH, cytogenetics — directly into your PathScribe workflow.

### 7.1 Worklist Computational Icons

| Icon colour | Status      | What it means                                                 |
|-------------|-------------|---------------------------------------------------------------|
| Teal        | Pending     | Test ordered. No result received yet.                         |
| Amber       | Preliminary | Interim result available. Final result still pending.         |
| Green       | Final       | Final result received. No immediate clinical action required. |

|     |                       |                                                                         |
|-----|-----------------------|-------------------------------------------------------------------------|
| Red | Final —<br>Actionable | Final result received. Review required — clinical action may be needed. |
|-----|-----------------------|-------------------------------------------------------------------------|

## 7.2 Synoptic Report — Computational Tab

Inside the Synoptic Report, click the Computational tab to open the full results panel. This shows specimen-grouped results with: result data table, status badge, specimen badge, AI concordance indicator, and AI extraction badge.

## 7.3 Cancelling a Pending Order

Click the trash icon beside a Pending test in the navigator. Read the confirmation dialog carefully — if the order originated in the LIS, you must also cancel it there.

## 7.4 Ordering Additional Tests

Click + Order additional test at the bottom of the Computational navigator. Stage tests for one or more specimens, then click Place N Orders to submit.

**Tip:** You can stage tests for multiple specimens before submitting — change the Apply To selector between batches and accumulate all orders before clicking Place Orders.



## 8. Report Preview

Click Preview Report in the case header to open the formatted print-ready report. Controls available:

| Control            | Function                                                             |
|--------------------|----------------------------------------------------------------------|
| Page size selector | Choose A4, US Letter, US Legal, A3, or B5. Your preference is saved. |
| Margin controls    | Adjust top, right, bottom, left margins in mm. Saved per session.    |
| Ruler              | Shows margin boundaries above the document.                          |
| Print button       | Sends the report to your browser print dialogue.                     |
| Context JSON       | Toggle to inspect mock context data (development use).               |

## 9. Case Finalisation

When all required synoptic fields are complete, click Finalise. Finalisation is a three-step gate:

| Step                      | What happens                                                                                                                                                                       |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 — Validation            | PathScribe checks all required fields. Missing fields are highlighted. The gate will not advance until all required fields are filled.                                             |
| 2 — AI Triage Review      | A summary panel shows fields the AI flagged for attention — low confidence suggestions, discordant computational results, or missing ancillary data. Review and confirm each item. |
| 3 — Password Confirmation | Enter your login password to digitally sign and finalise. This constitutes your clinical authorisation and is recorded in the audit trail.                                         |

Once finalised, the case status changes to Finalized and the report is locked. Amendments require re-opening by an administrator.

**Important: Resident counter-sign workflow:** If you are a Resident, your report is submitted for attending review rather than directly finalised. The attending must counter-sign to complete the process.

## 10. Case Delegation

Delegation allows a pathologist to route a case to a colleague for peer review, specialist opinion, second opinion, or subspecialty referral.

### 10.1 Delegating a Case

| Step | Action                                                                          |
|------|---------------------------------------------------------------------------------|
| 1    | Open the case and click the Delegate button in the case header.                 |
| 2    | Select the recipient from the staff directory (search by name or subspecialty). |

- |   |                                                                                                                      |
|---|----------------------------------------------------------------------------------------------------------------------|
| 3 | Choose the Delegation Type (Peer Review, Second Opinion, Subspecialty Referral, MDT Discussion).                     |
| 4 | Add a note explaining what you need from the recipient.                                                              |
| 5 | Click Confirm Delegation — the recipient receives a notification and the case appears in their Delegated to Me tile. |

## 10.2 Receiving a Delegated Case

Click the Delegated to Me tile. Open the case — the delegation note and requesting pathologist are shown at the top of the right panel. Complete your review and either return the case or accept full ownership.

## 11. Case Search

Case Search (Home → Search tile) finds cases across your institution using any combination of filters. All active filters combine with AND logic.

### 11.1 Smart Identifier Box

| What you type             | Detection                                  | Badge colour |
|---------------------------|--------------------------------------------|--------------|
| S26-4200                  | Accession number (matches your lab format) | Purple       |
| Smith, Jane or Jane Smith | Patient name                               | Green        |
| 123456 (numeric only)     | MRN / Hospital ID                          | Cyan         |
| abc123 (mixed)            | All fields — searches simultaneously       | Amber        |

### 11.2 Search Filters

| Filter              | Notes                                                                             |
|---------------------|-----------------------------------------------------------------------------------|
| Accession Date      | Date window. Quick-pick: 7d, 30d, 90d, 1yr. Default is last 30 days.              |
| Status              | Grossed, Awaiting Micro, Finalizing, Completed. Multi-select.                     |
| Priority            | Routine or STAT.                                                                  |
| Flags               | Click Browse. Multi-select. Flags are additive (OR logic within the flag filter). |
| Computational Flags | Filter by live LIS test result flags (IHC, molecular, etc.). Click Browse.        |
| Synoptic Protocol   | Filter by CAP or institutional protocol. Click Browse for the full library.       |
| Pathologist         | Search by surname or hospital. Multiple pathologists can be selected.             |
| Attending Physician | Filter by referring doctor. Search by name or clinic.                             |
| Specimen            | Type for suggestions or click Browse. Multiple specimens allowed.                 |
| Diagnosis           | Free-text terms. Multiple terms allowed. Press Enter or + to add.                 |
| SNOMED CT           | Formal code search. Four axes: Morphology, Body Structure, Procedure, Specimen.   |
| ICD Codes           | Search across all active coding systems (ICD-10, ICD-11, ICD-O).                  |

**Tip:** Save a "Daily STAT" search with a 7-day window and STAT priority for instant morning triage.

## 12. Internal Messaging

PathScribe's internal messaging system is for secure lab communication. Click the speech bubble icon in the navigation bar to open the messaging drawer.

### 12.1 Reading Messages

Messages are listed in the left panel. Unread messages are bold with a blue dot. Urgent messages appear highlighted in red. Click any conversation to read the full thread.

### 12.2 Composing

Click the compose icon at the bottom of the message list. Type a recipient name in the To: field. Enter subject and body. Toggle Urgent if required. Click Send.

## 13. Voice Commands

PathScribe is fully voice-enabled — every action available via mouse or keyboard can be triggered by voice. Click the microphone icon to activate. The system is context-aware.

| Area            | Example commands                                                                          |
|-----------------|-------------------------------------------------------------------------------------------|
| Navigation      | Open worklist · Open search · Open messages · Go home · Go back                           |
| Case navigation | Next case · Previous case · Open case [accession number]                                  |
| Synoptic        | Accept suggestion · Reject suggestion · Accept all suggestions · Next field · Save report |
| Finalisation    | Finalise report · Submit for review                                                       |
| Messaging       | Open messages · Compose message · Send message · Mark read · Close messages               |
| Search          | Search cases · Clear filters · Export results                                             |
| System          | Open configuration · Sign out · Open voice settings                                       |

PathScribe recognises 139 registered actions by voice. The system learns: if it does not recognise a phrase, it offers suggestions and remembers your confirmed mappings permanently.

**Important: Best results: Use Chrome or Edge. Ensure your voice profile (EN-US or EN-GB) is set correctly in your profile settings. Speak clearly after the activation tone.**

## 14. Your Profile

Click your name or initials badge (top right) to open the System Information panel. From here:

| Option     | Details                                   |
|------------|-------------------------------------------|
| User Guide | Opens this document in a new browser tab. |

|                    |                                                                                                         |
|--------------------|---------------------------------------------------------------------------------------------------------|
| Admin Guide        | Opens the Admin Guide PDF (visible to Admin and Pathologist-Admin roles only).                          |
| System Information | Application version, AI provider and model, API connectivity status, browser and OS details.            |
| Copy to Clipboard  | Generates a formatted support report. Name and ID are redacted — safe to share with PathScribe support. |

## 15. Quick Reference

| Action                     | How                                                                  |
|----------------------------|----------------------------------------------------------------------|
| Return to Home             | Click the PathScribe by ForMedrix AI logo (top left)                 |
| Open Worklist              | Home > Worklist tile · voice: "open worklist"                        |
| Open a case                | Click any worklist row                                               |
| Navigate specimens         | Click specimen tabs A, B, C... in the right panel                    |
| Accept AI suggestion       | Click tick (✓) next to the suggestion                                |
| Accept all suggestions     | "Accept All" button at the top of the synoptic panel                 |
| View computational results | Click Computational tab in the synoptic panel                        |
| Order an additional test   | + Order additional test at the bottom of the Computational navigator |
| Preview report             | Preview Report button in the case header                             |
| Finalise a case            | Finalise button → 3-step confirmation gate                           |
| Delegate a case            | Delegate button in the case header                                   |
| Claim a pool case          | Pool Cases tile → click a pool case row → Claim                      |
| Search all cases           | Home > Search tile                                                   |
| Send a message             | Nav bar speech bubble → compose icon                                 |
| Get help                   | Your initials badge (top right) → User Guide                         |
| Support report             | Your initials badge → System Information → Copy to Clipboard         |

# Appendix A — Colour & Visual Language Reference

This appendix explains the meaning of every colour, icon shape, and status indicator used across PathScribe. Understanding these conventions helps you read the worklist, dashboards, and reports at a glance.

## A.1 Case Status Indicators (Worklist dots)

Every case row shows a coloured dot on the left edge indicating where the case sits in the workflow.

|                                                                                     |                                        |                                                                                          |
|-------------------------------------------------------------------------------------|----------------------------------------|------------------------------------------------------------------------------------------|
|    | <b>Red — STAT / Urgent</b>             | Case flagged STAT or has a pending urgent action. Requires immediate attention.          |
|    | <b>Amber — Action Required</b>         | Needs user input: outstanding query, delegation pending, or a required field is missing. |
|    | <b>Blue — In Progress</b>              | Actively being worked on (grossing, microscopy, or synoptic in draft).                   |
|    | <b>Green — Complete / Signed Out</b>   | Report finalised and countersigned where required.                                       |
|    | <b>Grey — Awaiting Micro / Grossed</b> | Specimen received and grossed; sections processing; no pathologist action yet required.  |
|  | <b>Purple — Delegated</b>              | Case delegated to another pathologist or in a review pool.                               |

## A.2 Case Flags

Flags appear as coloured chips on worklist rows and inside cases. There are two flag classes:

|                                                                                     |                                          |                                                                                                                                                                               |
|-------------------------------------------------------------------------------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <b>Teal — Administrative flags</b>       | Lab-workflow flags: RUSH, Frozen Section, Tumour Board, MDT Discussion, QI Review, etc. Signal process steps — do not affect the clinical diagnosis.                          |
|  | <b>Cyan — Computational flags</b>        | Results from the Computational Sidecar: IHC panels, molecular assays, BRAF, PD-L1, ER/PR/HER2. A teal chip with a circuit icon indicates live LIS data is linked to the case. |
|  | <b>Amber — Quality / Review flags</b>    | Amended Report, Addendum Added, Correlation Required, Second Opinion. Signals a quality or documentation event.                                                               |
|  | <b>Green — Positive / Complete flags</b> | Confirms completion: AI coding applied, countersign received, research consent captured.                                                                                      |
|  | <b>Red — High-severity flags</b>         | Critical findings or urgent process flags. Appear alongside HIGH severity badges in the Quality tab.                                                                          |

## A.3 Severity Badges (Quality Tab)

Discordant diagnoses and amended reports are tagged with a severity badge in the Quality tab:

|                                                                                   |                       |                                                                                                               |
|-----------------------------------------------------------------------------------|-----------------------|---------------------------------------------------------------------------------------------------------------|
|  | <b>LOW (green)</b>    | Minor documentation issue or concordant variance. No immediate escalation required.                           |
|  | <b>MEDIUM (amber)</b> | Moderate discordance (e.g. grade upgrade) or process deviation. Discuss at QI review.                         |
|  | <b>HIGH (red)</b>     | Significant diagnostic discordance or patient-safety relevant amendment. Requires formal root-cause analysis. |

## A.4 TAT Progress Bars

TAT bars on the Quality and Dashboard tabs use a traffic-light scale based on % of client SLA consumed:

|                                                                                   |                                    |                                                                 |
|-----------------------------------------------------------------------------------|------------------------------------|-----------------------------------------------------------------|
|  | <b>Green — On track (&lt; 70%)</b> | Well within the client SLA. No intervention needed.             |
|  | <b>Amber — Caution (70–90%)</b>    | Approaching the SLA limit. Monitor closely.                     |
|  | <b>Red — At risk (&gt; 90%)</b>    | At or exceeding the SLA. Escalation or prioritisation required. |

## A.5 Productivity Chart Lines

The YTD RVU Accumulation chart uses a consistent colour scheme:

|                                                                                     |                                          |                                                                                 |
|-------------------------------------------------------------------------------------|------------------------------------------|---------------------------------------------------------------------------------|
|  | <b>Teal (solid) — Your RVUs</b>          | Your personal cumulative RVU line. Solid with data-point dots. Always shown.    |
|  | <b>Blue dashed — Peer Average</b>        | Average YTD RVU accumulation across pathologists with similar case mix.         |
|  | <b>Amber dashed — Top Performer</b>      | 90th-percentile YTD accumulation — aspirational benchmark.                      |
|  | <b>Grey dashed — Last Year</b>           | Your own YTD accumulation for the equivalent period in the prior calendar year. |
|  | <b>Light blue bars — Cases (monthly)</b> | Monthly finalised case count.                                                   |
|  | <b>Amber bars — RVUs (monthly)</b>       | Monthly RVU total (finalised cases only).                                       |

## A.6 KPI Tile % of Target

The "% of target" row on each Overview KPI tile is colour-coded:

|                                                                                     |                                                             |                                                         |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------|---------------------------------------------------------|
|  | <b>Green — At or above target (<math>\geq 100\%</math>)</b> | Meeting or exceeding the configured performance target. |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------|---------------------------------------------------------|



|                                                                                   |                                            |                                                                       |
|-----------------------------------------------------------------------------------|--------------------------------------------|-----------------------------------------------------------------------|
|  | <b>Amber — Approaching target (75–99%)</b> | Below target but within acceptable range.                             |
|  | <b>Red — Below target (&lt; 75%)</b>       | Significantly under target. Consider discussing with department lead. |

## A.7 Frozen Section Delta Indicators

The DELTA column in the Frozen vs Final discordance table uses symbols and colour:

|                                                                                   |                                |                                                                                                    |
|-----------------------------------------------------------------------------------|--------------------------------|----------------------------------------------------------------------------------------------------|
|  | <b>Green tick — Concordant</b> | Frozen section diagnosis matches the final permanent diagnosis.                                    |
|  | <b>Red ↑ — Upgraded</b>        | Final diagnosis is more significant than frozen (e.g. benign → malignant). Clinically significant. |
|  | <b>Amber ↓ — Downgraded</b>    | Final diagnosis is less significant than frozen. May indicate over-call at frozen.                 |

This guide applies to PathScribe by ForMedrix AI v0.9.0 · May 2026 · Confidential