

Requirements Engineering Assignment 3

ParcelResolve

Requirements Specification

Group Name: Varun & Thanh
Students: Varun Ganesh Sondur
Pham Thanh

A. Functional Requirements

This section identifies the main functional requirements of ParcelResolve. The requirements are derived from the product vision, scope, stakeholder analysis, and resolution lifecycle established in Assignment 2.

Each requirement area below lists the requirements belonging to it and a brief statement of intent. The formal specification of each requirement appears in Section C.

A.1 Incident Initiation

- **FR-01 — System-initiated incident creation.** The system detects a parcel problem through an integrated operational system and creates an incident automatically.
- **FR-02 — Customer-initiated incident creation.** A parcel problem reported by a customer through a supported channel is registered as an incident.
- **FR-03 — Incident standardisation.** Information from different incident sources is converted into a consistent structure suitable for further processing.

A.2 Incident Assessment and Classification

- **FR-04 — Incident classification.** Each incident is assigned to one of the supported incident types based on the available evidence.

The initial supported incident types are: delayed parcel, potentially lost parcel, misdelivered parcel, failed delivery, and delivery dispute.

A.3 Incident Information and Status

- **FR-05 — Incident information retrieval.** Relevant information is retrieved from connected organisational systems using the parcel identifier and related references.
- **FR-06 — Incident information management.** The system maintains all information required to manage and track an incident throughout its lifecycle.
- **FR-07 — Incident status management.** The current status of each incident is maintained and updated as the incident progresses.
- **FR-08 — Incident history.** A chronological record of significant changes and activities is maintained for each incident.

A.4 Resolution Workflow

- **FR-09 — Workflow selection.** A resolution workflow is selected based on the incident type and applicable business rules. Where no applicable workflow can be matched, the incident is placed in a defined unresolved state and a notification is generated for operational review.
- **FR-10 — Workflow progression.** The system tracks each incident's progress through its applicable resolution workflow.

A.5 Action and Responsibility Management

- **FR-11 — Action creation.** Actions required to progress an incident toward resolution are created within the system.
- **FR-12 — Action assignment.** Each action is assigned to a responsible operational role or user.
- **FR-13 — Action tracking.** The status and deadline of each action are tracked until the action is completed, cancelled, or otherwise resolved.

A.6 Evidence Management

- **FR-14 — Evidence capture.** Relevant evidence associated with an incident can be recorded or referenced within the system.
- **FR-15 — Evidence retrieval.** Authorised users can retrieve evidence associated with an incident.
- **FR-16 — Evidence source information.** Sufficient information is retained to identify the source and context of evidence used during resolution.

A.7 Monitoring and Follow-Up

- **FR-17 — Incident monitoring.** Open incidents and their associated actions are monitored for configured deadlines, overdue conditions, and relevant new information from integrated systems.
- **FR-18 — Follow-up notification.** Follow-up notifications are generated when configured monitoring conditions require attention.

A.8 Escalation

- **FR-19 — Incident escalation.** An incident is escalated when a configured escalation condition is satisfied. Escalation may include reassignment, priority changes, notifications, or transition to a different resolution workflow.
- **FR-20 — Escalation record.** The reason, time, and resulting action for each escalation are recorded.

A.9 Customer Communication

- **FR-21 — Customer notification.** The system supports communication with the customer regarding incident confirmation, progress, next steps, and resolution outcome.
- **FR-22 — Additional information request.** The resolution process can request additional information from the customer when it is needed to continue the investigation.
- **FR-23 — Communication history.** A record of relevant customer communications associated with each incident is maintained.

A.10 Resolution Verification and Closure

- **FR-24 — Resolution verification.** The applicable resolution conditions are verified before an incident can be closed.
- **FR-25 — Incident closure.** An incident is closed only when the required resolution conditions have been verified.
- **FR-26 — Closure record.** The resolution outcome, closure time, and relevant supporting information are recorded.

A.11 Operational Insights

- **FR-27 — Incident overview.** Authorised operational users can view an overview of open incidents, including type, status, responsibility, deadlines, and escalation state.

- **FR-28 — Resolution information.** The system provides operational information on incident volumes, resolution times, overdue incidents, escalations, recurring patterns, and resolution outcomes. Filtering by date range, incident type, responsible team, and escalation state is supported.

B. Non-Functional Requirements

This section identifies the main non-functional requirements and quality attributes relevant to ParcelResolve. The formal requirement statements appear in Section C.

At this stage, numerical thresholds such as response-time targets, availability percentages, incident volumes, and recovery targets are not fixed. Assignment 2 does not provide sufficient operational baseline information to justify specific values. These are reviewed further in Section D.

B.1 Performance and Capacity

- **NFR-01 — Performance under expected workload.** The system operates within defined response-time thresholds under the expected operational workload.
- **NFR-02 — Operational capacity.** The system supports the expected volume of incidents, concurrent users, and integration events for the target environment.

B.2 Availability and Reliability

- **NFR-03 — Availability.** The system is available during the operational periods required by the host organisation, excluding agreed maintenance windows.
- **NFR-04 — Data integrity.** Confirmed incident, action, status, evidence, communication, and resolution information is preserved following recoverable system failures.
- **NFR-05 — Recovery of incident data.** Incident data can be recovered from the most recent valid recovery point following a recoverable system failure.

B.3 Security and Access Control

- **NFR-06 — Authentication.** Users and integrated system clients are authenticated before accessing protected functionality or incident information.
- **NFR-07 — Authorisation and access control.** Access to incident information and operations is restricted according to assigned roles and permissions, following the principle of least privilege.
- **NFR-08 — Protection against excessive requests.** Appropriate request-rate controls protect interfaces from excessive or abusive requests.
- **NFR-09 — Personal data protection.** Personal data is processed only for purposes necessary for incident resolution, with appropriate technical and organisational measures applied in accordance with applicable data-protection requirements.

B.4 Auditability

- **NFR-10 — Audit trail.** Significant changes and operations affecting incidents, actions, assignments, statuses, escalations, evidence, and resolution information are recorded in an audit trail with sufficient detail to identify what changed, when, and by whom.

B.5 Usability and Consistency

- **NFR-11 — Operational usability.** The information required to understand and act on an incident is presented in a consistent and structured manner for authorised operational users.
- **NFR-12 — Terminology consistency.** Consistent terminology for incident types, statuses, actions, responsibilities, escalations, and resolution states is used across all supported interfaces and workflows.

B.6 Maintainability and Integration

- **NFR-13 — Configurable resolution rules.** Applicable business rules, workflow conditions, monitoring thresholds, and escalation conditions can be updated without requiring changes to core application source code or redeployment of the application, where technically feasible.
- **NFR-14 — Integration interfaces.** Defined interfaces are provided for exchanging information required by integrations with relevant order-management, tracking, warehouse, delivery, and customer-service systems.
- **NFR-15 — Integration failure handling.** Failures or unavailable responses from integrated systems are detected and handled appropriately, without silently losing incident-related information.

B.7 Observability

- **NFR-16 — Operational observability.** The system produces sufficient operational logs and health indicators to support diagnosis of system errors, integration failures, and performance degradation in the production environment.

C. Requirements Specification

The identified functional and non-functional requirements are written below as formal requirements. The keyword **shall** expresses mandatory system behaviour or constraints.

C.1 Functional Requirements

FR-01 — System-Initiated Incident Creation. The system shall create an incident when an integrated operational system provides information that satisfies a configured incident-detection condition.

FR-02 — Customer-Initiated Incident Creation. The system shall allow a customer-initiated parcel problem to be registered as an incident through a supported customer or customer-service channel.

FR-03 — Incident Standardisation. The system shall convert information received from different incident sources into a common incident structure containing the information required for further processing.

FR-04 — Incident Classification. The system shall classify each incident into one of the supported incident types based on the information available at the time of assessment.

The initial supported incident types are: delayed parcel, potentially lost parcel, misdelivered parcel, failed delivery, and delivery dispute.

Classification indicates the most appropriate type given available evidence and does not imply certainty where the evidence does not support it.

FR-05 — Incident Information Retrieval. The system shall retrieve relevant incident information from connected organisational systems using the parcel identifier and relevant order reference.

FR-06 — Incident Information Management. The system shall maintain the information required to manage an incident, including its type, source, status, responsibility, actions, deadlines, evidence, resolution information, and relevant history.

FR-07 — Incident Status Management. The system shall maintain the current status of each incident throughout its resolution lifecycle.

FR-08 — Incident History. The system shall maintain a chronological history of significant changes and activities associated with each incident.

FR-09 — Workflow Selection. The system shall select a resolution workflow based on the incident type and applicable business rules. Where no applicable workflow can be selected, the system shall place the incident in a defined unresolved state and shall generate a notification for review by an authorised operational user.

FR-10 — Workflow Progression. The system shall track the progress of an incident through the applicable resolution workflow.

FR-11 — Action Creation. The system shall create actions required to progress an incident toward resolution.

FR-12 — Action Assignment. The system shall assign each actionable task to a responsible operational role or user.

FR-13 — Action Tracking. The system shall track the status and deadline of each action until the action is completed, cancelled, or otherwise resolved.

FR-14 — Evidence Capture. The system shall allow relevant evidence associated with an incident to be recorded or referenced. Supported evidence may include delivery photographs, signature records, GPS coordinates, timestamps, event logs, and other relevant supporting information.

FR-15 — Evidence Retrieval. The system shall allow authorised users to retrieve relevant evidence associated with an incident.

FR-16 — Evidence Source Information. The system shall retain sufficient information to identify the source and context of evidence used during incident resolution.

FR-17 — Incident Monitoring. The system shall monitor open incidents and their associated actions for configured deadlines, overdue conditions, status changes, and relevant new information from integrated systems.

FR-18 — Follow-Up Notification. The system shall generate follow-up notifications when configured monitoring conditions require attention.

FR-19 — Incident Escalation. The system shall escalate an incident when a configured escalation condition is satisfied. Escalation may include reassignment, priority changes, notifications, or transition to another resolution workflow.

FR-20 — Escalation Record. The system shall record the reason, time, and resulting action for each escalation.

FR-21 — Customer Notification. The system shall support communication with the customer regarding incident confirmation, progress, next steps, and resolution outcome.

FR-22 — Additional Information Request. The system shall allow the resolution process to request additional information from the customer when the information is required to continue the investigation or resolution.

FR-23 — Communication History. The system shall maintain a record of relevant customer communications associated with an incident.

FR-24 — Resolution Verification. The system shall verify that the applicable resolution conditions have been satisfied before an incident can be closed.

FR-25 — Incident Closure. The system shall close an incident only when the required resolution conditions have been verified.

FR-26 — Closure Record. The system shall record the resolution outcome, closure time, and relevant information supporting the closure decision.

FR-27 — Incident Overview. The system shall provide authorised operational users with an

overview of open incidents, including their type, status, responsibility, deadlines, and escalation state.

FR-28 — Resolution Information. The system shall provide operational information about incident volumes, resolution times, overdue incidents, escalations, recurring patterns, and resolution outcomes. The system shall support filtering of resolution information by date range, incident type, responsible team, and escalation state.

The exact analytics and reporting definitions remain subject to later requirements work.

C.2 Non-Functional Requirements

NFR-01 — Performance Under Expected Workload. The system shall provide incident-management operations within response-time thresholds defined for the expected operational workload. The response-time targets shall be specified together with the workload assumptions used to evaluate them.

NFR-02 — Operational Capacity. The system shall support the expected volume of incidents, concurrent operational users, and integration events defined for the target operational environment. The capacity baseline shall be established before final performance thresholds are fixed.

NFR-03 — Availability. The system shall be available during the operational periods required by the host organisation, excluding planned maintenance periods agreed with the organisation. The availability target shall be defined based on the organisation's operational requirements rather than assumed in advance.

NFR-04 — Data Integrity. The system shall preserve the integrity and consistency of confirmed incident, action, status, evidence, communication, and resolution information following recoverable system failures.

NFR-05 — Recovery of Incident Data. The system shall support recovery of incident data from the most recent valid recovery point following a recoverable system failure. The required recovery point and recovery time targets shall be defined according to the host organisation's operational needs.

NFR-06 — Authentication. The system shall authenticate users and integrated system clients before allowing access to protected functionality or incident information.

NFR-07 — Authorisation and Access Control. The system shall restrict access to incident information and operations according to the authenticated user's or system client's assigned roles and permissions. Access-control rules shall follow the principle of least privilege and shall prevent unauthorised users from viewing or modifying protected incident information.

NFR-08 — Protection Against Excessive Requests. The system shall apply appropriate request-rate controls to protect interfaces from excessive or abusive requests. Possible implementation mechanisms may include rate limiting, throttling, and other abuse-prevention controls. The final mechanism shall be selected during system design.

NFR-09 — Personal Data Protection. The system shall process personal data only for purposes necessary for the incident-resolution process and shall apply appropriate technical and organisational measures for protecting such data in accordance with applicable data-protection requirements. The requirement is intended to align with applicable regulatory obligations including GDPR and, where adopted by the host organisation, ISO/IEC 27001 and ISO/IEC 27701.

NFR-10 — Audit Trail. The system shall maintain an audit trail of significant changes and operations affecting incidents, actions, assignments, statuses, escalations, evidence, communications, and resolution information. Each audit record shall contain sufficient information to identify the affected incident or resource, the operation performed, the time of the operation, and the responsible

user or system component. The implementation technology for audit storage is not prescribed at the requirements level.

NFR-11 — Operational Usability. The system shall present the information required to understand and act on an incident in a consistent and structured manner for authorised operational users.

NFR-12 — Terminology Consistency. The system shall use consistent terminology for incident types, statuses, actions, responsibilities, escalations, and resolution states across supported interfaces and workflows.

NFR-13 — Configurable Resolution Rules. The system shall allow applicable business rules, workflow conditions, monitoring thresholds, and escalation conditions to be maintained without requiring changes to the core application source code or requiring redeployment of the application, where technically feasible.

NFR-14 — Integration Interfaces. The system shall provide defined interfaces for exchanging the information required to support integrations with relevant order-management, tracking, warehouse, delivery, and customer-service systems.

NFR-15 — Integration Failure Handling. The system shall detect and appropriately handle failures or unavailable responses from integrated systems without silently losing incident-related information. The system shall preserve sufficient information about integration failures to support investigation and recovery.

NFR-16 — Operational Observability. The system shall produce sufficient operational logs and health indicators to support diagnosis of system errors, integration failures, and performance degradation in the production environment.

D. Review of Requirements Against Product Vision and Scope

The requirements were reviewed against the product vision, product scope, stakeholder analysis, and resolution lifecycle established in Assignment 2.

D.1 Consistency with Product Vision

The central product value established in Assignment 2 is:

Turn a detected parcel problem into an actionable and trackable resolution process.

The functional requirements support the complete resolution lifecycle without gaps. Each stage below corresponds to at least one requirement, confirming that no lifecycle stage has been left unaddressed.

Lifecycle Stage	Related Requirements
Detect	FR-01, FR-02, FR-03
Understand	FR-04, FR-05, FR-06, FR-07, FR-08
Act	FR-09, FR-10, FR-11, FR-12, FR-13
Monitor	FR-17, FR-18, FR-19, FR-20
Verify Resolution	FR-24
Close	FR-25, FR-26

Evidence management (FR-14 to FR-16), customer communication (FR-21 to FR-23), and operational insights (FR-27, FR-28) provide supporting capabilities across the lifecycle.

D.2 Consistency with Product Scope

The requirements remain within the scope established in Assignment 2. Areas within scope include incident initiation, classification, information retrieval and management, resolution workflows, action and responsibility management, evidence capture and retrieval, monitoring and escalation, customer communication, resolution verification and closure, operational insights, and integration with existing organisational systems.

The requirements do not introduce functionality for any area listed as out of scope in Assignment 2, including:

- order creation or order management;
- core parcel-tracking infrastructure;
- warehouse management;
- route optimisation or driver navigation;
- shipment creation or label generation;
- physical transportation or parcel recovery;
- payment or compensation processing;
- damaged-parcel handling as a current incident type;
- replacing existing operational staff; or
- providing a generic multi-company resolution platform.

D.3 Consistency with Incident Coverage

The initial incident coverage remains consistent with Assignment 2 and covers five incident types: delayed parcel, potentially lost parcel, misdelivered parcel, failed delivery, and delivery dispute. No additional incident type has been introduced into the current requirements baseline.

D.4 Consistency with Stakeholders

The requirements address the main stakeholder interests identified in Assignment 2. The host organisation is supported through consistent resolution, reduced manual coordination, operational visibility, integration, security, and maintainability. The product owner benefits from a structured basis for prioritisation and scope control. External delivery stakeholders are addressed through customer communication, evidence management, resolution verification, and closure. Operational users are supported through workflow management, action assignment, monitoring, escalation, and incident overviews. The IT and integration team is addressed through authentication, authorisation, data protection, audit, integration interfaces, integration failure handling, and maintainability.

D.5 Review of Non-Functional Requirements

Several numerical values were deliberately not fixed during this requirements stage. An earlier draft proposed specific values for response times and availability percentages. These were removed because Assignment 2 does not provide sufficient information about expected incident volume, peak traffic, concurrent users, integration-event rate, required operating hours, or recovery needs. The current requirements establish measurable categories first and leave exact thresholds to be defined from a future operational baseline. This produces a more defensible specification because eventual thresholds can be traced to real workload and stakeholder needs rather than arbitrary assumptions.

D.6 Security and Privacy Review

The security requirements were separated into distinct concerns: authentication, authorisation and access control, protection against excessive requests, personal-data protection, and auditability. This avoids treating a specific technical mechanism as the requirement itself. Rate limiting is one mechanism that may satisfy NFR-08; role-based access control is one mechanism that may satisfy NFR-07. Both are implementation decisions to be evaluated during architecture and design. For

personal-data protection, GDPR, ISO/IEC 27001, and ISO/IEC 27701 are treated as reference frameworks rather than sources of arbitrary thresholds.

D.7 Requirements and Implementation Separation

The review confirmed that implementation technologies should not be fixed at the requirements stage. The requirement is to maintain an audit trail; a specific data platform may be considered during architecture. The requirement is to control excessive requests; rate limiting or throttling are mechanisms that may satisfy it. This separation keeps requirements focused on what the system shall achieve while leaving architecture and technology decisions to be made separately.

D.8 Open Points Identified During Review

The following items require further stakeholder or technical input before final measurable thresholds can be assigned:

- expected daily incident volume;
- peak incident creation and event rate;
- concurrent operational users;
- response-time targets;
- availability target;
- recovery point objective and recovery time objective;
- detailed escalation and monitoring thresholds;
- analytics and reporting definitions;
- supported customer communication channels; and
- detailed integration interfaces and data formats.

These open points can be refined in later requirements work once the necessary operational assumptions and stakeholder expectations are available.

D.9 Overall Review

The review confirms that the current requirements remain consistent with the product vision and scope from Assignment 2. The main refinement from the initial requirements draft is that the specification now separates identified requirements, formal requirement statements, review and validation, and implementation decisions. This keeps requirements focused on the intended behaviour and quality of ParcelResolve while avoiding unsupported assumptions about workload, performance thresholds, or specific technologies.

D.10 Product Vision and Requirements Traceability

The requirements were reviewed against the product vision and the resolution lifecycle established in Assignment 2. The product vision maps directly onto the resolution lifecycle without gaps. Incident detection and initiation are covered by FR-01 through FR-03. Understanding and classification are handled by FR-04 through FR-08. Active resolution is supported by FR-09 through FR-13. Monitoring and escalation are addressed by FR-17 through FR-20. Resolution verification and closure are covered by FR-24 through FR-26. Each lifecycle stage corresponds to at least one requirement, confirming full coverage with no orphaned requirements.

E. Tool-Supported Analysis

Tool Used and Interaction

The AI tool used for this section was **Claude** (claude.ai, developed by Anthropic). After completing the initial identification of functional and non-functional requirements in Sections A and B, we provided the draft to Claude and asked it to:

- identify gaps in the functional requirement coverage across the resolution lifecycle;
- identify gaps or underspecified areas in the non-functional requirements;
- flag requirements that appeared to conflate what the system should achieve with how it should achieve it; and
- suggest anything else relevant for an incident-resolution system of this kind.

Significant Tool Observations and Suggestions

The tool returned several observations. We assigned each a reference identifier to make it easier to discuss them in Section F.

[T-01] Missing fallback behaviour in FR-09 (Workflow Selection)

Claude observed that the original FR-09 only stated that a workflow is selected based on incident type and business rules, but said nothing about what should happen when no applicable workflow can be matched. The tool noted that without a defined fallback, an incident that cannot be classified into a supported workflow has no specified system behaviour.

[T-02] Proposed numerical thresholds for NFR-01 and NFR-03

Claude suggested adding a specific availability target of 99.9% and a 2-second response-time threshold directly into NFR-01 and NFR-03 as fixed values.

[T-03] Prescribing AES-256 as the encryption mechanism in NFR-09

The tool suggested that NFR-09 should specify AES-256 as the required encryption mechanism for personal data.

[T-04] Adding a WCAG 2.1 AA accessibility requirement

Claude suggested adding a formal accessibility compliance requirement covering WCAG 2.1 Level AA as a new non-functional requirement.

[T-05] Adding an observability requirement separate from NFR-10

The tool observed that NFR-10 covers compliance-level audit trails but that the specification contained no requirement for operational logging and system health monitoring. It noted that audit trails and operational observability serve different purposes and should be treated as separate requirements.

[T-06] Adding filtering capability to FR-28 (Resolution Information)

Claude suggested that FR-28 was too open-ended to be testable in its original form and proposed adding explicit filtering criteria covering date range, incident type, responsible team, and escalation state.

F. Comparison and Revision

Overview

We went through each tool suggestion and compared it against the requirements draft and the scope established in Assignment 2. For each one, we decided whether it identified something genuinely missing, something we disagree with, or something valid but not yet actionable.

Assessment of Tool Suggestions

[T-01] Missing fallback behaviour in FR-09 — Accepted

The observation identified a genuine gap. Without a defined fallback path, the specification leaves incident behaviour undefined for a realistic scenario. This is not an edge case — workflow matching failures can occur in production when an incident type is ambiguous or when business rules have not yet been configured for a new case pattern.

Revision: FR-09 was revised to include placement in a defined unresolved state and generation of a notification for operational review.

[T-02] Fixed numerical thresholds for NFR-01 and NFR-03 — Deferred

The values were not accepted. As documented in D.5 and D.8, Assignment 2 provides no operational baseline from which these numbers can be derived. Accepting arbitrary thresholds would produce requirements that look measurable but cannot be validated against real operational needs.

Decision: The exact targets are deferred to a later requirements stage once the host organisation provides the workload assumptions needed to define them.

[T-03] AES-256 encryption in NFR-09 — Rejected

Prescribing a specific encryption mechanism at the requirements stage conflates what the system shall achieve with how it should achieve it. NFR-09 correctly states the obligation to protect personal data with appropriate technical and organisational measures. The choice of mechanism is an architecture and design decision. Accepting this suggestion would have introduced an unjustified technical constraint into the requirements baseline, contrary to the separation principle applied throughout Section D.

[T-04] WCAG 2.1 AA accessibility requirement — Deferred

The suggestion is not rejected on principle. Accessibility is a legitimate concern for any operational system. However, ParcelResolve is an internal tool serving a defined set of operational users, and whether WCAG 2.1 AA compliance applies depends on the host organisation's policies and the specific user population. This cannot be determined from Assignment 2 alone.

Decision: The requirement is deferred to a later pass once the host organisation confirms its accessibility obligations.

[T-05] Operational observability as a separate requirement — Modified

The distinction between compliance-level audit trails and operational observability is correct. NFR-10 was retained as the compliance audit requirement.

Revision: NFR-16 was added to cover operational logs and health indicators. The phrasing was modified to focus specifically on production diagnostics — the tool's original framing included development-time logging and debug output, which are not within the scope of what the system shall provide in production.

[T-06] Filtering criteria for FR-28 — Modified

The tool's observation that FR-28 was too vague to be testable was valid. The filtering criteria proposed by the tool were reasonable, but we limited the accepted criteria to date range, incident type, responsible team, and escalation state, as these correspond directly to the operational insights described in Assignment 2.

Revision: FR-28 was revised to include these four filtering criteria. Additional analytics scope was kept under the open-points deferral in D.8 rather than fixed here.

Summary of Decisions

Ref	Tool Suggestion	Decision	Outcome
T-01	Add fallback behaviour to FR-09 for unmatched incidents.	Accepted	FR-09 revised with unresolved state and notification.
T-02	Fix 99.9% availability and 2-second response time in NFR-01 and NFR-03.	Deferred	Thresholds await an operational baseline (D.5, D.8).
T-03	Prescribe AES-256 in NFR-09.	Rejected	Mechanism is a design decision, not a requirement.

Ref	Tool Suggestion	Decision	Outcome
T-04	Add WCAG 2.1 AA accessibility requirement.	Deferred	Pending host organisation accessibility obligations.
T-05	Add operational observability separate from the audit trail.	Modified	NFR-16 added, limited to production diagnostics.
T-06	Add explicit filtering criteria to FR-28.	Modified	Four criteria accepted; wider analytics deferred (D.8).

Summary of Revisions Made

The tool interaction led to the following concrete changes to the requirements:

- **FR-09 revised** to include a defined fallback behaviour when no applicable workflow can be matched.
- **FR-28 revised** to include explicit filtering criteria for date range, incident type, responsible team, and escalation state.
- **NFR-13 strengthened** to clarify that configurable rules should not require redeployment of the application, where technically feasible.
- **NFR-16 added** as a new requirement covering operational observability, separate from the compliance audit trail in NFR-10.

The proposals for fixed numerical thresholds and a specific encryption mechanism were not accepted for reasons of requirements quality and the implementation-separation principle. The accessibility requirement was deferred pending host organisation input.

G. Tool Reflection

Field	Response
1. Tool / AI Used	Claude (claude.ai, Anthropic)
2. Tool Output / Suggestion	Claude suggested adding a separate operational observability requirement, distinct from the audit trail in NFR-10. It observed that audit trails serve compliance purposes, while operational logs and health indicators serve a different purpose: diagnosing errors, integration failures, and performance degradation in production.
3. Decision Taken	Modify
4. Primary Reason Category	Requirement quality / Scope alignment
5. Justification	The distinction Claude raised is correct and identified a real gap. NFR-10 covers auditability of changes to incidents, but the specification contained nothing about how operators would diagnose failures in the running system, which matters especially given the dependence on integrated systems (NFR-14, NFR-15). However, the tool's original framing also covered development-time logging and debug output. These are engineering practices rather than capabilities the system shall provide, and including them would blur the line between requirements and implementation decisions. We therefore added NFR-16 with its scope limited to operational logs and health indicators in the production environment, and kept NFR-10 unchanged as the compliance audit requirement. This keeps the useful part of the suggestion without introducing implementation detail into the requirements baseline.

AI Assistance Disclosure

AI assistance (Claude, claude.ai) was used to support requirements elicitation, coverage review, and formatting of this assignment, particularly in relation to the tool analysis and revision work in Sections E, F, and G. The functional and non-functional requirements, scope decisions, and the analysis and justification behind each revision decision were discussed and reviewed by the group. Tool suggestions were not accepted automatically; they were evaluated against the current project scope, the product vision from Assignment 2, and requirements-engineering principles, and either accepted, modified, deferred, or rejected based on the group's own reasoning.