

1.Scenario: A newly established educational institution plans to launch its official website. Before developing the website, the management wants to understand the fundamental concepts of the World Wide Web.

Task: Create a simple HTML webpage explaining the following concepts with suitable illustrations or diagrams:

- **Internet Overview**
- **Fundamental Computer Network Concepts**
- **URL and its Structure**
- **Domain Name**
- **Web Browsers and Web Servers**
- **Working Principle of a Website**
- **Difference between Client-side and Server-side Scripting**

Program:

Index.html:

```
<!DOCTYPE html>

<html>

<head>

    <title>World Wide Web Concepts</title>

    <link rel="stylesheet" href="style.css">

</head>

<body>

<header>

    <h1>World Wide Web Concepts</h1>

    <p>Fundamental Concepts of Internet and Web Technologies</p>

</header>
```

<nav>

Home

Internet

Networks

URL

Domain

Browser & Server

Working

Scripting

</nav>

<div class="container">

<div class="card">

<h2>Introduction</h2>

<p>

The World Wide Web (WWW) is a system of interconnected web pages and resources that can be accessed through the Internet using a web browser.

</p>

<p>

This website explains the fundamental concepts required to understand how websites and the Internet work.

</p>

<h3>Topics Covered</h3>


```
<li>Internet Overview</li>

<li>Computer Network Concepts</li>

<li>URL Structure</li>

<li>Domain Name</li>

<li>Web Browsers and Web Servers</li>

<li>Working Principle of a Website</li>

<li>Client-side and Server-side Scripting</li>

</ul>
```

```
<div class="diagram">

<div class="box">🖥️ User</div>

<div class="arrow">→</div>

<div class="box">🌐 Internet</div>

<div class="arrow">→</div>

<div class="box">📄 Website</div>

</div>

</div>

</div>
```

```
<footer>
```


World Wide Web Concepts Assignment

```
</footer>
```

```
</body>
```

```
</html>
```

Output:



Internet.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Internet Overview</title>
```

```
<link rel="stylesheet" href="style.css">
```

```
</head>
```

```
<body>
```

```
<header>
```

```
<h1>Internet Overview</h1>
```

```
</header>
```

```
<nav>
```

```
<a href="index.html">Home</a>
```

```
<a href="internet.html">Internet</a>
```

```
<a href="network.html">Networks</a>
```

```
<a href="url.html">URL</a>
```

```
<a href="domain.html">Domain</a>
```

`<a href="browser-server.html">Browser & Server</a>`

`<a href="working.html">Working</a>`

`<a href="scripting.html">Scripting</a>`

`</nav>`

`<div class="container">`

`<div class="card">`

`<h2>What is the Internet?</h2>`

`<p>`

The Internet is a global network of interconnected computers and devices.

It enables communication and sharing of information across the world.

`</p>`

`<h3>Services of the Internet</h3>`

`<ul>`

`<li>Web browsing</li>`

`<li>Email</li>`

`<li>Online education</li>`

`<li>Video streaming</li>`

`<li>Cloud storage</li>`

`</ul>`

`<h3>Illustration</h3>`

`<div class="diagram">`

`<div class="box">  Computer</div>`

`<div class="arrow">↔</div>`

```

<div class="box">🌐 Internet</div>

<div class="arrow">↔</div>

<div class="box">🖨️ Web Server</div>

</div>

</div>

</div>


<footer>Internet Overview</footer>

</body>

</html>

```

Output:



Network.html

```

<!DOCTYPE html>

<html>

<head>

<title>Network Concepts</title>

<link rel="stylesheet" href="style.css">

```

</head>

<body>

<header>

<h1>Fundamental Computer Network Concepts</h1>

</header>

<nav>

Home

Internet

Networks

URL

Domain

Browser & Server

Working

Scripting

</nav>

<div class="container">

<div class="card">

<h2>Computer Network</h2>

<p>

A computer network is a collection of computers connected together
to exchange information and share resources.

</p>

<h3>Important Concepts</h3>

```
<table>

<tr>

<th>Concept</th>

<th>Description</th>

</tr>

<tr>

<td>IP Address</td>

<td>Unique address assigned to a device.</td>

</tr>

<tr>

<td>Protocol</td>

<td>Rules used for communication.</td>

</tr>

<tr>

<td>Router</td>

<td>Connects different networks.</td>

</tr>

<tr>

<td>Packet</td>

<td>Small unit of transmitted data.</td>

</tr>

</table>

<h3>Network Diagram</h3>

<div class="diagram">
```



```

<div class="box">💻 PC</div>

<div class="arrow">→</div>

<div class="box">🔌 Router</div>

<div class="arrow">→</div>

<div class="box">🌐 Internet</div>

<div class="arrow">→</div>

<div class="box">🖨️ Server</div>

</div>

</div>

</div>

<footer>Computer Network Concepts</footer>

</body>

</html>

```

Output:

Fundamental Computer Network Concepts

[Home](#)
[Internet](#)
[Networks](#)
[URL](#)
[Domain](#)
[Browser & Server](#)
[Working](#)
[Scripting](#)

Computer Network

A computer network is a collection of computers connected together to exchange information and share resources.

Important Concepts

Concept	Description
IP Address	Unique address assigned to a device.
Protocol	Rules used for communication.
Router	Connects different networks.
Packet	Small unit of transmitted data.

Network Diagram

PC

→

Router

→

Internet

→

Server

url.html:

```
<!DOCTYPE html>

<html>

<head>

<title>URL Structure</title>

<link rel="stylesheet" href="style.css">

</head>

<body>

<header>

<h1>URL and Its Structure</h1>

</header>

<nav>

<a href="index.html">Home</a>

<a href="internet.html">Internet</a>

<a href="network.html">Networks</a>

<a href="url.html">URL</a>

<a href="domain.html">Domain</a>

<a href="browser-server.html">Browser & Server</a>

<a href="working.html">Working</a>

<a href="scripting.html">Scripting</a>

</nav>

<div class="container">

<div class="card">

<h2>Uniform Resource Locator</h2>

<p>
```

A URL is the address used to locate a resource on the Internet.

</p>

<h3>Example</h3>

<p>https://www.example.com/products/index.html</p>

<table>

<tr>

<th>Part</th>

<th>Meaning</th>

</tr>

<tr>

<td>https://</td>

<td>Protocol</td>

</tr>

<tr>

<td>www</td>

<td>Subdomain</td>

</tr>

<tr>

<td>example.com</td>

<td>Domain Name</td>

</tr>

<tr>

<td>/products/</td>

<td>Path</td>

```
</tr>
```

```
<tr>
```

```
<td>index.html</td>
```

```
<td>Resource</td>
```

```
</tr>
```

```
</table>
```

```
<h3>Diagram</h3>
```

```
<div class="diagram">
```

```
<div class="box">Protocol</div>
```

```
<div class="arrow">→</div>
```

```
<div class="box">Domain</div>
```

```
<div class="arrow">→</div>
```

```
<div class="box">Path</div>
```

```
</div>
```

```
</div>
```


```
</div>
```

```
<footer>URL Structure</footer>
```

```
</body>
```

```
</html>
```

Output:



Domain.html:

<!DOCTYPE html>

<html>

<head>

<title>Domain Name</title>

<link rel="stylesheet" href="style.css">

</head>

<body>

<header>

<h1>Domain Name</h1>

</header>

<nav>

Home

Internet

Networks

URL

```
<a href="domain.html">Domain</a>
```

```
<a href="browser-server.html">Browser & Server</a>
```

```
<a href="working.html">Working</a>
```

```
<a href="scripting.html">Scripting</a>
```

```
</nav>
```

```
<div class="container">
```

```
<div class="card">
```

```
<h2>What is a Domain Name?</h2>
```

```
<p>
```

A domain name is a human-readable address used to identify
a website.

```
</p>
```

```
<h3>Example</h3>
```

```
<div class="diagram">
```

```
<div class="box">www</div>
```

```
<div class="box">college</div>
```

```
<div class="box">.edu</div>
```

```
</div>
```

```
<table>
```

```
<tr>
```

```
<th>Extension</th>
```

```
<th>Purpose</th>
```

```
</tr>
```

```
<tr>
```

<td>.com</td>

<td>Commercial</td>

</tr>

<tr>

<td>.org</td>

<td>Organizations</td>

</tr>

<tr>

<td>.edu</td>

<td>Educational Institutions</td>

</tr>

<tr>

<td>.gov</td>

<td>Government</td>

</tr>

<tr>

<td>.in</td>

<td>India</td>

</tr>

</table>

</div>


</div>

<footer>Domain Name</footer>

</body>

</html>

Output:



Browser-server.html:

<!DOCTYPE html>

<html>

<head>

<title>Browser and Server</title>

<link rel="stylesheet" href="style.css">

</head>

<body>

<header>

<h1>Web Browsers and Web Servers</h1>

</header>

<nav>

Home

Internet

Networks

`<a href="url.html">URL</a>`

`<a href="domain.html">Domain</a>`

`<a href="browser-server.html">Browser & Server</a>`

`<a href="working.html">Working</a>`

`<a href="scripting.html">Scripting</a>`

`</nav>`

`<div class="container">`

`<div class="card">`

`<h2>Web Browser</h2>`

`<p>`

A web browser is software used to access and display websites.

`</p>`

`<ul>`

`<li>Google Chrome</li>`

`<li>Mozilla Firefox</li>`

`<li>Microsoft Edge</li>`

`<li>Safari</li>`

`</ul>`

`<h2>Web Server</h2>`

`<p>`

A web server stores website files and sends them

to browsers when requested.

`</p>`

```
<li>Apache</li>
```

- Nginx
- Microsoft IIS

Communication Diagram

<div class="diagram">

<div class="box">🌐 Browser</div>

<div class="arrow">HTTP Request →</div>

<div class="box"> Server</div>


<div class="arrow">← Response</div>

<footer>Web Browsers and Servers</footer>

</body>

</html>

Output:



Working.html:

```
<!DOCTYPE html>

<html>

<head>

<title>Working Principle</title>

<link rel="stylesheet" href="style.css">

</head>

<body>

<header>

<h1>Working Principle of a Website</h1>

</header>

<nav>

<a href="index.html">Home</a>

<a href="internet.html">Internet</a>

<a href="network.html">Networks</a>

<a href="url.html">URL</a>

<a href="domain.html">Domain</a>

<a href="browser-server.html">Browser & Server</a>

<a href="working.html">Working</a>

<a href="scripting.html">Scripting</a>

</nav>

<div class="container">

<div class="card">

<h2>Steps</h2>
```

```
<ol>

<li>User enters a URL.</li>

<li>DNS converts the domain into an IP address.</li>

<li>The browser sends an HTTP request.</li>

<li>The server processes the request.</li>

<li>The server sends a response.</li>

<li>The browser displays the webpage.</li>

</ol>
```

<h3>Flow Diagram</h3>

```
<div class="diagram">

<div class="box"><img alt="User icon" data-bbox="272 428 292 445"/> User</div>

<div class="arrow">→</div>

<div class="box"><img alt="Browser icon" data-bbox="272 500 292 517"/> Browser</div>

<div class="arrow">→</div>

<div class="box"><img alt="DNS icon" data-bbox="272 572 292 589"/> DNS</div>

<div class="arrow">→</div>

<div class="box"><img alt="Server icon" data-bbox="272 644 292 661"/> Server</div>

<div class="arrow">→</div>

<div class="box"><img alt="Webpage icon" data-bbox="272 716 292 733"/> Webpage</div>

</div>

</div>


</div>

<footer>Working Principle of Website</footer>

</body>
```

</html>

Output:



Scripting.html:

<!DOCTYPE html>

<html>

<head>

<title>Client and Server Scripting</title>

<link rel="stylesheet" href="style.css">

</head>

<body>

<header>

<h1>Client-side and Server-side Scripting</h1>

</header>

<nav>

Home

Internet

Networks

URL

`<a href="domain.html">Domain</a>`

`<a href="browser-server.html">Browser & Server</a>`

`<a href="working.html">Working</a>`

`<a href="scripting.html">Scripting</a>`

`</nav>`

`<div class="container">`

`<div class="card">`

`<h2>Comparison</h2>`

`<table>`

`<tr>`

`<th>Client-side</th>`

`<th>Server-side</th>`

`</tr>`

`<tr>`

`<td>Runs in browser.</td>`

`<td>Runs on server.</td>`

`</tr>`

`<tr>`

`<td>HTML, CSS, JavaScript.</td>`

`<td>PHP, Python, Java, Node.js.</td>`

`</tr>`

`<tr>`

`<td>User interface.</td>`

<td>Database and business logic.</td>

</tr>

<tr>

<td>Form validation.</td>

<td>Login verification.</td>

</tr>

</table>

<h3>Diagram</h3>

<div class="diagram">

<div class="box">

Client Side

 Browser

JavaScript

</div>

<div class="arrow">↔</div>

<div class="box">

Server Side

 Server

Python / PHP

 Database

</div>

</div>

</div>

</div>

<footer>Client-side vs Server-side Scripting</footer>

</body>

</html>

Output:

The screenshot displays a webpage with a dark blue header and a light blue background. The main content area features a white box with a 'Comparison' section. This section contains a table comparing client-side and server-side scripting. Below the table is a 'Diagram' showing the interaction between the client side (browser and JavaScript) and the server side (server, Python/PHP, and database).

Client-side	Server-side
Runs in browser.	Runs on server.
HTML, CSS, JavaScript.	PHP, Python, Java, Node.js.
User interface.	Database and business logic.
Form validation.	Login verification.

Diagram

The diagram illustrates the flow of data between the Client Side and the Server Side. On the Client Side, there is a box labeled 'Client Side' containing 'Browser' and 'JavaScript'. On the Server Side, there is a box labeled 'Server Side' containing 'Server', 'Python / PHP', and 'Database'. A double-headed arrow connects the two boxes, indicating bidirectional communication.

Scenario: A college wants to digitize its student admission process.

Task: Design a responsive Student Admission Form using HTML5 and CSS3. Your webpage should demonstrate:

- HTML Form Elements
- Different Input Types
- Media Elements (Image/Video/Audio)
- CSS3 Selectors
- Box Model
- Responsive User Interface

Program:

Index.html:


```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>ABC College - Home</title>

    <link rel="stylesheet" href="style.css">

</head>

<body>

    <!-- HEADER -->

    <header class="header">

        <div class="header-content">

            <div>

                <h1>ABC College of Engineering</h1>

                <p>Student Admission Portal</p>

            </div>

        </div>

    </header>

    <!-- NAVIGATION -->

    <nav class="navbar">

        <a href="index.html">Home</a>
```

[Admission](admission.html)

[Courses](courses.html)

[Campus Media](media.html)

[Contact](contact.html)

<!-- HERO SECTION -->

<section class="hero">

<div class="hero-content">

<h2>Welcome to ABC College</h2>

<p>

Begin your journey towards a successful career
with quality education and modern facilities.

</p>

Apply for Admission

</div>

</section>

<!-- ABOUT -->

<section class="section">

<h2>About Our College</h2>

<p>

ABC College of Engineering is dedicated to providing

quality education, innovative learning and excellent
career opportunities for students.

</p>

<div class="feature-grid">

<div class="feature-card">

<h3>🎓 Quality Education</h3>

<p>

Experienced faculty members and modern
teaching methods.

</p>

</div>

<div class="feature-card">

<h3>🏫 Modern Campus</h3>

<p>

Well-equipped laboratories, classrooms,
library and campus facilities.

</p>

</div>

<div class="feature-card">

<h3>📁 Placement Support</h3>

<p>

Career guidance, skill development and
placement training.

</p>

</div>

</div>

</section>

<!-- QUICK LINKS -->

<section class="section light-section">

<h2>Explore Our Website</h2>

<div class="quick-grid">



<h3>Admission</h3>

<p>Apply online for admission.</p>



<h3>Courses</h3>

<p>Explore our academic programs.</p>



<h3>Campus Media</h3>

<p>View college image, video and audio.</p>


```
<a href="contact.html" class="quick-card">

    <span>✉ </span>

    <h3>Contact</h3>

    <p>Get in touch with our college.</p>

</a>

</div>

</section>

<!-- FOOTER -->

<footer>

    <h3>ABC College of Engineering</h3>

    <p>

        Student Admission Portal

    </p>

    <p>

        © 2026 ABC College. All Rights Reserved.


    </p>

</footer>

</body>

</html>
```

Output:



Admission.html:

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport"

        content="width=device-width, initial-scale=1.0">

    <title>Student Admission Form</title>

    <link rel="stylesheet" href="style.css">

</head>

<body>

    <header class="header">

        <div class="header-content">

            <div>
```

<h1>ABC College of Engineering</h1>

<p>Student Admission Portal</p>

</div>

</div>

</header>

<nav class="navbar">

Home

Admission

Courses

Campus Media

Contact

</nav>

<main class="form-container">

<h2>Student Admission Form</h2>

<p class="form-description">

Please fill in all the required information carefully.

</p>

<form id="admissionForm">

<fieldset>

<legend>Personal Information</legend>

<div class="form-row">

<div class="form-group">

<label for="firstName">

First Name *

</label>

<input

type="text"

id="firstName"

name="firstName"

placeholder="Enter your first name"

required>

</div>

<div class="form-group">

<label for="lastName">

Last Name *

</label>

<input

type="text"

id="lastName"

name="lastName"

placeholder="Enter your last name"

required>

</div>

</div>

<!-- DATE AND AGE -->

<div class="form-row">


```
<div class="form-group">
```

```
  <label for="dob">
```

```
    Date of Birth *
```

```
  </label>
```

```
  <input
```

```
    type="date"
```

```
    id="dob"
```

```
    name="dob"
```

```
    required>
```

```
</div>
```

```
<div class="form-group">
```

```
  <label for="age">
```

```
    Age *
```

```
  </label>
```

```
  <input
```

```
    type="number"
```

```
    id="age"
```

```
    name="age"
```

```
    min="16"
```

```
    max="30"
```

```
    placeholder="Enter your age"
```

```
    required>
```

```
</div>
```

```
</div>
```

```
<!-- GENDER -->

<div class="form-group">

  <label>

    Gender *

  </label>

  <div class="radio-group">

    <label>

      <input

        type="radio"

        name="gender"

        value="Male"

        required>

      Male

    </label>

    <label>

      <input

        type="radio"

        name="gender"

        value="Female">

      Female

    </label>

    <label>

      <input

        type="radio"
```

name="gender"

value="Other">

Other

</label>

</div>

</div>

<!-- EMAIL AND PHONE -->

<div class="form-row">

<div class="form-group">

<label for="email">

Email *

</label>

<input

type="email"

id="email"

name="email"

placeholder="example@gmail.com"

required>

</div>

<div class="form-group">

<label for="phone">

Mobile Number *

</label>

<input

```
type="tel"

id="phone"

name="phone"

placeholder="Enter 10 digit number"

pattern="[0-9]{10}"

maxlength="10"

required>
```

```
</div>
```

```
</div>
```

```
<!-- PASSWORD AND WEBSITE -->
```

```
<div class="form-row">
```

```
<div class="form-group">
```

```
<label for="password">
```

```
Create Password *
```

```
</label>
```

```
<input
```

```
type="password"
```

```
id="password"
```

```
name="password"
```

```
placeholder="Minimum 6 characters"
```

```
minlength="6"
```

```
required>
```

```
</div>
```

```
<div class="form-group">
```

```
<label for="website">
```

```
    Personal Website
```

```
</label>
```

```
<input
```

```
    type="url"
```

```
    id="website"
```

```
    name="website"
```

```
    placeholder="https://example.com">
```

```
</div>
```

```
</div>
```

```
</fieldset>
```

```
<fieldset>
```

```
    <legend>Academic Information</legend>
```

```
    <div class="form-row">
```

```
        <div class="form-group">
```

```
            <label for="course">
```

```
                Select Course *
```

```
            </label>
```

```
            <select
```

```
                id="course"
```

```
                name="course"
```

```
                required>
```

```
                <option value="">
```

-- Select Course --

</option>

<option value="CSE">

Computer Science Engineering

</option>

<option value="ECE">

Electronics and Communication Engineering

</option>

<option value="EEE">

Electrical and Electronics Engineering

</option>

<option value="MECH">

Mechanical Engineering

</option>

<option value="CIVIL">

Civil Engineering

</option>

</select>

</div>

<div class="form-group">

<label for="year">

Admission Year *

</label>

```
<input
  type="number"
  id="year"
  name="year"
  value="2026"
  min="2026"
  max="2030"
  required>
```

```
</div>
```

```
</div>
```

```
<div class="form-row">
```

```
<div class="form-group">
```

```
<label for="qualification">
```

```
  Qualification *
```

```
</label>
```

```
<select
```

```
  id="qualification"
```

```
  name="qualification"
```

```
  required>
```

```
<option value="">
```

```
  -- Select Qualification --
```

```
</option>
```

```
<option value="12th">
```

```
  12th Standard
```

```
</option>
```

```
<option value="Diploma">
```

```
    Diploma
```

```
</option>
```

```
</select>
```

```
</div>
```

```
<div class="form-group">
```

```
    <label for="percentage">
```

```
        Percentage *
```

```
    </label>
```

```
    <input
```

```
        type="number"
```

```
        id="percentage"
```

```
        name="percentage"
```

```
        min="0"
```

```
        max="100"
```

```
        step="0.01"
```

```
        placeholder="Example: 85.50"
```

```
        required>
```

```
</div>
```

```
</div>
```

```
<!-- CHECKBOXES -->
```

```
<div class="form-group">
```

```
    <label>
```


Interested Areas

</label>

<div class="checkbox-group">

<label>

<input

type="checkbox"

name="interest"

value="Programming">

Programming

</label>

<label>

<input

type="checkbox"

name="interest"

value="AI">

Artificial Intelligence

</label>

<label>

<input

type="checkbox"

name="interest"

value="Web Development">

Web Development

```
</label>
```

```
<label>
```

```
<input
```

```
  type="checkbox"
```

```
  name="interest"
```

```
  value="Data Science">
```

```
    Data Science
```

```
</label>
```

```
</div>
```

```
</div>
```

```
</fieldset>
```

```
<fieldset>
```

```
<legend>Contact Information</legend>
```

```
<div class="form-group">
```

```
<label for="address">
```

```
  Address *
```

```
</label>
```

```
<textarea
```

```
  id="address"
```

```
  name="address"
```

```
  rows="4"
```

```
  placeholder="Enter your complete address"
```

```
  required></textarea>
```

```
</div>
```

```
<div class="form-row">
```

```
  <div class="form-group">
```

```
    <label for="city">
```

```
      City *
```

```
    </label>
```

```
    <input
```

```
      type="text"
```

```
      id="city"
```

```
      name="city"
```

```
      placeholder="Enter city"
```

```
      required>
```

```
  </div>
```

```
  <div class="form-group">
```

```
    <label for="pincode">
```

```
      PIN Code *
```

```
    </label>
```

```
    <input
```

```
      type="text"
```

```
      id="pincode"
```

```
      name="pincode"
```

```
      pattern="[0-9]{6}"
```

```
      maxlength="6"
```

```
      placeholder="6 digit PIN"
```

```
        required>

    </div>

</div>

</fieldset>

<fieldset>

    <legend>Upload Documents</legend>

    <div class="form-group">

        <label for="photo">

            Student Photo

        </label>

        <input

            type="file"

            id="photo"

            name="photo"

            accept="image/*">

        </div>

    <div class="form-group">

        <label for="certificate">

            Mark Sheet / Certificate

        </label>

        <input

            type="file"

            id="certificate"
```

name="certificate"

accept=".pdf,.jpg,.jpeg,.png">

</div>

</fieldset>

<fieldset>

<legend>Declaration</legend>

<label class="declaration">

<input

type="checkbox"

id="declaration"

required>

I declare that all the information

provided above is true and correct.

</label>

</fieldset>

<div class="button-group">

<button

type="submit"

class="submit-btn">

Submit Application

</button>

<button

type="reset"

class="reset-btn">

Reset Form

</button>

</div>

<!-- SUCCESS MESSAGE -->

<p

id="successMessage"

class="success-message">

</p>

</form>

</main>

<footer>

<p>

© 2026 ABC College of Engineering

</p>

</footer>

<script>

const form =

document.getElementById("admissionForm");

const successMessage =

document.getElementById("successMessage");

form.addEventListener("submit", function(event) {

event.preventDefault();

successMessage.textContent =

"✓ Application submitted successfully!";

```

        successMessage.style.display = "block";

        successMessage.scrollIntoView({
            behavior: "smooth",
            block: "center"
        });

    });

    form.addEventListener("reset", function() {
        setTimeout(function() {
            successMessage.textContent = "";
            successMessage.style.display = "none";
        }, 50);
    });

</script>

</body>

</html>

```

Output:

The screenshot displays a 'Request Admission Form' for ABC College of Engineering. The form is structured as follows:

- Personal Information:** Includes fields for Name, Date of Birth, Gender, and Address.
- Academic Information:** Includes fields for School Name, Grade, and various checkboxes for admission requirements.
- Contact Information:** Includes fields for Phone Number, Email, and a checkbox for 'I am a transfer student'.
- Declaration:** Includes a checkbox for 'I declare that all the information provided above is true and correct'.

The form is set against a light blue background with a dark blue header and footer. The header contains the college's name and logo, and the footer contains the college's address and contact information.

Courses.html:

```
<!DOCTYPE html>

<html lang="en">

<head>


    <meta charset="UTF-8">

    <meta name="viewport"

        content="width=device-width, initial-scale=1.0">

    <title>Courses - ABC College</title>

    <link rel="stylesheet" href="style.css">

</head>

<body>

    <header class="header">

        <div class="header-content">

            <div>

                <h1>ABC College of Engineering</h1>

                <p>Academic Programs</p>

            </div>

        </div>

    </header>

    <nav class="navbar">

        <a href="index.html">Home</a>
```


[Admission](admission.html)

[Courses](courses.html)

[Campus Media](media.html)

[Contact](contact.html)

Our Courses

Explore the undergraduate engineering programs
offered by our institution.



Computer Science Engineering

Learn programming, web development,
artificial intelligence and data science.

Duration: 4 Years

<div class="course-card">

<div class="course-icon"> </div>

<h3>

Electronics and Communication

</h3>

<p>

Learn electronics, communication systems,
embedded systems and networking.

</p>

Duration: 4 Years

</div>

<div class="course-card">

<div class="course-icon"> </div>

<h3>

Electrical and Electronics

</h3>

<p>

Study electrical systems, power electronics
and electrical machines.

</p>

Duration: 4 Years

</div>

<div class="course-card">

<div class="course-icon"> </div>

<h3>

Mechanical Engineering

</h3>

<p>

Learn manufacturing, machines, design
and mechanical systems.

</p>

Duration: 4 Years

</div>

<div class="course-card">

<div class="course-icon"> </div>

<h3>

Civil Engineering

</h3>

<p>

Study construction, structural engineering,
transportation and environmental engineering.

</p>

Duration: 4 Years

</div>

</div>

```

<div class="center">

    <a href="admission.html" class="btn">

        Apply Now

    </a>

</div>

</main>

<footer>

    <p>© 2026 ABC College of Engineering</p>


</footer>

</body>

</html>

```

Output:



Media.html:

```

<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport"

```

```
        content="width=device-width, initial-scale=1.0">

<title>Campus Media - ABC College</title>

<link rel="stylesheet" href="style.css">

</head>

<body>

    <header class="header">

        <div class="header-content">

            <div>

                <h1>ABC College of Engineering</h1>

                <p>Campus Media</p>

            </div>

        </div>

    </div>

</header>

<nav class="navbar">

    <a href="index.html">Home</a>

    <a href="admission.html">Admission</a>

    <a href="courses.html">Courses</a>

    <a href="media.html">Campus Media</a>

    <a href="contact.html">Contact</a>

</nav>
```

```
<main class="section">
```

```
<h2>College Campus Media</h2>
```

```
<!-- IMAGE -->
```

```
<div class="media-card">
```

```
<h3>📷 College Campus</h3>
```

```

```

```
</div>
```

```
<!-- VIDEO -->
```

```
<div class="media-card">
```

```
<p>
```

```
Watch our college campus introduction.
```

```
</p>
```

```
<h3>🎥 ABC College of Engineering - Campus Video</h3>
```

```
<video class="college-video" controls>
```

```
<source
```

```
src="https://edshare.gla.ac.uk/365/1.hasvideo_mp4ThumbnailVersion/Sample%20course%20promo%20video%20%28final%29.mp4"
```

```
type="video/mp4">
```

```
Your browser does not support HTML5 video.
```

```
</video>
```

</div>

<!-- AUDIO -->

<div class="media-card">

<h3>🎵 College Audio</h3>

<p>

Listen to our college audio.

</p>

<audio

class="college-audio"

controls

preload="metadata">

<source

src="./media/college-audio.mp3"

type="audio/mpeg">

Your browser does not support

the HTML5 audio element.

</audio>

</div>

</main>

<footer>


<p>© 2026 ABC College of Engineering</p>

</footer>

</body>

</html>

Output:



Contact.html:

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport"

content="width=device-width, initial-scale=1.0">

<title>Contact - ABC College</title>

<link rel="stylesheet" href="style.css">

</head>

<body>

<header class="header">

<div class="header-content">

<img src="media/college.jpg"

alt="College"


```
        class="college-logo">

<div>

    <h1>ABC College of Engineering</h1>

    <p>Contact Us</p>

</div>

</div>

</header>

<nav class="navbar">

    <a href="index.html">Home</a>

    <a href="admission.html">Admission</a>

    <a href="courses.html">Courses</a>

    <a href="media.html">Campus Media</a>

    <a href="contact.html">Contact</a>

</nav>

<main class="section">

    <h2>Contact Us</h2>

    <div class="contact-grid">

        <div class="contact-card">

            <h3>📍 Address</h3>

            <p>

                ABC College of Engineering<br>

                College Road,<br>

                Coimbatore,<br>

                Tamil Nadu - 641000
```

</p>

</div>

<div class="contact-card">

<h3>📞 Phone</h3>

<p>

+91 98765 43210

</p>

<p>

+91 98765 12345

</p>

</div>

<div class="contact-card">

<h3>✉ Email</h3>

<p>

admission@abccollege.edu

</p>

<p>

info@abccollege.edu

</p>

</div>

</div>

<div class="contact-form">

<h2>Send an Enquiry</h2>

<form

```
onsubmit="event.preventDefault(); alert('Your enquiry has been submitted  
successfully!');">
```

```
<label for="name">
```

Name

```
</label>
```

```
<input
```

```
type="text"
```

```
id="name"
```

```
placeholder="Enter your name"
```

```
required>
```

```
<label for="email">
```

Email

```
</label>
```

```
<input
```

```
type="email"
```

```
id="email"
```

```
placeholder="Enter your email"
```

```
required>
```

```
<label for="message">
```

Message

```
</label>
```

```
<textarea
```

```
id="message"
```

```
rows="5"
```

```
placeholder="Enter your message"
```

```

        required></textarea>

<button

    type="submit"

    class="submit-btn">

        Send Enquiry

</button>

</form>

</div>

</main>

<footer>

    <p>© 2026 ABC College of Engineering</p>


</footer>

</body>

</html>

```

Output:



ABC College of Engineering
Contact Us

Home Admission Courses Campus Media Contact

Contact Us

Address
ABC College of Engineering
College Road,
Coimbatore,
Tamil Nadu - 641000

Phone
+91 98765 43210
+91 98765 12345

Email
admission@abccollege.edu
info@abccollege.edu

Send an Enquiry

Name
Enter your name

Email
Enter your email

Message
Enter your message

Scenario: An online fashion store wants an attractive home page to improve customer engagement.

Task: Design the homepage using HTML5 and CSS3 by incorporating:

- **Backgrounds and Borders**
- **Text Effects**
- **CSS Animations**
- **Multiple Column Layout**
- **User Interface Design Principles**

Program:

Index.html:

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport"
        content="width=device-width, initial-scale=1.0">

    <title>Contact - ABC College</title>

    <link rel="stylesheet" href="style.css">

</head>

<body>

    <header class="header">

        <div class="header-content">

<div>

    <h1>ABC College of Engineering</h1>

    <p>Contact Us</p>

</div>

</div>

</header>

<nav class="navbar">

    <a href="index.html">Home</a>

    <a href="admission.html">Admission</a>

    <a href="courses.html">Courses</a>

    <a href="media.html">Campus Media</a>


    <a href="contact.html">Contact</a>

</nav>

<main class="section">

    <h2>Contact Us</h2>

    <div class="contact-grid"

        <div class="contact-card">

            <h3>📍 Address</h3>

            <p>

                ABC College of Engineering<br>

                College Road,<br>
```

Coimbatore,

Tamil Nadu - 641000

</p>

</div>

<div class="contact-card">

<h3>☎ Phone</h3>

<p>

+91 98765 43210

</p>

<p>

+91 98765 12345

</p>

</div>

<div class="contact-card">

<h3>✉ Email</h3>

<p>

admission@abccollege.edu

</p>

<p>

info@abccollege.edu

</p>

</div>

</div>

```
<div class="contact-form">

  <h2>Send an Enquiry</h2>

  <form

    onsubmit="event.preventDefault(); alert('Your enquiry has been submitted
successfully!');">

    <label for="name">

      Name

    </label>

    <input

      type="text"

      id="name"

      placeholder="Enter your name"

      required>

    <label for="email">

      Email

    </label>

    <input

      type="email"

      id="email"

      placeholder="Enter your email"

      required>

    <label for="message">

      Message

    </label>

    <textarea
```



```
        id="message"

        rows="5"

        placeholder="Enter your message"

        required></textarea>

<button

        type="submit"

        class="submit-btn">

        Send Enquiry

</button>

</form>

</div>

</main>

<footer


        <p>© 2026 ABC College of Engineering</p>

</footer>

</body>

</html>
```

Output:



Shop.html:

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport"

        content="width=device-width, initial-scale=1.0">

    <title>StyleHub - Shop</title>

    <link rel="stylesheet" href="style.css">

</head>

<body>

    <!-- HEADER -->

    <header>

        <div class="logo">

            STYLEHUB

        </div>

        <nav>

            <a href="index.html">Home</a>
```


Shop

Features

Offers

Contact

</nav>

</header>

<!-- PAGE TITLE -->

<section class="page-banner">

<h1>Our Collection</h1>

<p>

Explore our latest fashion products

</p>

</section>

<!-- PRODUCTS -->

<section>

<div class="section-title">

<h2>Trending Collection</h2>

<p>

Choose your favorite style

</p>

</div>

<div class="products">

<!-- PRODUCT 1 -->

<div class="product-card">

<div class="product-info">

<h3>Women's Fashion</h3>

<p class="price">

₹1,499

</p>

<button>

Buy Now

</button>

</div>

</div>

<!-- PRODUCT 2 -->

<div class="product-card">


```
<div class="product-info">
```

```
  <h3>Summer Dress</h3>
```

```
  <p class="price">
```

```
    ₹1,999
```

```
  </p>
```

```
  <button>
```

```
    Buy Now
```

```
  </button>
```

```
</div>
```

```
</div>
```

```
<!-- PRODUCT 3 -->
```

```
<div class="product-card">
```

```
  
```

```
  <div class="product-info">
```

```
    <h3>Casual Wear</h3>
```

```
    <p class="price">
```

```
      ₹1,299
```

```
    </p>
```

```
    <button>
```

```
      Buy Now
```

```
    </button>
```

```
  </div>
```

</div>

<!-- PRODUCT 4 -->

<div class="product-card">

<div class="product-info">

<h3>New Arrivals</h3>

<p class="price">

₹2,499

</p>

<button>

Buy Now

</button>

</div>

</div>

</div>

</section>

<!-- FOOTER -->

<footer>

<h3>STYLEHUB</h3>

<p>

© 2026 StyleHub. All Rights Reserved.


</p>

</footer>

</body>

</html>

Output:



Features.html:

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport"

content="width=device-width, initial-scale=1.0">

<title>StyleHub - Features</title>

<link rel="stylesheet" href="style.css">

</head>

<body>

<!-- HEADER -->

<header>

<div class="logo">

STYLEHUB

</div>

<nav>

Home

Shop

Features

Offers

Contact

</nav>

</header>

<!-- PAGE BANNER -->

<section class="page-banner">

<h1>Why Choose StyleHub?</h1>

<p>

We make fashion shopping simple

</p>

</section>

<!-- FEATURES -->

<section>


```
<div class="section-title">
```

```
<h2>Our Features</h2>
```

```
<p>
```

Everything you need for a great shopping experience

```
</p>
```

```
</div>
```

```
<div class="features">
```

```
<div class="feature-card">
```

```
<div class="icon">
```



```
</div>
```

```
<h3>Fast Delivery</h3>
```

```
<p>
```

Get your favorite fashion products

delivered quickly to your doorstep.

```
</p>
```

```
</div>
```

```
<div class="feature-card">
```

```
<div class="icon">
```



```
</div>
```

```
<h3>Secure Payment</h3>
```

```
<p>
```

Your payment information is

protected with secure methods.

</p>

</div>

<div class="feature-card">

<div class="icon">



</div>

<h3>Easy Returns</h3>

<p>

Return eligible products easily

whenever required.

</p>

</div>

<div class="feature-card">

<div class="icon">



</div>

<h3>Quality Products</h3>

<p>

We provide carefully selected

products with excellent quality.

</p>

</div>

<div class="feature-card">

```
<div class="icon">
```



```
</div>
```

```
<h3>Best Prices</h3>
```

```
<p>
```

Enjoy trendy fashion at
affordable prices.

```
</p>
```

```
</div>
```

```
<div class="feature-card">
```

```
<div class="icon">
```



```
</div>
```

```
<h3>Customer Support</h3>
```

```
<p>
```

Our support team is available
to help customers.

```
</p>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!-- FOOTER -->
```

```
<footer>
```

```
<h3>STYLEHUB</h3>

<p>

    © 2026 StyleHub. All Rights Reserved.


</p>

</footer>

</body>

</html>
```

Output:



Offers.html:

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport"

        content="width=device-width, initial-scale=1.0">

    <title>StyleHub - Offers</title>

    <link rel="stylesheet" href="style.css">
```

</head>

<body>

<!-- HEADER -->

<header>

<div class="logo">

STYLEHUB

</div>

<nav>

Home

Shop

Features

Offers

Contact

</nav>

</header>

<!-- OFFER BANNER -->

<section class="offer-page">

<div>

<h1>50% OFF</h1>

<p>

Special Fashion Sale

</p>

<p>

Limited Time Only!

</p>

Shop Offers

</div>

</section>

<!-- OFFERS -->

<section>

<div class="section-title">

<h2>Special Deals</h2>

<p>

Grab these offers before they end

</p>

</div>

<div class="three-columns">

<div class="offer-card">

<h2>30% OFF</h2>

<h3>Summer Collection</h3>

<p>

Get exciting discounts on

selected summer fashion.

</p>

class="dark-btn">

Shop Now

</div>

<div class="offer-card">

<h2>40% OFF</h2>

<h3>Casual Wear</h3>

<p>

Upgrade your everyday wardrobe

with our casual collection.

</p>

class="dark-btn">

Shop Now

</div>

<div class="offer-card">

<h2>50% OFF</h2>

<h3>New Arrivals</h3>

<p>


Enjoy special prices on

selected new arrivals.

</p>

```
<a href="shop.html"
class="dark-btn">
Shop Now
</a>
</div>
</div>
</section>
<!-- FOOTER -->
<footer>
<h3>STYLEHUB</h3>
<p>
© 2026 StyleHub. All Rights Reserved.
</p>
</footer>
</body>
</html>
```

Output:



Contact.html:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport"

    content="width=device-width, initial-scale=1.0">

  <title>StyleHub - Contact</title>

  <link rel="stylesheet" href="style.css">

</head>

<body>

  <!-- HEADER -->

  <header>

    <div class="logo">

      STYLEHUB

    </div>

    <nav>

      <a href="index.html">Home</a>

      <a href="shop.html">Shop</a>

      <a href="features.html">Features</a>

      <a href="offers.html">Offers</a>

      <a href="contact.html" class="active">

        Contact

      </a>
```

</nav>

</header>

<!-- PAGE BANNER -->

<section class="page-banner">

<h1>Contact Us</h1>

<p>

We would love to hear from you

</p>

</section>

<!-- CONTACT -->

<section class="contact-section">

<div class="contact-info">

<h2>Get In Touch</h2>

<p>

Have questions about our products?

Contact us and our team will help you.

</p>

<p>

✉ support@stylehub.com

</p>

<p>

☎ +91 98765 43210

</p>

<p>

📍 Coimbatore, Tamil Nadu

</p>

</div>

<!-- FORM -->

<form>

<input

type="text"

placeholder="Your Name"

required

>

<input

type="email"

placeholder="Your Email"

required

>

<input

type="text"

placeholder="Subject"

required

>

<textarea

placeholder="Your Message"

rows="6"

```
        required>

</textarea>

<button type="submit">

    Send Message

</button>

</form>

</section>

<!-- FOOTER -->

<footer>

    <h3>STYLEHUB</h3>

    <p>

        © 2026 StyleHub. All Rights Reserved.


    </p>

</footer>

</body>

</html>
```

Output:



Scenario: A school wants to automate the student grade calculation process.

Task: Develop a JavaScript program that accepts marks of five subjects and displays the Total, Average, Grade, and Pass/Fail status. The solution should demonstrate:

- Variables and Data Types
- Literals
- Operators
- Statements (Selection and Iteration)
- User-defined Functions

Program:

Index.html:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Student Grade Calculator</title>

  <link rel="stylesheet" href="style.css">

</head>
```

```
<body>

<header>

  <h1>Student Grade Calculator</h1>

  <nav>

    <a href="index.html">Home</a>

    <a href="calculator.html">Calculator</a>

    <a href="result.html">Result</a>

  </nav>

</header>

<section class="hero">

  <h2>Student Grade Management System</h2>

  <p>Calculate Total, Average, Grade and Pass/Fail Status</p>

  <a href="calculator.html">

    <button>Start Calculation</button>

  </a>

</section>

<footer>


  <p>Student Grade Calculator | JavaScript Project</p>

</footer>

</body>

</html>
```

Output:



Calculator.html:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Calculate Grade</title>

  <link rel="stylesheet" href="style.css">

</head>

<body>

<header>

  <h1>Student Grade Calculator</h1>

  <nav>

    <a href="index.html">Home</a>

    <a href="calculator.html">Calculator</a>

    <a href="result.html">Result</a>

  </nav>

</header>

<div class="container">

  <h2>Enter Student Details</h2>
```

```
<label>Student Name</label>

<input type="text" id="studentName" placeholder="Enter student name">

<label>Subject 1 - Mathematics</label>

<input type="number" id="mark1" min="0" max="100">

<label>Subject 2 - Science</label>

<input type="number" id="mark2" min="0" max="100"

<label>Subject 3 - English</label>

<input type="number" id="mark3" min="0" max="100">

<label>Subject 4 - Computer Science</label>

<input type="number" id="mark4" min="0" max="100">

<label>Subject 5 - Social Science</label>

<input type="number" id="mark5" min="0" max="100">

<button onclick="calculateGrade()">Calculate Grade</button>

</div>

<footer>

  <p>Student Grade Calculator</p>

</footer>

<script src="script.js"></script>

</body>

</html>
```

Output:

Student Grade Calculator

[Home](#)[Calculator](#)[Result](#)

Enter Student Details

Student Name

Enter student name

Subject 1 - Mathematics

Subject 2 - Science

Subject 3 - English

Subject 4 - Computer Science

Subject 5 - Social Science

Calculate Grade

Student Grade Calculator

Result.html:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Student Result</title>

  <link rel="stylesheet" href="style.css">

</head>

<body>

<header>

  <h1>Student Grade Calculator</h1>

  <nav>

    <a href="index.html">Home</a>

    <a href="calculator.html">Calculator</a>

    <a href="result.html">Result</a>

  </nav>
```

```
</header>

<div class="result-container">

  <h2>Student Result</h2>

  <p><strong>Student Name:</strong> <span id="resultName"></span></p>

  <p><strong>Total Marks:</strong> <span id="total"></span></p>

  <p><strong>Average:</strong> <span id="average"></span></p>

  <p><strong>Grade:</strong> <span id="grade"></span></p>

  <p><strong>Status:</strong> <span id="status"></span></p>

  <a href="calculator.html">

    <button>Calculate Again</button>

  </a>

</div>

<footer>

  <p>Student Grade Calculator</p>


</footer>

<script src="script.js"></script>

</body>

</html>
```

Output:



Scenario: A supermarket wants to generate customer bills automatically.

Task: Develop a JavaScript program to calculate the bill amount for three purchased products. The program should:

- Accept quantity and unit price for each product
- Calculate the total bill
- Apply a 10% discount if the total amount exceeds ₹2000
- Display the final payable amount

The solution should demonstrate:

- Variables and Data Types
- Literals
- Operators
- Statements
- User-defined Functions

Program:

Index.html:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Supermarket Billing System</title>
```

```
<link rel="stylesheet" href="style.css">
```

```
</head>
```

```
<body>
```

```
<header>
```

```
<h1>Supermarket Billing System</h1>
```

```
<p>Automatic Customer Bill Generation</p>
```

```
</header>
```

```
<nav>
```

```
<a href="index.html">Home</a>
```

```
<a href="billing.html">Billing</a>
```

```
</nav>
```

```
<main class="home">
```

```
<h2>Welcome</h2>
```

```
<p>
```

This supermarket billing system allows you to add
only the products you purchase.

```
</p>
```

```
<ul>
```

```
<li>Add one or more products</li>
```

```
<li>Enter quantity and unit price</li>
```

```
<li>Automatically calculate the total</li>
```

```
<li>10% discount for bills above ₹2000</li>
```

```
<li>Display final payable amount</li>
```


Start Billing

</main>

<footer>


<p>Supermarket Billing System | JavaScript</p>

</footer>

</body>

</html>

Output:



Billing.html:

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Create Bill</title>

<link rel="stylesheet" href="style.css">

```
</head>

<body>

<header>

  <h1>Supermarket Billing System</h1>

  <p>Create Customer Bill</p>

</header>

<nav>

  <a href="index.html">Home</a>

  <a href="billing.html">Billing</a>

</nav>

<main class="billing">

  <h2>Customer Details</h2>

  <label>Customer Name:</label>

  <input type="text" id="customerName" placeholder="Enter customer name">

  <h2>Products</h2>

  <!-- Products will be added here -->

  <div id="productContainer">

    <div class="product-box">

      <h3>Product 1</h3>

      <label>Product Name:</label>

      <input type="text" class="productName"

        placeholder="Enter product name">

      <label>Quantity:</label>

      <input type="number" class="quantity"
```

```
        min="1" value="1">

        <label>Unit Price (₹):</label>

        <input type="number" class="price"

        min="0" placeholder="Enter price">

    </div>

</div>

<button type="button" onclick="addProduct()">

    + Add Product

</button>

<button type="button" class="generate"

    onclick="generateBill()">

    Generate Bill

</button>

</main>

<footer>

    <p>Supermarket Billing System | JavaScript</p>

</footer>

<script src="script.js"></script>

</body>

</html>
```

Output:

Supermarket Billing System

Create Customer Bill

HomeBilling

Customer Details

Customer Name:
sowmya

Products

Product 1

Product Name:
coconut

Quantity:
1

Unit Price (₹):
10

Add Product

Generate Bill

Supermarket Billing System | JavaScript

Bill.html:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport"

    content="width=device-width, initial-scale=1.0">

  <title>Final Bill</title>

  <link rel="stylesheet" href="style.css">

</head>

<body>

<header>

  <h1>Supermarket Billing System</h1>

  <p>Final Customer Bill</p>

</header>

<nav>

  <a href="index.html">Home</a>
```



```
<a href="billing.html">Billing</a>
```

```
</nav>
```

```
<main class="bill">
```

```
<h2>Customer Bill</h2>
```

```
<p>
```

```
<strong>Customer Name:</strong>
```

```
<span id="displayCustomer"></span>
```

```
</p>
```

```
<table>
```

```
<thead>
```

```
<tr>
```

```
<th>S.No</th>
```

```
<th>Product</th>
```

```
<th>Quantity</th>
```

```
<th>Unit Price</th>
```

```
<th>Amount</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody id="billItems">
```

```
</tbody>
```

```
</table>
```

```
<div class="bill-summary">
```

```
<p>
```

```
<strong>Total Amount:</strong>
```

```
    ₹<span id="displayTotal">0</span>

</p>

<p>

    <strong>Discount:</strong>

    ₹<span id="displayDiscount">0</span>

</p>

<p class="final">

    <strong>Final Payable Amount:</strong>

    ₹<span id="displayFinal">0</span>

</p>

</div>

<a href="billing.html" class="button">

    Create New Bill

</a>

</main>

<footer>

    <p>Thank You! Visit Again.</p>

</footer>

<script src="script.js"></script>

</body>

</html>
```

Output:

Supermarket Billing System

Final Customer Bill

[Home](#) [Billing](#)

Customer Bill

Customer Name: sowmiya

S.No	Product	Quantity	Unit Price	Amount
1	coconut	1	₹10.00	₹10.00

Total Amount: ₹10.00

Discount: ₹0.00

Final Payable Amount: ₹10.00

Create New Bill

Thank You! Visit Again.