




# OpenStack을 넘어 Open Infrastructure로

OpenStack의 다음 10년을 설계하다

오픈스택 한국 커뮤니티 대표 조성수





## 조성수 (irc: seongsoocho)

NHN Cloud OpenStack laaS / Object Storage 운영

#### [커뮤니티 활동]

오픈스택 한국 커뮤니티 4기 대표 (2020 ~ 현재)

오픈스택 한국 커뮤니티 3기 부대표 (2017 ~ 2020)

오픈스택 컨트리뷰터 (2016. 2. 2. ~ 현재)

오픈스택 한국 커뮤니티 회원 (2014. 4. 2. ~ 현재)







#### 오늘의 이야기


OpenStack 이란?

OpenStack이 동작하는 핵심 원리 및 아키텍처

OpenStack을 넘어 Open Infrastructure로 가기 위한 준비

- Open Infrastructure Foundation의 Core Project
- OpenDev 와 4 Opens


OpenStack 한국 커뮤니티의 활동 그리고 앞으로의 계획







# OpenStack

Cloud Infrastructure for Virtual Machines, Bare Metals and Containers


































#### **Core Component**











nova (Computing Service) (Networking) (Image Service) (Block Storage)

neutron

glance

Cinder

swift (Object Storage)




Keystone ( Identity Service)





# OpenStack은 어떻게 동작할까?

오픈스택이 클라우드 인프라를 만드는 방법에 대해 알아봅니다






컴포넌트는 API 서버와 Agent 로 구성되어있다

API Server Agent

Agent






컴포넌트는 API 서버와 Agent 로 구성되어있다

API 서버는 클라이언트의 요청 혹은 다른 컴포넌트의 요청을 받아들인다.



Agent

Agent








컴포넌트는 API 서버와 Agent 로 구성되어있다

API 서버는 클라이언트의 요청 혹은 다른 컴포넌트의 요청을 받아들인다.

Agent는 **자원을 생성/삭제하는 역할**을 한다 (예: nova-compute agent는 vm을 생성/삭제한다)











API가 받은 요청을 Agent가 처리할 수 있도록 명령한다. 이를 **rpc call**라고 부른다 (nova-api가 인스턴스 생성 요청을 받으면, nova-compute(agent)가 vm을 만든다)

API와 Agent간 통신은 AMQP를 지원하는 MQ를 이용한다. (대표적으로 RabbitMQ)







#### 컴포넌트가 동작하는 방식 (다른 컴포넌트를 호출)

Agent가 요청 처리에 필요한 또 다른 자원을 다른 컴포넌트에게 요청하기도 한다. (예: nova-compute가 vm을 생성하다가, vm에 연결할 block storage 생성을 cinder에 요청) 서로 다른 컴포넌트끼리는 REST API 를 통해 요청한다.







#### 자원을 다루는 API는 비동기로 처리

Vm, network, storage와 같은 자원을 다루는 API는 모두 비동기로 처리된다.

자원 생성의 경우, API서버는 요청을 받고 **자원의 UUID와 함께 202 Accepted**를 반환한다.

자원을 요청한 쪽에서는 **주기적으로 UUID값으로 상태를 조회**하며 생성여부를 확인한다. (timeout 시간 만큼 시도하다가, 확인되지 않으면 전체 요청을 실패처리한다)

openstack.



## OpenStack의 문제 원인 파악 방법

OpenStack은 수 많은 컴포넌트가 서로 통신을 하며 요청을 처리한다.

인스턴스 생성 실패의 경우 nova/neutron/cinder 때에 따라 glance까지 로그를 종합적으로 확인해야한다.

OpenStack은 요청별로 request id를 생성하여 다른 컴포넌트에 요청을 보낼 때 'X-OpenStack-Request-Id' 헤더에 id를 담아 보낸다.


로그에 request id가 남아있어, 이 정보를 토대로 로그에서 분석한다.

< 로그 예시 인스턴스 생성 - nova-compute >

2021-07-07 09:56:40.181 37523 INFO nova.compute.claims [req-3b6dd152-a94e-4ede-8315-fe97d4551c05 fdf5158b94894671aa35c60d557af186 8534d8e055964709951905a43d44ccc3 - default default] [instance: b545cca6-ceb6-480a-99c5-52a99ab4c64c] Claim successful on node test-node

2021-07-07 09:56:41.041 37523 DEBUG keystoneauth.session [**req-3b6dd152-a94e-4ede-8315-fe97d4551c05** fdf5158b94894671aa35c60d557af186 8534d8e055964709951905a43d44ccc3 - default default] REQ: curl -g -i -X GET

http://neutron:9696/v2.0/subnets/2d9e2c34-c767-49b1-9046-108b71c582fb -H "X-Service-Token: {SHA1}--" -H "User-Agent: python-neutronclient" -H "X-OpenStack-Request-ID: req-3b6dd152-a94e-4ede-8315-fe97d4551c05" -H "Accept: application/json" -H "X-Auth-Token: {SHA1}---"






#### OpenStack의 자원 관리 방법

OpenStack이 storage / network / vm 자체를 직접 만들지 않는다.

OpenStack은 자원의 상태만 관리하고 자원의 실체는 다른 서비스를 사용한다.

OpenStack은 실질적인 자원을 다루는 서비스와 연동하기 위해 다양한 Driver를 지원한다.






#### Cinder에서 지원하는 backend 예시

	Status	Driver (FC, iSCSI, ScaleIO)	Driver (FC,	Datera Storage Driver	8000) Storage Driver (iSCSI,	Dell EMC PS Series Storage	Storage Driver (iSCSI,		Storage Driver (iSCSI,	Driver (FC,	Dell EMC VMAX V2 (10K, 20K, 40K) Storage Driver (iSCSI, FC)	EMC VNX Storage	Dell EMC VxFlex OS (ScaleIO) Storage Driver (ScaleIO)	Driver (FC,	Fujitsu ETERNUS Driver (FC, iSCSI)	HGST Flash Storage Suite Driver (vgc)	HPE 3PAR Storage Driver (FC, iSCSI)	HPE Lefthand Driver (iSCSI)	Driver	18000 Series Driver		Huawei FusionStorage
Supported Vendor Driver	optional	*	*	₹	2	₹	₹	₹	₹	₹	₹	₹	•	<u> </u>	•	×	₹	•	₹	₹	₹	₹
Extend an Attached Volume	optional	<u> </u>	₹	₹	<u> </u>	₹	•	₹	•	₹	₹	₹	₹	₹	₹	₹	₹	₹	~	•	₹	•
Snapshot Attachment	optional	×	×	×	×	×	×	•	×	×	×	<u> </u>	<u> </u>	×	×	×	×	×	×	•	<u> </u>	∠
QoS	optional	×	×	<u> </u>	<u> </u>	×	₹	_	<u> </u>	<u>~</u>	×	<u> </u>	<u> </u>	×	×	×	_	×	×	<u> </u>	<u> </u>	×
Volume Replication	optional	×	×	×	<u> </u>	×	<u> </u>	×	•	<u> </u>	×	<u> </u>	×	×	×	×	<u> </u>	•	×	•	<u> </u>	×
Consistency Groups	optional	<u> </u>	×	×	<u> </u>	×	<u> </u>	×	4	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	×	×	₹	<u> </u>	×	<u> </u>	<u> </u>	×
Thin Provisioning	optional	×	×	×	•	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>~</u>	<u> </u>	×	×	<	<u>✓</u>	×	<u> </u>	<u> </u>	×
Volume Migration (Storage Assisted)	optional	×	×	×	<u> </u>	×	×	×	<u> </u>	₹	×	₹	×	×	×	*	×	×	×	₹	₹	×
Multi- Attach Support	optional	×	*	*	•	×	×	<u> </u>	•	<u> </u>	×	×	<u> </u>	₹	*	×	×	₹	×	×	×	×



https://docs.openstack.org/cinder/rocky/reference/support-matrix.html https://github.com/openstack/cinder/tree/master/cinder/volume/drivers





#### neutron에서 지원하는 driver 예시

Vendor	Plugin/Driver Name	Contact Name	Status	Recheck command	Notes
Neutron Team	ML2 - OVS/LB	Infra Team	Υ		Covered by Infra (Jenkins)
A10 Networks	LBaaS Driver	Doug Wiegley	Y	redo-a10	None
Arista Networks	ML2 Driver	Sukhdev Kapur	Υ	recheck/reverify no bug/bug #	None
Avaya	ML2 Driver	Ravi Palaparthi	Y		None
Big Switch	Plugin	Kevin Benton	Υ	recheck-bigswitch	None
Big Switch	ML2 Driver	Kevin Benton	Υ		None
BNC	DCFabric-ML2- Driver	Yanwei Xu	Y	recheck-DCFabric	None
Brocade	Vyatta Plugin	Karthik Natarajan	Y		None
Brocade	ML2 Driver	Shiv Haris	Υ		None
Cisco	Plugin - NXOS	Dane Leblanc	N		It is deprecated and It will be removed in Juno
Cisco	Plugin - N1Kv	Dane Leblanc	Υ	recheck cisco-n1kv	None
Cisco	ML2 - APIC	Dane Leblanc	Υ	recheck cisco-apic	None
Cisco	ML2 - DFA	Dane Leblanc	Υ		None
Cisco	ML2 - NXOS	Dane Leblanc	Υ	recheck cisco-ml2	None
Cisco	CSR1kv - router service plugin	Nikolay Fedotov, Richard Winters	Y	recheck cisco-csr1kv	None
Cisco	VPNaaS - Driver	Dane Leblanc	Y	recheck cisco- vpnaas	None
Cloudbase Solutions	Plugin - Hyper-V	Alessandro Pilotti	Y		None
Embrane	Plugin	Ignacio Scopetta	N	embrane-recheck	CI fails for their own plugin commits:

#### ML2 driver support matrix

#### Mechanism drivers and L2 agents

type driver / mech driver	Flat	VLAN	VXLAN	GRE	Geneve
Open vSwitch	yes	yes	yes	yes	yes
Linux bridge	yes	yes	yes	no	no
OVN	yes	yes	yes (requires OVN 20.09+)	no	yes
SRIOV	yes	yes	no	no	no
MacVTap	yes	yes	no	no	no
L2 population	no	no	yes	yes	yes

https://wiki.openstack.org/wiki/Neutron\_Plugins\_and\_Drivers https://docs.openstack.org/neutron/latest/admin/config-ml2.html






#### nova에서 지원하는 하이퍼바이저

#### Choosing a hypervisor A hypervisor provides software to manage virtual machine access to the underlying hardware. The hypervisor creates, manages, and monitors virtual machines. OpenStack Compute (nova) supports many hypervisors to various degrees, including: Ironic KVM • LXC QEMU VMware ESX/ESXi Xen (using libvirt) XenServer Hyper-V PowerVM UML Virtuozzo zVM


https://docs.openstack.org/arch-design/design-compute/design-compute-hypervisor.html





# 이제 오픈스택이 어떻게 동작하는지 한 눈에 볼 시간

인스턴스 생성을 예로, 컴포넌트가 어떻게 동작하는지 알아봅니다







Nova scheduler





Compute node


















































# Upstream에서 OpenStack을 개발하는 방법

OpenStack은 순수하게 Community 기반으로 개발됩니다 Global Community에서는 OpenStack을 어떻게 개발할까요? openstack.




#### Devstack

오픈스택 환경을 손 쉽게 구성해주는 도구. 오픈스택 개발자의 개발 환경 / 테스트 환경으로 주로 쓰인다.

Virtualbox vm (4core, 8GB mem) 1개에 오픈스택 코어 컴포넌트 모두를 구동시킬 수 있다.

https://docs.openstack.org/devstack/latest/

- \$ git clone https://opendev.org/openstack/devstack
- \$ cd devstack
- \$ ./stack.sh







#### 코드 리뷰 (Gerrit) / CI (ZuuL)

OpenStack은 코드 리뷰로 Gerrit을 사용하고, CI 도구로 ZuuL을 사용 - https://review.opendev.org

코드 머지는 Core Contributor의 +2 점수를 받으면 머지가 가능하다.






openstack.



## 이슈 관리 (Storyboard / launchpad)

ubuntu에서 사용하는 launchpad를 이용해 이슈를 관리하다가, 최근에 storyboard로 이전중










#### 회의록 / 의견 공유 (Etherpad)

OpenStack 커뮤니티에서 논의되는 모든 내용은 etherpad에 기록하고 공개합니다



최근 IRC 채널을 옮기기 위한 논의

( https://etherpad.opendev.org/p/openstack-irc-migration-to-oftc )



OpenInfra Days Asia 2021 행사 준비

openstack.





#### PTG (Project Team Gathering)

6개월 마다 OpenStack 업스트림 개발자들이 팀별로 모여 다음 릴리즈에 포함될 주요 안건을 집중적으로 논의하는 기간

오프라인으로 진행하였으나, 최근에는 온라인으로 진행 http://ptg.openstack.org/










#### **IRC / Mailing List**

상시 대화 채널로 IRC 를 이용 ( https://wiki.openstack.org/wiki/IRC )

Openstack-discuss Mailing List를 통해 오픈스택의 모든 내용을 토론하고 공유한다 ( http://lists.openstack.org/cgi-bin/mailman/listinfo/openstack-discuss )



#### July 2021 Archives by thread

- Messages sorted by: [subject ] [author ] [date ]
- . More info on this list...

Starting: Thu Jul 1 01:13:09 UTC 2021 Ending: Thu Jul 8 00:30:26 UTC 2021

#### Messages: 88

- [nova][placement] Openstack only building one VM per machine in cluster, then runs out of resources Jeffrey Mazzone
  - . [nova][placement] Openstack only building one VM per machine in cluster, then runs out of resources. Laurent Dumont
  - . [nova][placement] Openstack only building one VM per machine in cluster, then runs out of resources. Balazs Gibizer
- . [nova][placement] Openstack only building one VM per machine in cluster, then runs out of resources Balazs Gibizer
- . [nova][placement] Openstack only building one VM per machine in cluster, then runs out of resources. Balazs Gibizer
- [Swift] Object replication failures on newly upgraded servers Mark Kirkwood
- [all][tc] Technical Committee next weekly meeting on July 1st at 1500 UTC Ghanshyam Mann
- review.opendev.org server upgrade 18/19th July 2021 lan Wienand
- . [openstack] [DC-DC Setup] [Replication] Correct approach to a DC-DC setup for Openstack (victoria) Swogat Pradhan
- · Extension of disk in cinder Salman Sheikh
  - · Extension of disk in cinder Gorka Equileor
  - · Extension of disk in cinder Salman Sheikh
    - · Extension of disk in cinder Gorka Equileor
- [TRIPLEO] ZUN Support in TripleO Takashi Kajinami
- [neutron] Drivers meeting agenda for 2.07.2021 Slawek Kaplonski
- · [Ironic] Vendor-neutral Disk names Mahnoor Asghar
  - [Ironic] Vendor-neutral Disk names Arkady Kanevsky
    - · [Ironic] Vendor-neutral Disk names Julia Kreger
      - · [Ironic] Vendor-neutral Disk names Mahnoor Asghar
- [Ironic] Vendor-neutral Disk names Mahnoor Asghar
- · [kayobe][kolla-ansible][victoria] Tony Pearce
  - [kayobel[kolla-ansiblel[victorial Mark Goddard]
    - Ikavobelfkolla-ansiblelfvictorial Tony Pearce
- [kavobe][victoria] no module named docker deploy fail after deploy successful Mark Goddard
- [kayobel[victoria] no module named docker deploy fail after deploy successful Tony Pearce





### **IRC / Mailing List**

IRC의 지난 내용도 다 기록하여, 누구나 논의 기록을 되돌아 볼 수 있다. ( https://meetings.opendev.org/irclogs/)

팀 별로 다르지만, 주기적으로 IRC로 text 회의를 진행하며 활발하게 논의한다.

(https://meetings.opendev.org/meetings/swift/2021/swift.2021-05-12-21.00.html)

#### #openstack-meeting: swift

Meeting started by timburke at 21:00:30 UTC (full logs)

#### Meeting summary

- 1. Python 3.10 beta (timburke, 21:03:06) a, https://review.opendev.org/c/openstack/pveclib/+/790537 - Use Pv ssize t when calling PvArg Parse (timburke, 21:08:11)
- 2. sharding (timburke, 21:13:45) a. https://review.opendev.org/c/openstack/swift/+/778989 (acoles, 21:21:00)
- 3. relinker (timburke, 21:23:28)
  - a. https://review.opendev.org/c/openstack/swift/+/790305 (timburke, 21:24:20) b. https://review.opendev.org/c/openstack/swift/+/791022 (timburke, 21:25:35)
- 4. stale EC frags (timburke, 21:34:17) 5 dark data watcher (timburke 21:40:45) 6. open discussion (timburke, 21:47:46)

#### Meeting ended at 21:58:30 UTC (full logs).

#### **Action items**


1. (none)

#### People present (lines said)

1. timburke (56) 2. mattoliverau (28) 3. acoles (24) 4. zaitcey (23) 5. openstack (3) 6. tosky (1) 8. seongsoocho (1)

- 21:00:30 <timburke> #startmeeting swift 21:00:31 copenstack> Meeting started Wed May 12 21:00:30 2021 UTC and is due to finish in 60 minutes. The chair is timburke. Information about M. http://wiki.debian.org/MeetBot. 21:00:32 copenstack> Useful Commands: #action #agreed #help #info #idea #link #topic #startvote. 21:00:34 openstack> The meeting name has been set to 'swift' 21:00:37 <timburke> who's here for the swift meeting? 21:00:49 <kota > o/ 21:01:11 <mattoliverau> o/ 21:01:57 <seongsoocho> o/ 21:02:09 <acoles> o/ 21:02:16 <timburke> as usual, the agenda's at https://wiki.openstack.org/wiki/Meetings/Swift 21:02:31 <timburke> though i only just updated it ;-)
- 21:03:06 <timburke> #topic Python 3.10 beta 21:04:01 <timburke> i just wanted to call attention to this -- it seems like there may be some work to get tests running under py310, and i don't
- 21:05:31 <timburke> i've started playing around with it. eventlet's not working yet, nose is busted (and at this point, unlikely to be fixed)
- 21:05:42 <mattoliverau> good thinking. might need to see if I can create a venv of it. 21:05:55 <mattoliverau> oh wow
- 21:05:58 <mattoliverau> awesome

  - 21:06:04 <timburke> python-swiftclient's fine, though -- as long as you've got some other test runner
  - 21:06:50 <timburke> good news is that distros seemed to be pretty quick on the packaging front; i got it fine on fedora and ubuntu (via deadsnake: 21:07:33 <timburke> pyeclib needed an update, but it was tame enough that i went ahead and merged it when i confirmed the gate was happy with it
  - 21:08:11 <timburke> https://review.opendev.org/c/openstack/pyeclib/+/790537 Use Py ssize t when calling PyArg Parse 21:09:00 <mattoliverau> if we wont be able to use nose anymore, whats the alternative.. will be need to migrate to something like pytest.. or wait
  - {o,s}testr still a supported thing?
  - 21:10:04 <timburke> stestr seems to still be the "preferred" way in openstack, as best i can tell. it \*also\* doesn't work with py310 right now, tl testtools release should fix it
- 21:10:33 <timburke> personally, i kinda like pytest -- and it's working \*today\*
- 21:10:51 <mattoliverau> kk
- 21:11:37 <tosky> stestr is definitely alive (ostestr is totally deprecated and not used anymore)





### **IRC / Mailing List**

#### Index of /irclogs

Name	Last modified	Size Description
Parent Directory		242
##openvswitch/	2021-07-08 04:00	-
##rdo/	2021-07-08 04:00	-
##softwarefactory/	2021-07-08 04:00	
#airshipit/	2021-07-08 04:00	-
#akanda/	2021-07-08 04:00	-
#ara/	2021-07-08 04:00	
#cloudkitty/	2021-07-08 04:00	-
#congress/	2021-07-08 04:00	-
#craton/	2021-07-08 04:00	-
#dox/	2021-07-08 04:00	-
#edge-computing-group/	2021-07-08 04:00	
#heat/	2021-07-08 04:00	-
#kata-dev/	2021-07-08 04:00	-
#kata-general/	2021-07-08 04:00	-
#kolla/	2021-07-08 04:00	
#magnetodb/	2021-07-08 04:00	-
#midonet/	2021-07-08 04:00	-
#murano/	2021-07-08 04:00	-
#networking-sfc/	2021-07-08 04:00	
#000q/	2021-07-08 04:00	-
#opendev-meeting/	2021-07-08 04:00	-
#opendev-sandbox/	2021-07-08 04:00	

#### **IRC** logs

· Latest (bookmarkable)

#### 2021-07

- 2021-07-07 (Wednesday)
- 2021-07-06 (Tuesday)
- 2021-07-05 (Monday)
- 2021-07-04 (Sunday)
- 2021-07-03 (Saturday)
- 2021-07-02 (Friday)
   2021-07-01 (Thursday)

#### 2021-06

- 2021-06-30 (Wednesday)
- 2021-06-29 (Tuesday)
- 2021-06-28 (Monday)
- 2021-06-27 (Sunday)
- 2021-06-25 (Friday)
- 2021-06-24 (Thursday)
- 2021-06-23 (Wednesday)
   2021-06-22 (Tuesday)
- 2021-06-21 (Monday)
- 2021-06-20 (Sunday)
- · 2021-06-18 (Friday)
- 2021-06-17 (Thursday)
- 2021-06-16 (Wednesday)
- 2021-06-16 (Wednesday)
   2021-06-15 (Tuesday)
- 2021-06-14 (Monday)
- 2021-06-13 (Sunday)
- 2021-06-12 (Saturday)
- 2021-06-11 (Friday)

#### Wednesday, 2021-07-07

*** pmannidi is no	w known as pmannidilAFK
*** pmannidilAFK	is now known as pmannidilAway
*** pmannidilAway	is now known as pmannidilAFK
*** pmannidilAFK	is now known as pmannidilAway
*** pmannidilAway	is now known as pmannidilAFK
*** pmannidilAFK	is now known as pmannidilAway
*** pmannidilAway	is now known as pmannidilAFK
	is now known as pmannidilAway
	is now known as pmannidilAFK
	is now known as pmannidilAway
	is now known as pmannidilAFK
	is now known as pmannidilAway
	good morning janders and Ironic o/
*** iurylholiday is	now known as iurygregory
janders	hey iurygregory o/
iurygregory	0/
arne_wiebalck	Good morning janders iurygregory and Ironic!
iurygregory	morning arne_wiebalck o/
arne wiebalck	TheJulia: thanks, much clearer! I still left some comments:)
janders	hey arne_wiebalck o/
jssfr	hiho! I'm currently looking hardware inventorization/introspection using the ironic python agent. I note that it exports bm available when queried from ipmitool. Is there any specific reason against implementing that? I might provide a patch.
vmud213	jssfr: I think it's because we don't really use BMC MAC address
vmud213	Most of the times the BMC provides REST API or xmlrpcs or some other mechanism to connect to it. So all that one may properties
jssfr	vmud213, aha. My use case would be matching the introspection data with an existing hardware inventory/IPAM thing to this is some "undercloud" standalone ironic use case)
vmud213	jssfr: Sry i interpreted it wrong way. I got it now. So if you are introspecting, you also expect the BMC MAC and not just
issfr	Thanks for your feedback!






# OpenStack을 넘어 Open Infrastructure 로

Open Infrastructure Summit 2019 Shanghai 발표를 통해 알아보는 Open Infrastructure





# 왜 Open Infrastructure인가?



어플리케이션 배포 관점에서 보면


처음에는 물리 장비에, 그 다음은 하드웨어 가상화, laaS API

그리고 이제는 쿠버네티스와 같이 어플리케이션 배포를 위한 API를 이용해 배포하게 되었다





# 왜 Open Infrastructure인가?



Infrastructure를 관리하는 노력을 점점 더 줄여가면서,

상업용 서버의 활용도를 높여가고,


Infrasturcutre에서 담당해야하는 역할이 점점 더 추가되어간다






# 왜 Open Infrastructure인가?





Infrastructure provider가 제공해야하는 인프라의 범위가 점점 커지게 되었다

이 영역이 Open Infrastructure Solution이 담당해야할 영역이다





### **Open Infrastructure Foundation**

클라우드는 데이터센터 안팎으로 가상머신, 베어메탈 그리고 컨테이너와 융합되어 원활하게 동작하도록 변화하였다.

OpenStack이 클라우드 인프라의 de facto 오픈소스 플랫폼이 되면서, 다양한 use case를 만나게 되었다.

Al/Machine Learning, Cl/CD, Container Infrastructure, Edge Computing, Public, Private and Hybrid Clouds 을 위한 오픈소스 Cloud Infrastructure를 위해

2020년에 OpenStack Foundation에서 Open Infrastructure Foundation으로 변화하였다





# **Open Infrastructure Project**

Open Infrastructure Solution을 위해 4개의 프로젝트를 Foundation의 핵심 프로젝트로 정했다

각 프로젝트는 4 Open (Open Source / Design / Development / Community ) 을 강조하며, 각자의 비전과 역할을 가지고 개발되고 있다



Airship

Lifecycle Management



OpenStack

Programmable Infrastructure for VMs, containers and bare metal



Kata Containers

Secure, lightweight CRI compatible virtualized containers




StarlingX

Edge Cloud Computing Instrastructure




Zuul


CI/CD platform for gating changes across multiple systems/repos





### **Four Opens**








# Multi arch SIG (Special Interest Group)

https://www.openstack.org/multi-arch-sig-report

OpenStack을 다양한 CPU 아키텍처에서 구축하기 위해 안정화하는 Special Interest Group

2019년 11월 상하이 summit에서 시작되었으며, 현재는 ARM64를 지원하는 것이 최우선 목표

SIG Leader: Rico Lin (OpenStack Technical Committee)





# openstack의 multi-arch 지원이 중요한 이유

(report 본문 인용)

OpenStack은 리눅스 시스템의 매우 많은 부분을 사용합니다.
- 네트워킹, 가상화, 파일시스템, 디스크 관리, 파이썬, 웹 서버, DB, amqp 등등..

OpenStack이 특정 cpu architecture에서 잘 동작한다면, 다른 대부분의 소프트웨어도 잘 동작할 것이라고 기대할 수 있다.





### Multi Arch-sig 에서 하고 있는 일

#### CI 와 테스트 지원

- Upstream CI 에서 여러 아키텍처를 대상으로 테스트할 수 있어야한다

여러 아키텍처를 위한 패키지와 컨테이너,이미지 지원

- 오픈스택 컴포넌트의 패키지와 컨테이너들은 모든 아키텍처를 지원해야한다.

#### 배포 도구 지원

- 배포 도구는 아키텍처 상관없이 배포할 수 있도록 지원해야한다.
- 현재는 openstack-kolla 를 대상으로 작업하고 있다.

#### Virt drivers

- OpenStack을 운영한다는 것이 대부분의 경우 nova로 vm을 관리한다는 것을 의미한다.
- 여러 아키텍처의 가상화 드라이버를 지원할 수 있어야한다.





# OpenStack 한국 커뮤니티

한국 커뮤니티의 앞으로의 계획 그리고 목표





### **OpenStack Korea User Group**

회원수: 6,839명 (2021년 7월 기준)

한국의 오픈스택 생태계 활성화와 정보 교류를 위한 사용자 모임


< 주요 활동 >

- 국제화 (i18n) 번역 프로젝트 참석
- 세미나 / 스터디
- OpenInfra Days Korea 개최



Facebook Group: https://www.facebook.com/groups/openstack.kr

Youtube:https://www.youtube.com/c/OpenStackKoreaGroup/featured






### **OpenStack Korea User Group**

상호 교류 및 피드백에 기반한 생태계

업스트림 활동: 새로운 기술 및 개발 (프로포절, 스펙 제안 등 포함)

다운스트림 활동: 운영 노하우 공유, 사례 토론 및 사용자 피드백 공유








# OpenStack Korea User Group (2021~ 계획)

- Upstream Contribution
  - 2018년부터 정보통신산업진흥원 주관의 컨트리뷰톤 / 컨트리뷰션 아카데미에 참석
  - 오픈스택 기여에 관심있는 참가자 대상으로 버그 제보 / 코드 패치 / 번역 등다양한 분야에서 컨트리뷰션 활동
- ARM SIG
  - 오픈스택 한국 커뮤니티만의 ARM SIG
  - ARM 기반 Infrastructure 구축 및 활용 방안 스터디
- StarlingX, Zuul 등 다양한 Open Infrastructure 프로젝트 스터디

**openstack** 




Email: ppiyakk2@printf.kr





### Q ) OpenStack 의 효과적인 업그레이드 방안

- 오픈스택은 6개월 주기로 새로운 버전을 배포한다.
- 업그레이드는 upstream에서도 운영자들의 큰 고민 주제
  - https://www.youtube.com/watch?v=yf5iFiCg Tw
- 오픈스택 cluster의 형태에 따라 업그레이드 방안이 다르다
  - Private / public
  - 중지 / 무중지
- API 서비스는 중지 / VM 서비스는 무중지
- 모든 서비스가 내려가더라도, 하이퍼바이저의 openvswitch 만 제대로 동작한다면 인스턴스는 정상적으로 구동할 수 있다.
- 하이퍼바이저 점검은 vm을 순차적으로 마이그레이션





### Q ) OpenStack과 kubernetes의 향후 발전 전망

OpenStack과 kubernetes는 서로 바라보는 방향이 다르다.

- OpenStack: 인프라를 서비스로 제공하는데 초점
- Kubernetes: 어플리케이션을 배포를 위한 오케스트레이션 환경을 지원하는데 초점

서로 경쟁관계가 아니라, 공존하며 협력하는 관계로 발전할 것이다.





#### Q) OpenStack이 VMware보다 우위에 있다고 볼 수 있는 기술적 특장점

OpenStack과 VMWare이 서로 제공하는 기능에서는 큰 차이는 없다고 생각합니다.

필요한 기능들을 추가 기능들을 추가 솔루션을 구입해서 해결하느냐 아니냐의 차이

예) openstack (기본 제공) / vmware (nsx / vRealize와 같은 추가 구성 필요)

멀티 테넌트 간 network 분리 구성 가상머신에 동적/고정 IP 할당 및 NAT Security Group 기능 테넌트 별 Image 관리