WealthWise

Product Requirements Document

Mutual Fund & SIP Investment Tracking Platform

Document Version	Status	Date	Audience
v1.0	Final Draft	March 2026	Sai Vrushabh

© 2026 WealthWise

01 Executive Summary

Wealth Wise is a modern, mobile-first investment tracking platform built for Indian retail investors. It gives every investor from a first-time SIP starter to a seasoned multi-fund portfolio holder a single, beautiful place to see exactly where their money is, how it is growing, and whether they are on track to meet their financial goals.

The Problem We Solve

Today, most Indian investors manage their mutual fund investments across multiple AMC portals, broker apps, and WhatsApp messages. This fragmentation leads to three painful outcomes:

- No single view of total portfolio value or overall returns
- CAGR and XIRR calculated only inside individual apps, never across the whole portfolio
- Financial goals (retirement, home, education) tracked in a spreadsheet or not at all

Our Solution

WealthWise aggregates all SIP and lump-sum investments, pulls live NAV data from AMFI, calculates accurate XIRR and CAGR across the consolidated portfolio, and shows investors whether they are ahead or behind on each life goal all in one clean dashboard.

Key Value Proposition
Track every SIP and lump-sum investment in one place, powered by live NAV data, with automatic XIRR/CAGR calculation and goal-based progress tracking.

02 Product Vision

In five years, WealthWise will be the financial home screen for 10 million Indian households the app they open every morning alongside their bank app. It will offer not just tracking, but intelligent guidance: AI-powered portfolio health scores, tax-harvest alerts, rebalancing suggestions, and direct mutual fund execution.

Horizon	Goal
Year 1 (0–12 months)	Nail core tracking portfolio view, XIRR/CAGR, goal progress, NAV sync, SIP reminders
Year 2 (12–24 months)	Add direct MF transactions, tax statements, and mobile apps (iOS + Android)
Year 3+	Launch AI advisor, automated rebalancing alerts, and brokerage integrations

© 2026 WealthWise

03 Target Users & Personas

Persona 1 The SIP Starter

Attribute	Detail
Name	Priya, 27
Occupation	Software engineer, first job
Goal	Build a corpus for a house down-payment in 5 years
Pain Point	Has 2 active SIPs but has no idea what her current corpus is or if she is on track
Needs from WealthWise	Simple dashboard, goal tracker, monthly progress nudges

Persona 2 The Active Portfolio Holder

Attribute	Detail
Name	Rahul, 38
Occupation	Senior product manager
Goal	Maximise returns across 12 funds; retire at 55
Pain Point	Calculates XIRR manually in Excel; can't see asset allocation across all funds
Needs from WealthWise	Consolidated XIRR, asset-allocation chart, fund-wise comparison

Persona 3 The Financial Planner / Advisor

Attribute	Detail
Name	Deepa, 44
Occupation	SEBI-registered investment advisor
Goal	Manage and review 60+ client portfolios
Pain Point	Spends 2 hours per client preparing quarterly reviews
Needs from WealthWise	Multi-client dashboard, shareable PDF reports, goal health summaries

04 Core Product Features

Feature 1 SIP & Investment Tracking

Users can add, edit, and stop SIP investments or record lump-sum investments. Each investment stores the fund name, amount, start date, frequency, and folio number.

User Flow

1. User taps 'Add Investment' on dashboard

© 2026 WealthWise

2. Searches fund by name or ISIN from live AMFI list
3. Selects SIP or Lump-Sum, enters amount and start date
4. System saves investment and immediately calculates current value using latest NAV
5. Investment appears on dashboard and in goal allocations

Edge Cases

- Fund with zero NAV display warning, skip value calculation
- Duplicate SIP entry warn user, allow override
- Stopped SIP mark inactive; retain history for return calculations

Feature 2 Portfolio Dashboard

A single screen showing: total invested amount, current portfolio value, overall returns (absolute and percentage), XIRR, CAGR, and a breakdown by fund category (equity, debt, hybrid, etc.).

Data Requirements

- Real-time NAV pulled from AMFI (updated daily by 11 PM IST)
- Computed fields: current value = units held × latest NAV
- Portfolio snapshot stored daily for historical charts

Feature 3 NAV Tracking

The system integrates with the AMFI NAV API and updates all fund NAVs every business day. Users see NAV history charts for any fund in their portfolio.

- Source: https://www.amfiindia.com/spages/NAVAll.txt (free, daily)
- Background job runs at 10 PM IST on weekdays
- Redis cache holds latest NAV per fund (TTL: 24 hours)

Feature 4 Performance Analytics

For each fund and for the total portfolio, WealthWise calculates:

Metric	Description	Calculation Method
Absolute Return	Total profit/loss in rupees	Current Value - Total Invested
% Return	Return as percentage	(Current Value / Invested - 1) × 100
CAGR	Compounded annual growth	((Current / Invested)^(1/years)) - 1
XIRR	True IRR for irregular CFs	Newton-Raphson iterative solver

Feature 5 Financial Goal Tracking

Users define financial goals with a target amount and target date. Investments are linked to goals. The system projects whether the linked SIPs will reach the target given current NAV growth trends.

Goal Types Supported

- Retirement corpus
- Home down-payment
- Children's education

© 2026 WealthWise

- Emergency fund
- Custom (user-defined)

Progress Calculation

Progress % = (Current Goal Corpus / Target Amount) × 100. Projection uses last 3-year CAGR of linked funds to estimate future value of ongoing SIPs.

Feature 6 Investment Reminders & Notifications

Trigger	Channel	Frequency
SIP due date approaching (2 days before)	Push + Email	Per SIP
Monthly portfolio summary	Email	Monthly
Significant NAV movement (>5%)	Push	As it happens
Goal on track / off track alert	Email + Push	Quarterly

Feature 7 Tax Calculation

WealthWise calculates estimated capital gains tax liability for the financial year based on Indian tax rules.

Fund Type	Holding Period	Tax Rate
Equity	< 1 year (STCG)	15%
Equity	> 1 year (LTCG)	10% above ₹1 lakh
Debt	< 3 years (STCG)	Slab rate (user-provided)
Debt	> 3 years (LTCG)	20% with indexation

05 Functional Requirements

Authentication

- FR-AUTH-01: Users must be able to sign up via email/password or Google OAuth
- FR-AUTH-02: Passwords must be at least 8 characters with one special character
- FR-AUTH-03: Sessions expire after 7 days of inactivity; refresh token auto-renews within active window

Investments

- FR-INV-01: Users can add SIP investments with: fund name, ISIN, amount, start date, frequency (monthly/quarterly)
- FR-INV-02: Users can add lump-sum investments with: fund name, ISIN, amount, transaction date
- FR-INV-03: System calculates unit count = amount ÷ NAV on purchase date
- FR-INV-04: Users can mark a SIP as paused or stopped
- FR-INV-05: All investment data is scoped to the logged-in user only

© 2026 WealthWise

Portfolio

- FR-PORT-01: Portfolio screen shows total invested, current value, and XIRR at page load
- FR-PORT-02: Portfolio values refresh when NAV is updated (Supabase Realtime)
- FR-PORT-03: System stores daily portfolio snapshots for charting

NAV & Funds

- FR-NAV-01: Background job fetches AMFI NAV file every business day at 10 PM IST
- FR-NAV-02: Latest NAV per fund is cached in Redis with a 24-hour TTL
- FR-NAV-03: Users can search any AMFI-listed fund

Goals

- FR-GOAL-01: Users can create up to 10 financial goals
- FR-GOAL-02: Each goal has: name, target amount (₹), target date, linked investments
- FR-GOAL-03: System shows goal progress as a percentage and a projected completion date

Analytics

- FR-ANLT-01: XIRR must be calculated within 500 ms for portfolios up to 500 transactions
- FR-ANLT-02: Asset allocation chart refreshes on NAV update
- FR-ANLT-03: Tax summary exports as PDF

06 Non-Functional Requirements

Category	Requirement	Target
Performance	Dashboard initial load time	< 2 seconds (P95)
Performance	XIRR calculation latency	< 500 ms
Performance	API response time (read endpoints)	< 200 ms (P95)
Scalability	Concurrent active users	50,000 at launch; 500k by Year 2
Reliability	Uptime SLA	99.9% monthly
Reliability	NAV update success rate	> 99.5%
Security	Data encryption at rest	AES-256 (Supabase managed)
Security	Data encryption in transit	TLS 1.3
Compliance	Financial data retention	7 years (SEBI requirement)
Compliance	PII handling	DPDP Act 2023 (India)
Observability	Error alerting	P1 alerts < 5 min MTTD

© 2026 WealthWise

07 Technical Architecture

WealthWise uses a modern, cloud-native architecture with clear separation between the frontend, API layer, background workers, and data stores.

Architecture Overview
Next.js (Frontend) → Node.js / Fastify API → Supabase (PostgreSQL + Auth + Realtime)
→ Redis (NAV cache + job queues)
→ Background Workers (NAV sync, reminders)

Frontend Next.js 14

Concern	Technology / Approach
Framework	Next.js 14 (App Router, React Server Components)
Styling	Tailwind CSS + shadcn/ui component library
State Management	Zustand for client state; React Query (TanStack) for server state
Charts	Recharts for line/area charts; Tremor for KPI cards
Real-time	Supabase Realtime JS client (WebSocket subscriptions)
Forms	React Hook Form + Zod for validation
Auth	Supabase Auth JS SDK; protected routes via middleware

Backend Node.js / Fastify API

Concern	Technology / Approach
Runtime	Node.js 20 LTS
Framework	Fastify (faster than Express; schema-first with Zod)
Auth Middleware	Supabase JWT validation on every protected route
Background Jobs	BullMQ (Redis-backed) + cron scheduler for NAV sync & reminders
Caching	ioredis client; NAV cache key: nav:<isin>, TTL 86400s
Email	Resend (developer-friendly transactional email)
Push	Firebase Cloud Messaging (FCM)

Database Supabase (PostgreSQL 15)

Supabase is the single source of truth for all persistent data. Row Level Security (RLS) ensures users can only query their own records at the database level not just the API level.

Infrastructure Overview

Layer	Service
Frontend Hosting	Vercel (global CDN, automatic preview deployments)
Backend API	Fly.io (multi-region Docker containers, auto-scaling)
Database	Supabase (managed PostgreSQL, US / AP regions)
Cache / Queue	Upstash Redis (serverless Redis, HTTP-compatible)
CI/CD	GitHub Actions (lint → test → build → deploy)
Monitoring	Sentry (errors), Grafana Cloud (metrics), Axiom (logs)
Secrets	Doppler (centralised secrets management)

08 Database Schema Design

All tables live in a single Supabase PostgreSQL database. UUIDs are used for all primary keys. All timestamps are stored in UTC.

users

Column	Type	Notes
id	UUID (PK)	Supabase Auth user ID (auth.users.id)
email	TEXT UNIQUE	User email
full_name	TEXT	Display name
pan_hash	TEXT	SHA-256 of PAN; never store raw PAN
tax_slab	INT	User's income tax slab % (for debt STCG)
created_at	TIMESTAMPTZ	Account creation timestamp

mutual_funds

Column	Type	Notes
id	UUID (PK)	Internal ID
isin	TEXT UNIQUE	AMFI ISIN code used as lookup key
scheme_code	TEXT UNIQUE	AMFI scheme code
name	TEXT	Full fund name
category	TEXT	Equity / Debt / Hybrid / etc.
sub_category	TEXT	Large Cap / Mid Cap / etc.
amc	TEXT	Asset Management Company name
latest_nav	DECIMAL(18,4)	Most recent NAV
nav_date	DATE	Date of latest_nav

investments

Column	Type	Notes
id	UUID (PK)	
user_id	UUID (FK)	→ users.id; RLS: auth.uid() = user_id
fund_id	UUID (FK)	→ mutual_funds.id
type	TEXT	'sip' or 'lumpsum'
amount	DECIMAL(18,2)	Monthly SIP amount or lump-sum amount
start_date	DATE	SIP start or lump-sum transaction date
end_date	DATE	SIP stop date (NULL if active)
frequency	TEXT	'monthly' / 'quarterly' (NULL for lumpsum)
folio	TEXT	Optional folio number
status	TEXT	'active' / 'paused' / 'stopped'
created_at	TIMESTAMPTZ	

transactions

Column	Type	Notes
id	UUID (PK)	
investment_id	UUID (FK)	→ investments.id
user_id	UUID (FK)	Denormalized for RLS performance
transaction_date	DATE	Date units were allotted
amount	DECIMAL(18,2)	Amount invested in this transaction
nav	DECIMAL(18,4)	NAV on transaction date
units	DECIMAL(18,4)	amount / nav
type	TEXT	'buy' / 'sell' / 'switch_in' / 'switch_out'

nav_history

Column	Type	Notes
id	UUID (PK)	
fund_id	UUID (FK)	→ mutual_funds.id
nav_date	DATE	
nav	DECIMAL(18,4)	NAV value

Index: (fund_id, nav_date DESC) critical for fast XIRR lookups

goals

Column	Type	Notes
id	UUID (PK)	
user_id	UUID (FK)	→ users.id; RLS enforced
name	TEXT	E.g. 'Daughter's college fund'

© 2026 WealthWise

Column	Type	Notes
target_amount	DECIMAL(18,2)	Target corpus in INR
target_date	DATE	Goal deadline
category	TEXT	'retirement' / 'home' / 'education' / 'custom'
notes	TEXT	Optional description

goal_investments

Junction table linking investments to goals.

Column	Type	Notes
goal_id	UUID (FK)	→ goals.id
investment_id	UUID (FK)	→ investments.id
allocation_pct	INT	% of this investment allocated to this goal (default 100)

portfolio_snapshots

Daily snapshots of each user's total portfolio value used for the performance chart.

Column	Type	Notes
id	UUID (PK)	
user_id	UUID (FK)	
snapshot_date	DATE	Date of snapshot
total_invested	DECIMAL(18,2)	Total invested to date
current_value	DECIMAL(18,2)	Portfolio value at EOD NAV
xirr	DECIMAL(8,4)	Calculated XIRR

Supabase RLS Policies (Examples)

```
-- investments table
ALTER TABLE investments ENABLE ROW LEVEL SECURITY;

CREATE POLICY "Users can only view their own investments"
  ON investments FOR SELECT
  USING (auth.uid() = user_id);

CREATE POLICY "Users can only insert their own investments"
  ON investments FOR INSERT
  WITH CHECK (auth.uid() = user_id);

-- Same pattern applied to goals, transactions, portfolio snapshots
```

09 Authentication & Authorization

Auth Flow

6. User signs up → Supabase Auth creates record in auth.users
7. Trigger creates matching row in public.users
8. On login, Supabase returns access_token (JWT, 1-hour expiry) + refresh_token (7-day expiry)
9. Frontend stores tokens in httpOnly cookies (not localStorage)
10. Every API call carries Authorization: Bearer <access_token>
11. Backend middleware calls supabase.auth.getUser() to validate token
12. On 401, frontend auto-calls /auth/refresh before retrying

Roles

Role	Capabilities
user	Full CRUD on own investments, goals, transactions; read-only on mutual_funds / nav_history
advisor	Read-only access to linked client portfolios (Phase 2)
admin	Backoffice: trigger NAV sync, view system health, manage fund data

Security Principle
RLS policies are the last line of defence even if the API has a bug, the database will refuse to return another user's data.

10 API Design

All endpoints follow REST conventions. Base URL: https://api.wealthwise.in/v1

Authentication Endpoints

Method	Path	Description
POST	/auth/signup	Create account (email + password)
POST	/auth/login	Login; returns access_token + refresh_token
POST	/auth/refresh	Exchange refresh_token for new access_token
POST	/auth/logout	Revoke session
POST	/auth/forgot-password	Send password reset email

Portfolio Endpoints

Method	Path	Description
GET	/portfolio	Full portfolio summary (invested, current value, XIRR, CAGR, allocation)
GET	/portfolio/chart	Daily snapshots for chart (query: ?from=&to=)
GET	/portfolio/allocation	Asset allocation breakdown

Investment Endpoints

Method	Path	Description
GET	/investments	List all investments for the user
POST	/investments	Add a new SIP or lump-sum investment
PATCH	/investments/:id	Update investment (e.g., pause SIP)
DELETE	/investments/:id	Delete investment (soft delete)

Goals Endpoints

Method	Path	Description
GET	/goals	List all goals
POST	/goals	Create a new goal
PATCH	/goals/:id	Update goal details
POST	/goals/:id/investments	Link an investment to a goal
DELETE	/goals/:id	Delete a goal

Sample Request & Response POST /investments

```
// Request
POST /v1/investments
Authorization: Bearer <token>
{
  "fund_id": "uuid-of-fund",
  "type": "sip",
  "amount": 5000,
  "start date": "2024-01-01",
  "frequency": "monthly"
}

// Response 201
{
  "id": "uuid",
  "fund": { "name": "Parag Parikh Flexi Cap", "category": "Equity" },
  "current_value": 61234.50,
  "units": 125.432,
  "xirr": 0.1423
}
```

11 Analytics Engine

XIRR Calculation

XIRR is the extended internal rate of return for irregular cash flows. It is the most accurate measure of mutual fund returns because SIPs are invested at irregular NAVs on different dates.

Algorithm

13. Build cash-flow array: each SIP or lump-sum transaction is a negative outflow; the current portfolio value is a positive inflow at today's date
14. Apply Newton-Raphson iteration: start at r = 0.1 (10%), iterate until NPV ≈ 0 (tolerance: 1e-6)
15. Formula: NPV = $\Sigma C_i / (1 + r)^{((d_i - d_0)/365)}$
16. Cap iterations at 100 to prevent infinite loops on unusual cash-flows

CAGR Calculation

CAGR = (Current Value / Invested Amount)^(1 / years) − 1. Years is calculated as (today − first investment date) / 365. CAGR is useful for lump-sum or as a simplified view alongside XIRR.

Asset Allocation

For each fund in the portfolio: allocation % = (fund current value / total portfolio value) × 100. Categories are grouped by Supabase mutual_funds.category field (Equity, Debt, Hybrid, Gold, Liquid).

Diversification Score

Herfindahl-Hirschman Index (HHI): Σ (allocation_i)^2. Lower HHI = better diversification. Score displayed as: Excellent (<1500), Good (1500–2500), Concentrated (>2500).

12 System Data Flows

Flow 1 User Adds an Investment

17. User submits form with fund ISIN and amount
18. Frontend calls POST /investments
19. API validates JWT → verifies fund exists in mutual_funds table
20. API fetches NAV on start_date from nav_history
21. Calculates units = amount ÷ NAV; inserts row in investments and transactions
22. Supabase Realtime broadcasts change → frontend dashboard updates live

Flow 2 Daily NAV Update

23. BullMQ cron fires at 10:00 PM IST (weekdays only)
24. Worker downloads https://www.amfiindia.com/spages/NAVAll.txt
25. Parses pipe-delimited file (~10,000 fund records)
26. Upserts mutual_funds.latest_nav and inserts nav_history rows in batch
27. Invalidates Redis nav:<isin> cache for updated funds
28. Triggers portfolio_snapshot worker for all users with active investments

Flow 3 Portfolio Value Calculation

29. Portfolio API called (GET /portfolio)
30. Backend checks Redis for cached result (key: portfolio:<user_id>, TTL: 10 min)
31. If cache miss: fetch all active investments + transactions from Supabase
32. For each transaction: current_value = units × latest_nav
33. Aggregate: total invested, total current value
34. Run XIRR algorithm on full transaction set
35. Cache result; return to frontend

Flow 4 SIP Reminder Notification

36. Daily cron at 9:00 AM IST checks investments where next_sip_date = today + 2 days
37. For each match: push notification via FCM + email via Resend
38. Notification record saved in notifications table (prevents duplicate sends)

© 2026 WealthWise

13 DevOps & Deployment

CI/CD Pipeline (GitHub Actions)

Stage	Steps
1. PR Check	ESLint + TypeScript check, unit tests, Supabase type generation
2. Build	Docker build for API; Next.js build; validate env vars
3. Test	Integration tests against Supabase local (supabase start)
4. Staging	Auto-deploy to staging environment on merge to develop branch
5. Production	Manual approval gate → deploy to Fly.io (API) + Vercel (frontend)

Environment Strategy

Environment	Purpose	Database
local	Developer local machine (supabase start)	Supabase local Docker
staging	QA and stakeholder review	Supabase staging project
production	Live product	Supabase production project

Monitoring Stack

- Sentry frontend and backend error tracking with full stack traces
- Grafana Cloud API latency, queue depth, NAV sync success rate
- Axiom structured log aggregation for API and worker logs
- Supabase Dashboard query performance, RLS audit, storage metrics
- Uptime Robot synthetic monitoring, alerts if uptime < 99.9%

© 2026 WealthWise

14 Security Architecture

Threat	Control
Unauthorised data access	Supabase RLS on every table; JWT validation on every API request
SQL injection	Parameterised queries only; Supabase client SDK used (no raw SQL in API)
Credential theft	Tokens in httpOnly, SameSite=Strict cookies; never in localStorage
Brute-force login	Supabase Auth built-in rate limiting; CAPTCHA on signup
PAN / PII exposure	PAN stored as SHA-256 hash only; no raw PAN in database or logs
API abuse	Rate limiting: 60 req/min per IP (Fastify rate-limit plugin)
Secrets leakage	All secrets managed via Doppler; zero hardcoded env vars in code
DDoS	Cloudflare in front of Vercel frontend; Fly.io DDoS protection on API
Dependency vulnerabilities	Dependabot PRs auto-raised weekly; npm audit in CI pipeline

© 2026 WealthWise

15 UI/UX Architecture

Screen Map

Screen	Key Content
Dashboard (Home)	KPI cards (current value, invested, XIRR), portfolio line chart, top funds by value
Investments	Sortable list of all investments; fund-level detail drawer with NAV chart
Add Investment	Fund search (typeahead), amount/frequency/date form, unit preview
Goals	Goal cards with progress ring, linked investments, projected completion
Analytics	Asset allocation donut, diversification score, CAGR vs benchmark table, tax summary
Profile / Settings	Tax slab, notification preferences, export data, PAN (hash-only display)

Component Architecture

- Shared UI layer: Button, Card, Modal, Chart, Badge, Spinner from shadcn/ui
- Feature components: PortfolioSummary, InvestmentRow, GoalProgressRing, NAVChart
- Page components compose feature components; data fetched via React Query hooks
- Mobile-first: all screens responsive from 375 px wide; bottom-tab nav on mobile

© 2026 WealthWise

16 Scaling Strategy

Scale	Users	Strategy
Phase 1	0 – 100k	Single Supabase project, single Fly.io region, Upstash Redis free tier; no special scaling needed
Phase 2	100k – 500k	Supabase read replicas for analytics queries; Fly.io auto-scale to 3 regions; Redis cluster; BullMQ workers scaled horizontally
Phase 3	500k – 1M+	Supabase partitioning on nav_history and transactions by date; CQRS pattern: write DB + read replica; CDN-cached NAV data; queue-based portfolio snapshot generation

Database Scaling Details

- nav_history table: partition by nav_date (monthly partitions) reduces index size by 95%
- transactions table: partition by transaction_date (quarterly) for users with large history
- Portfolio calculations for inactive users: skip daily snapshot to save compute
- Materialized views for admin analytics (refreshed hourly, not on every query)

© 2026 WealthWise

17 Future Features Roadmap

Feature	Description	Priority
AI Portfolio Advisor	GPT-4-based natural language portfolio Q&A ("Am I saving enough for retirement?")	High
Automated Rebalancing Alerts	Detect when portfolio drifts >5% from target allocation; suggest fund switches	High
Direct MF Transactions	Execute SIP start/stop and lump-sum via BSE StarMF integration	High
Mobile Apps	React Native (Expo) apps for iOS and Android	High
Tax Harvesting AI	Identify lots eligible for tax-loss harvesting before March 31	Medium
CAS Import	Parse CAMS/KFintech CAS PDF to auto-import portfolio	Medium
Brokerage Integration	Connect Zerodha / Groww via API to auto-sync transactions	Medium
ML Diversification Scoring	Train model on historical fund returns to surface concentration risk	Low
Multi-currency Portfolios	Track US ETFs / international funds alongside Indian MFs	Low

© 2026 WealthWise

A Appendix Glossary & References

Glossary

Term	Definition
SIP	Systematic Investment Plan fixed periodic investment into a mutual fund
NAV	Net Asset Value price per unit of a mutual fund, published daily by AMFI
XIRR	Extended Internal Rate of Return accounts for irregular cash flows and dates
CAGR	Compound Annual Growth Rate smoothed annual return assuming constant growth
AMFI	Association of Mutual Funds in India regulatory body that publishes daily NAVs
RLS	Row Level Security PostgreSQL feature that restricts row access per user
LTCG/STCG	Long/Short Term Capital Gains tax categories based on holding period

External References

- AMFI NAV API: https://www.amfiindia.com/spages/NAVAll.txt
- Supabase Docs: https://supabase.com/docs
- Next.js 14 Docs: https://nextjs.org/docs
- Fly.io Deployment: https://fly.io/docs
- SEBI Mutual Fund Regulations: https://www.sebi.gov.in

End of Document —