Problem Statement

You are given an array of strings names, and an array heights that consists of distinct positive integers. Both arrays are of length n.

For each index i, names[i] and heights[i] denote the name and height of the i^{th} person.

Return names *sorted in descending order by the people's heights*.

Program

```
import java.util.*;


class Solution {
   public String[] sortPeople(String[] names, int[] heights) {
      int n = names.length;


      // Create a list of pairs (name, height)
      List<Person> people = new ArrayList<>();
      for (int i = 0; i < n; i++) {
         people.add(new Person(names[i], heights[i]));
      }


      // Sort by height descending
      Collections.sort(people, (a, b) -> b.height - a.height);


      // Extract sorted names
      String[] result = new String[n];
      for (int i = 0; i < n; i++) {
         result[i] = people.get(i).name;
      }


      return result;
   }
}
```

```
// Helper class to store name and height
class Person {
   String name;
   int height;

   Person(String name, int height) {
      this.name = name;
      this.height = height;
   }
}

public class Main {
   public static void main(String[] args) {
      Solution sol = new Solution();

      String[] names1 = {"Mary", "John", "Emma"};
      int[] heights1 = {180, 165, 170};
      System.out.println(Arrays.toString(sol.sortPeople(names1, heights1)));
      // Output: ["Mary", "Emma", "John"]

      String[] names2 = {"Alice", "Bob", "Bob"};
      int[] heights2 = {155, 185, 150};
      System.out.println(Arrays.toString(sol.sortPeople(names2, heights2)));
      // Output: ["Bob", "Alice", "Bob"]
   }
}
```

Sample Output:

Input: names = ["Mary","John","Emma"], heights = [180,165,170]

Output: ["Mary","Emma","John"]

Input: names = ["Alice","Bob","Bob"], heights = [155,185,150]

Output: ["Bob","Alice","Bob"]