






hackerrank.com/challenges/string-similarity/problem
School
Congratulations!
You have passed the sample test cases. Click the submit button to run your code against all the test cases.
Sample Test case 0
Sample Test case 1
Input (stdin)
Download
2
ababaa
aa
Your Output (stdout)
11
3
Expected Output
Download
11
3



leetcode.com/problems/repeated-substring-pattern/submissions/2134683251/
School
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 133 / 133 testcases passed
vtu27632 submitted at Sep 08, 2026 11:04
Analysis
Solution
₹583.25/mo
Save over 86%
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
6 ms | Beats 99.31%
Memory
46.75 MB | Beats 67.93%
60%
40%
20%
0%
3ms
62ms
121ms
180ms
239ms
298ms
357ms
416ms
Code | Java
1 class Solution {
Code
Java
Auto
1 class Solution {
2 public boolean repeatedSubstringPattern(String s) {
3
4 int n = s.length();
5
6 // Try every possible substring length
7 for (int len = 1; len <= n / 2; len++) {
8
9 // Length must divide the string length
10 if (n % len != 0) {
11 continue;
Saved
Ln 1, Col 1
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Case 3
Input
s =
"abab"
Output
true
Expected



hackerrank.com/challenges/two-strings/problem
School
Congratulations
You solved this challenge. Would you like to challenge your friends?
Next Challenge
Test case 0
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Compiler Message
Success
Input (stdin)
Download
2
hello
world
hi
world
Expected Output
Download
YES



leetcode.com/problems/rotate-string/submissions/2134687829/
School
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 511 / 511 testcases passed
vtu27632 submitted at Sep 08, 2026 11:08
Analysis
Solution
₹583.25/mo
Save over 66%
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
1 ms | Beats 98.37%
Memory
43.54 MB | Beats 31.76%
75%
50%
25%
0%
1ms
2ms
3ms
4ms
Code | Java
Code
Java
Auto
if (s.length() != goal.length()) {
return false;
}
// A rotation of s will always be present in s + s
String doubled = s + s;
return doubled.contains(goal);
}
}
Saved
Ln 14, Col 2
Testcase | Test Result
Accepted Runtime: 0 ms
Case 1
Case 2
Input
s =
"m"
goal =
"f"
Output
https://leetcode.com/problems/lexicographically-smallest-generated-string



hackerrank.com/challenges/mars-exploration/problem
School
Congratulations
You solved this challenge. Would you like to challenge your friends?
Next Challenge
Test case 0
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Compiler Message
Success
Input (stdin)
Download
1 SOSSPSSQSSOR
Expected Output
Download
1 3


leetcode.com/problems/find-all-anagrams-in-a-string/submissions/2134691386/
School
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
Submit Ctrl Enter
All Submissions
Java
Auto
Accepted 65 / 65 testcases passed
vtu27632 submitted at Sep 08, 2026 11:11
Analysis
Solution
₹583.25/mo
Save over 58%
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
10 ms Beats 80.88%
Memory
46.64 MB Beats 83.02%
75%
50%
25%
0%
8ms
187ms
366ms
545ms
724ms
903ms
1082ms
1261ms
Code Java
1 import java.util.*;
40
41 // Check if window is an anagram
42 if (Arrays.equals(pCount, windowCount)) {
43 result.add(i - windowSize + 1);
44 }
45 }
46
47 return result;
48 }
49 }
Saved
Ln 49, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input
s =
"cbaebabacd"
p =
"abc"
Output


hackerrank.com/challenges/palindrome-index/problem
School
Congratulations
You solved this challenge. Would you like to challenge your friends?
Next Challenge
Test case 0
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Compiler Message
Success
Input (stdin)
Download
3
aaab
baa
aaa
Expected Output
Download
3
0


leetcode.com/problems/find-the-index-of-the-first-occurrence-in-a-string/submissions/2134695866/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 86 / 86 testcases passed
vtu27632 submitted at Sep 08, 2026 11:15
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
1 ms | Beats 49.78%
Memory
43.10 MB | Beats 51.60%
75%
50%
25%
0%
1ms
2ms
3ms
4ms
Code | Java
1 class Solution {
Code
Java
Auto
14 }
15
16 if (j == m) {
17 return i;
18 }
19 }
20
21 return -1;
22 }
23 }
Saved
Ln 23, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input
haystack =
"sadbutsad"
needle =
"sad"
Output


leetcode.com/problems/longest-palindromic-substring/submissions/2134698119/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 144 / 144 testcases passed
vtu27632 submitted at Sep 08, 2026 11:17
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
15 ms | Beats 59.98%
Memory
43.59 MB Beats 69.67%
75%
50%
25%
0%
16ms
335ms
653ms
972ms
1290ms
1609ms
1927ms
2246ms
Code | Java
1 class Solution {
Code
Java
Auto
right < s.length() &&
s.charAt(left) == s.charAt(right)) {
left--;
right++;
return right - left - 1;
Saved
Ln 42, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input
s =
"babad"
Output
"bab"
Expected


hackerrank.com/challenges/circular-palindromes/problem
School
Congratulations!
You have passed the sample test cases. Click the submit button to run your code against all the test cases.
Sample Test case 0
Sample Test case 1
Sample Test case 2
Input (stdin)
Download
13
aaaaabbbbaaaa
Your Output (stdout)
12
12
10
8
8
9
11