

Session-9:

1. Group Anagrams:

```
import java.util.*;

class Solution {
    public List<List<String>> groupAnagrams(String[] strs) {
        if (strs == null || strs.length == 0) {
            return new ArrayList<>();
        }

        Map<String, List<String>> map = new HashMap<>();


        for (String s : strs) {
            char[] chars = s.toCharArray();
            Arrays.sort(chars);
            String sortedKey = new String(chars);

            if (!map.containsKey(sortedKey)) {
                map.put(sortedKey, new ArrayList<>());
            }

            map.get(sortedKey).add(s);
        }

        return new ArrayList<>(map.values());
    }
}
```

Output:



2. Top K Frequent Elements:

```
import java.util.*;

class Solution {
    public int[] topKFrequent(int[] nums, int k) {
```

```
Map<Integer, Integer> countMap = new HashMap<>();
for (int num : nums) {
    countMap.put(num, countMap.getOrDefault(num, 0) + 1);
}
List<Integer>[] buckets = new List[nums.length + 1];
for (int key : countMap.keySet()) {
    int freq = countMap.get(key);
    if (buckets[freq] == null) {
        buckets[freq] = new ArrayList<>();
    }
    buckets[freq].add(key);
}
int[] result = new int[k];
int index = 0;
for (int i = buckets.length - 1; i >= 0 && index < k; i--) {
    if (buckets[i] != null) {
        for (int num : buckets[i]) {
            result[index++] = num;
            if (index == k) {
                break;
            }
        }
    }
}
return result;
}
```

Output:

DescriptionAccepted xEditorialSolutionsSubmissions

All Submissions

Accepted25 / 25 testcases passed
Rajeshsagala submitted at Sep 17, 2026 11:10



School's in. Leet's on.
Get LeetCode Annual Premium for \$99!

Runtime
11 msBeats 96.16%

Memory
47.26 MBBeats 95.69%



Code | Java

1 import java.util.*;

</> Code

JavaAuto

33 {
34 }

SavedLn 34, Col 2

TestcaseTest Result

AcceptedRuntime: 0 ms

Case 1Case 2Case 3

Input

nums =
[1,1,1,2,2,3]

k =
2

Output

[1,2]

Expected

[1,2]