


Session-4

1. Running Sum of 1D Array:

```
class Solution {
    public int[] runningSum(int[] nums) {
        int[] newArray=new int[nums.length];
        newArray[0]=nums[0];
        for (int i=1;i<nums.length;i++){
            newArray[i]=nums[i]+newArray[i-1];
        }
        return newArray;
    }
}
```

Output:



2. Richest Customer Wealth:

```
class Solution {
    public int maximumWealth(int[][] accounts) {
        int maxWealth = 0;

        for (int i = 0; i < accounts.length; i++) {
            int currentCustomerWealth = 0;
            for (int j = 0; j < accounts[i].length; j++) {
                currentCustomerWealth += accounts[i][j];
            }
            maxWealth = Math.max(maxWealth, currentCustomerWealth);
        }

        return maxWealth;
    }
}
```

Output:

All Submissions

Accepted 34 / 34 testcases passed

Rajeshgala submitted at Sep 17, 2026 10:12

Analysis

Solution



Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.



Runtime

1 ms Beats 14.81%

Memory

44.45 MB Beats 73.56%



Code | Java

```
1 class Solution {
```

Code

Java Auto

```
2 public int maximumWealth(int[][] accounts) {  
3     int maxWealth = 0;  
4 }
```

Saved

Ln 11, Col 10

Testcase Test Result

Accepted Runtime: 0 ms

Case 1

Case 2

Case 3

Input

accounts =
[[1,2,3],[3,2,1]]

Output

6

Expected

6

Contribute a testcase