

Session-11:

1. Java Date and Time:

```
import java.io.*;
import java.math.*;
import java.security.*;
import java.text.*;
import java.util.*;
import java.util.concurrent.*;
import java.util.function.*;
import java.util.regex.*;
import java.util.stream.*;
import static java.util.stream.Collectors.joining;
import static java.util.stream.Collectors.toList;
import java.time.LocalDate;
class Result {

    public static String findDay(int month, int day, int year) {
        LocalDate date = LocalDate.of(year, month, day);
        return date.getDayOfWeek().toString();
    }

}

public class Solution {
    public static void main(String[] args) throws IOException {
        BufferedReader bufferedReader = new BufferedReader(new
InputStreamReader(System.in));
        BufferedWriter bufferedWriter = new BufferedWriter(new
FileWriter(System.getenv("OUTPUT_PATH")));

        String[] firstMultipleInput =
bufferedReader.readLine().replaceAll("\\s+$", "").split(" ");

        int month = Integer.parseInt(firstMultipleInput[0]);

        int day = Integer.parseInt(firstMultipleInput[1]);

        int year = Integer.parseInt(firstMultipleInput[2]);

        String res = Result.findDay(month, day, year);

        bufferedWriter.write(res);
        bufferedWriter.newLine();

        bufferedReader.close();
        bufferedWriter.close();
    }
}
```

Output :

Congratulations

You solved this challenge. Would you like to challenge your friends? [Twitter](#) [LinkedIn](#)

[Next Challenge](#)

✓ Test case 0

✓ Test case 1

✓ Test case 2

✓ Test case 3

✓ Test case 4

✓ Test case 5

Compiler Message

Success

Input (stdin)

1 08 05 2015

Expected Output

1 WEDNESDAY

Download

Download

2. Number of Days Between Two Dates :

```
class Solution {
    public int daysBetweenDates(String date1, String date2) {
        return Math.abs(daysFrom1900(date1) - daysFrom1900(date2));
    }

    private int daysFrom1900(String date) {
        String[] parts = date.split("-");
        int year = Integer.parseInt(parts[0]);
        int month = Integer.parseInt(parts[1]);
        int day = Integer.parseInt(parts[2]);

        int days = 0;

        for (int y = 1900; y < year; y++) {
            days += isLeapYear(y) ? 366 : 365;
        }

        int[] daysInMonths = {0, 31, 28, 31, 30, 31, 30, 31, 31, 30, 31, 30, 31};
        for (int m = 1; m < month; m++) {
            days += daysInMonths[m];
            if (m == 2 && isLeapYear(year)) {
                days += 1;
            }
        }

        days += day;
        return days;
    }

    private boolean isLeapYear(int year) {
        return (year % 4 == 0 && year % 100 != 0) || (year % 400 == 0);
    }
}
```

Output:

All Submissions

Accepted 105 / 105 testcases passed

P718n5jVW submitted at Sep 17, 2026 11:32

AnalysisSolution

₹583.25/mo

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

2 ms | Beats: 64.92%

Memory

42.94 MB | Beats: 71.04%



Code: Java

1 class Solution {

Java

Auto

1 class Solution {

2 public int daysBetweenDates(String date1, String date2) {

3 return Math.abs(daysFrom1900(date1) - daysFrom1900(date2));

4 }

Saved

Ln 7, Col 42

Testcase

Test Result

Accepted Runtime: 0 ms

Case 1 Case 2

Input

date1 =

"2019-06-29"

date2 =

"2019-06-30"

Output

1

Expected

1