


Microservices

2. Microservices with API gateway

Creating Microservices for account and loan

account:



The screenshot shows an IDE with the following content:

```
1 package com.cognizant.account;
2
3 import ...
4
5 @SpringBootApplication
6
7 public class AccountApplication {
8
9     public static void main(String[] args) { SpringApplication.run(AccountApplication.class, args); }
10
11 }
```

The Run console shows the following logs:


```
2026-07-25T21:14:14.518+05:30 INFO 25428 --- [account] [ restartedMain] c.cognizant.account.AccountApplication : Starting AccountApplication using Java 25.0.3 with PID 25428
2026-07-25T21:14:14.520+05:30 INFO 25428 --- [account] [ restartedMain] c.cognizant.account.AccountApplication : No active profile set, falling back to 1 default profile: '
2026-07-25T21:14:14.564+05:30 INFO 25428 --- [account] [ restartedMain] .e.DevToolsPropertyDefaultsPostProcessor : Devtools property defaults active! Set 'spring.devtools.ad
2026-07-25T21:14:14.564+05:30 INFO 25428 --- [account] [ restartedMain] .e.DevToolsPropertyDefaultsPostProcessor : For additional web related logging consider setting the 'l
2026-07-25T21:14:15.410+05:30 INFO 25428 --- [account] [ restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat initialized with port 8080 (http)
2026-07-25T21:14:15.423+05:30 INFO 25428 --- [account] [ restartedMain] o.apache.catalina.core.StandardService : Starting service [Tomcat]
2026-07-25T21:14:15.423+05:30 INFO 25428 --- [account] [ restartedMain] o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/11.0.22]
2026-07-25T21:14:15.461+05:30 INFO 25428 --- [account] [ restartedMain] b.w.c.s.WebApplicationContextInitializer : Root WebApplicationContext: initialization completed in 89
2026-07-25T21:14:15.854+05:30 INFO 25428 --- [account] [ restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat started on port 8080 (http) with context path '/'
2026-07-25T21:14:15.861+05:30 INFO 25428 --- [account] [ restartedMain] c.cognizant.account.AccountApplication : Started AccountApplication in 1.72 seconds (process running
2026-07-25T21:14:21.134+05:30 INFO 25428 --- [account] [nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring DispatcherServlet 'dispatcherServlet'
2026-07-25T21:14:21.135+05:30 INFO 25428 --- [account] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Initializing Servlet 'dispatcherServlet'
2026-07-25T21:14:21.137+05:30 INFO 25428 --- [account] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Completed initialization in 2 ms
```

localhost:8080/accounts/00987987973432

Pretty-print ☐

```
{"number":"00987987973432","balance":234343,"type":"savings"}
```

Loan:



The screenshot displays an IDE interface with the following components:

- Project Explorer:** Shows the project structure with folders for `com.cognizant.loan`, `controller`, `resources`, `static`, `templates`, `application.properties`, `test`, `target`, `.gitattributes`, and `.gitignore`.
- Code Editor:** Displays the `LoanApplication.java` file with the following code:

```
1 package com.cognizant.loan;
2
3 > import ...
4
5
6 @SpringBootApplication
7 public class LoanApplication {
8
9     public static void main(String[] args) { SpringApplication.run(LoanApplication.class, args); }
10
11 }
12
13
14
```
- Run Console:** Shows the execution logs for `LoanApplication`. The logs indicate that the application is starting using Java 25.0.3 with PID 26732. It also shows the initialization of the Spring DispatcherServlet and the completion of the application in 8 ms.
- Browser:** The address bar shows `localhost:8081/loans/H00987987972342`. The page content displays a JSON response:

```
{ "emi": 3258, "number": "H00987987972342", "loan": 400000, "type": "car", "tenure": 18 }
```