
# Compare Centerline - mocha3.0.4


| | |
|---|---|
| Status | Done |
| Type | |

0 UI Layout Overview
1 Basic Workflow (Visualization Only)
2 Metrics — Key Modes

## ▼ 0 UI Layout Overview




## ▼ 1 Basic Workflow (Visualization Only)




1. **Browse Source / Reviewer** → select `.swc` or `.yaml`
2. Click **Load**
3. Click **Compare**
4. Inspect **Source / Reviewer / Difference** panels

# ▼ 1.1 Interaction Logic

- Selecting a vessel (artery/segment) in **any panel**
  → the **same vessel is highlighted across all panels**
- Enable **Sync camera** for linked navigation

# ▼ 1.2 Two-Layer Coloring Logic (Difference Panel)

## ▼ 1.2.1 Layer 1 — Difference categories

- Matched
- Unmatched Label
- Unmatched Source
- Unmatched Reviewer

After **Compare**:

- Coloring follows **Layer 1 only**

### ▼ 1.2.2 Layer 2 — Vessel type filtering (legend)

- When you toggle vessel checkboxes:
  - Selected vessels → **full brightness**
  - Unselected vessels → **dimmed**
  - Colors switch to **vessel-type colors on the same segments**

### ▼ 1.2.3 Priority rule


- Changing **Layer 1 (Difference options)**
  → restores **category-only coloring**
- Changing **Layer 2 (vessel legend)**
  → overlays vessel coloring on current segments


👉 **"Diff: unmatched only" is part of Layer 1**

---

# ▼ 2 Metrics — Key Modes

💡 **Volume is only computed if radius exists in the data (e.g., YAML/SWC).**
**If no radius is available → volume will NOT be computed.**




# ▼ 2.1 Mode 1: Loaded Graph (Default)

- Uses radii from:
  - SWC / YAML / viewer defaults

- No mask needed
- Faster and simpler

**Workflow**

1. Load (→ Compare if using Difference)
2. Keep:

```
Metrics mode = Loaded graph
```

3. (Optional) Set **Spacing (mm)** or load XML
4. Select vessel (In each panel)
    - Option A: **3D selection**
        - Click a segment in 3D
        - Then click **Compute**
    - Option B: **Vessel dropdown**
        - Select a vessel label
        - Then click **Compute**
5. Click **Compute**

## ▼ 2.2 Mode 2: TIF Mask

- Radii are **recomputed from segmentation mask**
- More accurate but requires extra input

**Workflow**

1. Load (→ Compare if using Difference)
2. Set:

```
Metrics mode = TIF mask
```

3. Select **Mask TIF** (`.whole.tif`)
4. Set spacing (same as above)

5. Configure **TIF keypoint** if needed
6. Select vessel → **Compute**