Angular 2+

Workshop. Forms.

Contents

Task 01. Template-Driven Form

1. Create file **app/models/user.model.ts.** Run the following command from a command line:

   > **ng g cl models/user --type model**

2. Replace the content of the file with the following content:

```
export class UserModel {

    constructor(public firstName = '',
        public lastName = '',
        public email = '',
        public sendProducts = false,
        public addressType = 'home',
        public street1?: string,
        public street2?: string,
        public country = '',
        public city?: string,
        public zip?: string) { }
}
```

3. Make changes to **SignupFormComponent.** Use the following snippet of code:

```
import { Component, OnInit } from '@angular/core';
import { NgForm } from '@angular/forms';
import { UserModel } from './../../models/user.model';
```

4. Add properties:

```
countries: Array<string> = ['Ukraine', 'Armenia', 'Belarus', 'Hungary', 'Kazakhstan',
'Poland', 'Russia'];
user: UserModel = new UserModel();
```

5. Add method:

```
onSave(signupForm: NgForm) {
    // Form model
    console.log(signupForm.form);
    // Form value
    console.log(`Saved: ${JSON.stringify(signupForm.value)}`);
}
```

6. Make changes to **SignupFormComponent template**. Use the following snippet of HTML:

```
// 1
<form class="form-horizontal"
      #signupForm="ngForm"
      (ngSubmit)="onSave(signupForm)">


// 2
<div class="form-group"
     [class.has-error]="(firstNameVar.touched || firstNameVar.dirty) &&
firstNameVar.invalid">


<input class="form-control"
       id="firstNameId"
       type="text"
```

```
       placeholder="First Name (required)"
       required
       minlength="3"
       [(ngModel)]= "user.firstName"
       name="firstName"
       #firstNameVar="ngModel" />
<span class="help-block" *ngIf="(firstNameVar.touched || firstNameVar.dirty) &&
firstNameVar.errors">
      <span *ngIf="firstNameVar.hasError('required')">
            Please enter your first name.
      </span>
      <span *ngIf="firstNameVar.hasError('minlength')">
            The first name must be longer than 3 characters.
      </span>
</span>


// 3
<div class="form-group"
     [ngClass]="{'has-error': (lastNameVar.touched || lastNameVar.dirty) &&
lastNameVar.invalid }">


<input class="form-control"
       id="lastNameId"
       type="text"
       placeholder="Last Name (required)"
       required
       maxlength="50"
       [(ngModel)]="user.lastName"
       name="lastName"
       #lastNameVar="ngModel" />
<span class="help-block" *ngIf="(lastNameVar.touched || lastNameVar.dirty) &&
lastNameVar.errors">
      <span *ngIf="lastNameVar.hasError('required')">
            Please enter your last name.
      </span>
</span>


// 4
<div class="form-group"
     [ngClass]="{'has-error': (emailVar.touched || emailVar.dirty) && emailVar.invalid
}">


<input class="form-control"
       id="emailId"
       type="email"
       placeholder="Email (required)"
       required
       pattern="[a-z0-9._%+-]+@[a-z0-9.-]+"
       [(ngModel)]="user.email"
       name="email"
       #emailVar="ngModel" />
<span class="help-block" *ngIf="(emailVar.touched || emailVar.dirty) &&
emailVar.errors">
       <span *ngIf="emailVar.hasError('required')">
```

```
            Please enter your email address.
        </span>
        <span *ngIf="emailVar.hasError('pattern')">
            Please enter a valid email address.
        </span>
</span>


// 5
<input id="sendProductsId"
       type="checkbox"
       [(ngModel)]="user.sendProducts"
       name="sendProducts" >


// 6
<div *ngIf="user.sendProducts">
     <div class="form-group" >
          <label class="col-md-2 control-label">Address Type</label>


// 7
<input type="radio" id="addressType1Id" value="home"
       [(ngModel)]="user.addressType"
       name="addressType">Home

<input type="radio" id="addressType2Id" value="work"
       [(ngModel)]="user.addressType"
       name="addressType">Work

<input type="radio" id="addressType3Id" value="other"
       [(ngModel)]="user.addressType"
       name="addressType">Other


// 8
<select class="form-control"
        id="countryId"
        [(ngModel)]="user.country"
        name="country">
            <option value="">Select a Country...</option>
            <option *ngFor="let country of countries"
                    [value]="country">{{country}}</option>
</select>


// 9
<input type="text"
       class="form-control"
       id="cityId"
       placeholder="City"
       [(ngModel)]="user.city"
       name="city">

<input type="number"
       class="form-control"
       id="zipId"
       placeholder="Zip Code"
```

```
        [(ngModel)]="user.zip"
        name="zip">

<input type="text"
        class="form-control"
        id="street1Id"
        placeholder="Street address"
        [(ngModel)]="user.street1"
        name="street1">

<input type="text"
        class="form-control"
        id="street2Id"
        placeholder="Street address (second line)"
        [(ngModel)]="user.street2"
        name="street2">


// 10
<button class="btn btn-primary"
         type="submit"
         [disabled]="!signupForm.valid">
         Save
</button>
```

7. Add the following snippet of code at the end of template

```
<br>Dirty: {{ signupForm.dirty }}
<br>Touched: {{ signupForm.touched }}
<br>Valid: {{ signupForm.valid }}
<br>Value: {{ signupForm.value | json }}
```

8. Make changes to the file **signup-form.component.css.** Use the following snippet of code:

```
input.ng-valid.ng-touched{
  background: lightgreen;
}
```

Task 02. ReactiveComponent Class

1. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
import { FormGroup, FormControl } from '@angular/forms';
import { UserModel } from './../../models/user.model';

countries: Array<string> = ['Ukraine', 'Armenia', 'Belarus', 'Hungary', 'Kazakhstan',
'Poland', 'Russia'];
// data model
user: UserModel = new UserModel();

// form model
userForm = new FormGroup({
    firstName: new FormControl(''),
    lastName: new FormControl(''),
    email: new FormControl(''),
    sendProducts: new FormControl(true)
});


onSave(): void {
    // Form model
    console.log(this.userForm);
    // Form value w/o disabled controls
    console.log(`Saved: ${JSON.stringify(this.userForm.value)}`);
    // Form value w/ disabled controls
    console.log(`Saved: ${JSON.stringify(this.userForm.getRawValue())}`);
}
```

2. Make changes to **SignupReactiveFormComponent Template.** Use the following snippet of html:

```
<select class="form-control"
   id="countryId">
   <option value="">Select a Country...</option>
   <option *ngFor="let country of countries"
           value="{{country}}">{{country}}
   </option>
</select>
```

Task 03. formGroup, formControlName directives

1. Make changes to **SignupReactiveFormComponent template**. Use the following snippet of HTML:

```
<form class="form-horizontal"
      (ngSubmit)="onSave()"
      [formGroup]="userForm">


<button class="btn btn-primary"
        type="submit"
        [disabled]="!userForm.valid">
        Save
</button>


<br>Dirty: {{ userForm.dirty }}
<br>Touched: {{ userForm.touched }}
<br>Valid: {{ userForm.valid }}
<br>Value: {{ userForm.value | json }}
<br>Form Status: {{userForm.status }}


<input class="form-control"
       id="firstNameId"
       type="text"
       placeholder="First Name (required)"
       required
       minlength="3"
       formControlName="firstName"/>


<input class="form-control"
       id="lastNameId"
       type="text"
       placeholder="Last Name (required)"
       required
       maxlength="50"
       formControlName="lastName"/>

<input class="form-control"
       id="emailId"
       type="email"
       placeholder="Email (required)"
       required
       pattern="[a-z0-9._%+-]+@[a-z0-9.-]+"
       formControlName="email" />


<label>
      <input id="sendProductsId"
      type="checkbox"
            formControlName="sendProducts" />
            Send me your products
</label>
```

2. Comment template from

```
<div>
     <div class="form-group" >
          <label class="col-md-2 control-label">Address Type</label>
```

to the closed tag

3. Make changes to the following import

```
import { FormGroup, FormControl, AbstractControl } from '@angular/forms';
```

4. Add getters to the class of **SignupReactiveFormComponent**

```
  get firstName(): AbstractControl {
    return this.userForm.get('firstName')!;
  }

  get lastName(): AbstractControl {
    return this.userForm.get('lastName')!;
  }

  get email(): AbstractControl {
    return this.userForm.get('email')!;
  }
```

5. Add attribute [ngClass] for div with class “form-group”

For firstName

```
[ngClass]="{'has-error': (firstName.touched || firstName.dirty) && !firstName.valid }"
```

For lastName

```
[ngClass]="{'has-error': (lastName.touched || lastName.dirty) && !lastName.valid }"
```

For email

```
[ngClass]="{'has-error': (email.touched || email.dirty) && email.invalid }"
```

6. Add span block after each input – block for displaying validation error messages

For firstName

```
<span class="help-block" *ngIf="(firstName.touched || firstName.dirty) &&
firstName.errors">
    <span *ngIf="firstName.hasError('required')">
          Please enter your first name.
    </span>
    <span *ngIf="firstName.hasError('minlength')">
          The first name must be longer than 3 characters.
    </span>
</span>
```

For lastName

```
<span class="help-block" *ngIf="(lastName.touched || lastName.dirty) &&
lastName.errors">
    <span *ngIf="lastName.hasError('required')">
          Please enter your last name.
    </span>
```

```
</span>
```

For email

```
<span class="help-block" *ngIf="(email.touched || email.dirty) && email.errors">
      <span *ngIf="email.hasError('required')">
            Please enter your email address.
      </span>
      <span *ngIf="email.hasError('pattern')">
            Please enter a valid email address.
      </span>
      <span *ngIf="email.hasError('email')">
            Please enter a valid email address.
      </span>
</span>
```

Task 04. setValue(), patchValue()

1. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
// 1
user: UserModel = new UserModel(
    'Vitaliy',
    'Zhyrytskyy',
    'v.zhiritskiy@gmail.com',
    false
  );

// 2
private setFormValues(): void {
    this.userForm.setValue({
      firstName: this.user.firstName,
      lastName: this.user.lastName,
      email: this.user.email,
      sendProducts: this.user.sendProducts
    });
}

// 3
private patchFormValues(): void {
    this.userForm.patchValue({
      firstName: this.user.firstName,
      lastName: this.user.lastName
    });
}

// 4
ngOnInit(): void {
    this.setFormValues();
    // this.patchFormValues();
}
```

2. Look at the result. Comment method **this.setFormValues();** in ngOnInit() and uncomment method **this.patchFormValues();** Look at the result.

Task 05. FormBuilder

1. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
import { AbstractControl, FormBuilder, NonNullableFormBuilder, FormGroup, FormControl }
from '@angular/forms';


// form model
// userForm = new FormGroup({
//   firstName: new FormControl(''),
//   lastName: new FormControl(''),
//   email: new FormControl(''),
//   sendProducts: new FormControl(true)
// });

  userForm = this.fb.group({
    firstName: '',
    lastName: { value: 'Zhyrytskyy', disabled: true },
    email: [''],
    sendProducts: true
  });

constructor(
    private fb: FormBuilder
) { }

ngOnInit(): void {
    this.setFormValues();
    this.patchFormValues();
}

onReset(): void {
  this.userForm.reset();
}
```

2. Make changes to **SignupReactiveFormComponent template**. Use the following snippet of HTML:

```
<button class="btn btn-primary"
        type="submit"
        [disabled]="!userForm.valid">
        Save
</button>
<button class="btn btn-primary"
        type="button"
        (click)="onReset()">
        Reset
</button>
```

3. Look at the result. Click “Reset” button. Replace `this.fb.group` with `this.fb.nonNullable.group`. Click “Reset” button. Loot at the result.
4. Replace `this.fb.nonNullable.group` with `this.fb.group`. Replace FormBuilder with NonNullableFormBuilder Click “Reset” button. Look at the result.

Task 06. Setting Built-in Validators

1. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
// 1
import { AbstractControl, FormBuilder, NonNullableFormBuilder, FormGroup, FormControl,
Validators } from '@angular/forms';
```

```
// 2
    userForm = this.fb.group({
      firstName: '',
      firstName: ['', [Validators.required, Validators.minLength(3)]],
      lastName: {value: 'Zhyrytskyy', disabled: true},
      email: [''],
      sendProducts: true
    });
  }
```

2. Make changes to **SignupReactiveFormComponent template.** Use the following snippet of HTML:

```
<input class="form-control"
       id="firstNameId"
       type="text"
       placeholder="First Name (required)"
       required
       minlength="3"
       formControlName="firstName"/>
```

3. Check the validation for the field First Name
4. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
    userForm = this.fb.group({
      firstName: ['', [Validators.required, Validators.minLength(3)]],
      lastName: {value: 'Zhyrytskyy', disabled: true},
      lastName: [
        { value: 'Zhyrytskyy', disabled: false },
        [Validators.required, Validators.maxLength(50)]
      ],
      email: [''],
      email: [
        '',
        [Validators.required, Validators.pattern('[a-z0-9._%+-]+@[a-z0-9.-]+'),
Validators.email]
      ],
      sendProducts: true
    });
```

5. Make changes to **SignupReactiveFormComponent template.** Use the following snippet of HTML:

```
<input class="form-control"
       id="lastNameId"
       type="text"
       placeholder="Last Name (required)"
       required
       maxlength="50"
       formControlName="lastName"/>
```

```
<input class="form-control"
       id="emailId"
       type="email"
       placeholder="Email (required)"
       required
       pattern="[a-z0-9._%+-]+@[a-z0-9.-]+"
       formControlName="email" />
```

6. Check the validation of the fields: FirtsName, LastName, Email

Task 07. Adjusting Validation Rules in Runtime

1. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
// 1
placeholder = {
    email: 'Email (required)',
    phone: 'Phone'
};

// 2
userForm = this.fb.group({
      firstName: ['', [Validators.required, Validators.minLength(3)]],
      lastName: [
        { value: 'Zhyrytskyy', disabled: false },
        [Validators.required, Validators.maxLength(50)]
      ],
      email: [
        '',
        [Validators.required, Validators.pattern('[a-z0-9._%+-]+@[a-z0-9.-]+')]
      ],
      phone: '',
      notification: 'email',
      sendProducts: true
    });


// 3
get phone(): AbstractControl {
    return this.userForm.get('phone')!;
}

// 4
// private setFormValues(): void {
//   this.userForm.setValue({
//     firstName: this.user.firstName,
//     lastName: { value: this.user.lastName, disabled: false },
//     email: this.user.email,
//     sendProducts: this.user.sendProducts
//   });
// }
```

2. Make changes for the Email input in **SignupReactiveFormComponent templete.** Add the following snippet of HTML **after the field email**

```
<input class="form-control"
       id="emailId"
       type="email"
       placeholder="Email (required)"
       placeholder={{placeholder.email}}
       formControlName="email" />
```

3. Make changes to **SignupReactiveFormComponent templete.** Add the following snippet of HTML **after the field email**

```
<div class="form-group"
```

```
                    [ngClass]="{'has-error': (phone.touched || phone.dirty) &&
phone.invalid }">
                    <label class="col-md-2 control-label"
                        for="phoneId">Phone</label>

                    <div class="col-md-8">
                        <input class="form-control"
                               id="phoneId"
                               type="tel"
                               placeholder={{placeholder.phone}}
                               formControlName="phone" />
                        <span class="help-block" *ngIf="(phone.touched || phone.dirty)
&& phone.errors">
                            <span *ngIf="phone.hasError('required')">
                                Please enter your phone number.
                            </span>
                        </span>
                    </div>
                </div>

                 <div class="form-group">
                   <label class="col-md-2 control-label">Send Notifications</label>
                    <div class="col-md-8">
                       <label class="radio-inline">
                        <input type="radio"
                               value="email"
                               formControlName="notification">Email
                       </label>
                       <label class="radio-inline">
                        <input type="radio"
                               value="text"
                               formControlName="notification">Text
                       </label>
                    </div>
                 </div>
```

4. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
onSetNotification(notifyVia: string): void {
    const phoneControl = this.phone;
    const emailControl = this.email;

    if (notifyVia === 'text') {
      phoneControl.setValidators(Validators.required);
      emailControl.clearValidators();
      this.placeholder.email = 'Email';
      this.placeholder.phone = 'Phone (required)';
    }
    else {
      emailControl.setValidators( [
             Validators.required,
             Validators.pattern('[a-z0-9._%+-]+@[a-z0-9.-]+'),
             Validators.email
      ]);
      phoneControl.clearValidators();
      this.placeholder.email = 'Email (required)';
      this.placeholder.phone = 'Phone';
```

```
    }
    phoneControl.updateValueAndValidity();
    emailControl.updateValueAndValidity();
 }
```

5. Make changes to **SignupReactiveFormComponent template.** Use the following snippet of HTML:

```
<label class="radio-online">
       <input type="radio"
              value="email"
               formControlName="notification"
              (click)="onSetNotification('email')">Email
</label>
<label class="radio-online">
       <input type="radio"
               value="text"
               formControlName="notification"
               (click)="onSetNotification('text')">Text
</label>
```

Task 08. Custom Validator

1. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
// 1
userForm = this.fb.group({
      firstName: ['', [Validators.required, Validators.minLength(3)]],
      lastName: [
        { value: 'Zhyrytskyy', disabled: false },
        [Validators.required, Validators.maxLength(50)]
      ],
      email: [
        '',
        [Validators.required, Validators.pattern('[a-z0-9._%+-]+@[a-z0-9.-]+')],
Validators.email
      ],
      phone: '',
      notification: 'email',
      serviceLevel: '',
      sendProducts: true
    });
  }

// 2
get serviceLevel(): AbstractControl {
    return this.userForm.get('serviceLevel')!;
}
```

2. Make changes to **SignupReactiveFormComponent template.** Add the following snippet of HTML after the block div for the element «Send Notifications»:

```
<div class="form-group"
                    [ngClass]="{'has-error': (serviceLevel.touched ||
serviceLevel.dirty) && !serviceLevel.valid }">
                    <label class="col-md-2 control-label"
                        for="serviceLevelId">Service Level</label>

                    <div class="col-md-8">
                        <input class="form-control"
                               id="serviceLevelId"
                               type="number"
                               formControlName="serviceLevel" />
                        <span class="help-block" *ngIf="(serviceLevel.touched ||
serviceLevel.dirty) && serviceLevel.errors">
                            <span *ngIf="serviceLevel.hasError('serviceLevel')">
                                Please enter correct number from 1 to 5.
                            </span>
                        </span>
                    </div>
                </div>
```

3. Create file **app/validators/custom.validators.ts.** Use the following snippet of code:

```
import { AbstractControl, ValidationErrors } from '@angular/forms';

export class CustomValidators {
```

```
  static serviceLevel({ value }: AbstractControl): ValidationErrors | null {
    if (value !== undefined && (Number.isNaN(value) || value < 1 || value > 5)) {
      return {
        serviceLevel: true
      };
    }
    return null;
  }
}
```

4. Create file **app/validators/index.ts.** Use the following snippet of code:

```
export * from './custom.validators';
```

5. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
// 1
import { CustomValidators } from './../../validators';

// 2
phone: '',
notification: 'email',
serviceLevel: '',
serviceLevel: ['', CustomValidators.serviceLevel],
sendProducts: true
```

Task 09 Handle Validators Run Moment

1. Make changes to the file **app/validators/custom.validators.ts.** Use the following snippet of code:

```
static serviceLevel({ value }: AbstractControl): ValidationErrors | null {
    console.log('Validator: serviceLevel is called');
    if (value !== undefined && (Number.isNaN(value) || value < 1 || value > 5)) {
      return {
        serviceLevel: true
      };
    }
    return null;
  }
```

2. Look at the console. You can see that validator runs very often.
3. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
// 1
userForm = new FormGroup({
      firstName: new FormControl(''),
      firstName: new FormControl('', {
        validators: [Validators.required, Validators.minLength(3)],
        updateOn: 'blur',
        nonNullable: true
      }),
      lastName: new FormControl(''),
      email: new FormControl(''),
      phone: new FormControl(''),
      notification: new FormControl('email'),
      serviceLevel: new FormControl('', {
        validators: [CustomValidators.serviceLevel],
        updateOn: 'blur'
      }),
      sendProducts: new FormControl(true)
    });
```

4. Look at the console. You can see that validator runs more rarely. Comment property userForm.
5. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
// 1
userForm = this.fb.group({
      // firstName: ['', [Validators.required, Validators.minLength(3)]],
      firstName: this.fb.control('', {
        validators: [Validators.required, Validators.minLength(3)],
        updateOn: 'blur'
      }),
      lastName: [
        { value: 'Zhyrytskyy', disabled: false },
        [Validators.required, Validators.maxLength(50)]
      ],
      email: [
        '',
        [Validators.required, Validators.pattern('[a-z0-9._%+-]+@[a-z0-9.-]+'),
Validators.email]
      ],
```

```
    phone: '',
    notification: 'email',
    serviceLevel: ['', CustomValidators.serviceLevel],
    sendProducts: true
  });
}
```

6. Look at the console. How often does validator run?

Task 10. Custom Validator w/ Parameters

1. Make changes to the file **custom.validators.ts.** Use the following snippet of code:

```
// 1
import { AbstractControl, ValidationErrors, ValidatorFn } from '@angular/forms';


// 2
static serviceLevelRange(min: number, max: number): ValidatorFn {
    return ({ value }: AbstractControl): ValidationErrors | null => {
      if (value !== undefined && (Number.isNaN(value) || value < min || value > max)) {
        return {
          serviceLevel: true
        };
      }
      return null;
    }
  }
```

2. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
// 1. add properties
rMin = 1;
rMax = 3;

// 2
serviceLevel: ['', CustomValidators.serviceLevel],
serviceLevel: ['', CustomValidators.serviceLevelRange(this.rMin, this.rMax)],
```

3. Make changes to **SignupReactiveFormComponent template.** Use the following snippet of HTML:

```
Please enter correct number from 1 to 5.
Please enter correct number from {{rMin}} to {{rMax}}.
```

Task 11. Custom Validator Directive

1. Make changes to file **custom.validators.ts.** Use the following snippet of code:

```
// 1
export function checkServiceLevel(
  value: number,
  min: number = 1,
  max: number = 5
): ValidationErrors | null {
  if (
    value !== undefined &&
    (Number.isNaN(value) || value < min || value > max)
  ) {
    return {
      serviceLevel: true
    };
  }
  return null;
}

// 2
static serviceLevel({ value }: AbstractControl): ValidationErrors | null {
    console.log('Validator: serviceLevel is called');
     if (
       value !== undefined &&
       (Number.isNaN(value) || value < 1 || value > 5)
     ) {
       return {
         serviceLevel: true
       };
     }
     return null;
    return checkServiceLevel(value);
}

// 3
static serviceLevelRange(min: number, max: number): ValidatorFn {
    return ({ value }: AbstractControl): ValidationErrors | null => {
      if (value !== undefined && (Number.isNaN(value) || value < min || value > max)) {
        return {
          'serviceLevel': true
        };
      }
      return null;
      return checkServiceLevel(value, min, max);
    };
  }
```

2. Create **ServiceLevelDirective**. Run the following command from the command line:

```
ng g d validators/service-level --skip-tests true
```

3. Replace the content of **ServiceLevelDirective**. Use the following snippet of code:

```
import { Directive } from '@angular/core';
import { Validator, AbstractControl, ValidationErrors, NG_VALIDATORS } from
'@angular/forms';
```

```
import { checkServiceLevel } from './custom.validators';

@Directive({
  standalone: true,
  selector: '[appServiceLevelValidator]',
  providers: [{
      provide: NG_VALIDATORS,
      useExisting: ServiceLevelDirective,
      multi: true
  }]
})
export class ServiceLevelDirective implements Validator {

  validate(c: AbstractControl): ValidationErrors | null {
    return checkServiceLevel(c.value, 1, 3);
  }
}
```

4. Make changes to file **app/validators/index.ts.** Use the following snippet of code:

```
export * from './custom.validators';
export * from './service-level.directive';
```

5. Make changes to file **app/app.module.ts**. Use the following snippet of code:

```
// 1
import { ServiceLevelDirective } from './validators';

// 2
  imports: [
    BrowserModule,
    FormsModule,
    ReactiveFormsModule,
    AppRoutingModule,
    ServiceLevelDirective
  ],
```

6. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
serviceLevel: ['', CustomValidators.serviceLevelRange(this.rMin, this.rMax)],
serviceLevel: [''],
```

7. Make changes to **SignupReactiveFormComponent template.** Use the following snippet of HTML:

```
<input class="form-control"
       id="serviceLevelId"
       type="number"
       formControlName="serviceLevel"
       appServiceLevelValidator />
```

Task 12. Custom Validator Directive w/ Parameters

1. Make changes to **ServiceLevelDirective.** Use the following snippet of code:

```
// 1
import { Directive, Input } from '@angular/core';


// 2
export class ServiceLevelDirective implements Validator {
  @Input() rMin = 1;
  @Input() rMax = 3;

  validate(c: AbstractControl): ValidationErrors | null {
    return checkServiceLevel(c.value, 1this.rMin, 3this.rMax);
  }
}
```

2. Make changes to **SignupReactiveFormComponent template.** Use the following snippet of HTML:

```
<input class="form-control"
       id="serviceLevelId"
       type="number"
       formControlName="serviceLevel"
       appServiceLevelValidator [rMin]="rMin" [rMax]="rMax" />
```

3. Make changes to SignupReactiveFormComponent class. Use the following snippet of code:

```
rMax = 34;
```

Task 13. Async Custom Validator

1. Make changes to **custom.validators.ts.** Use the following snippet of code:

```
// 1
// rxjs
import { Observable } from 'rxjs';

// 2
static asyncEmailPromiseValidator(
    c: AbstractControl
  ):
    Promise<ValidationErrors | null> | Observable<ValidationErrors | null> {
    const email = c.value;

    return new Promise(resolve => {
      setTimeout(() => {
        if (email === 'existsemail@example.com') {
          resolve({
            asyncEmailInvalid: true
          });
        } else {
          resolve(null);
        }
      }, 2000);
    });
  }
```

2. Make changes to **SignupReactiveFormComponent** Use the following snippet of code:

```
// 1
email: [
        '',
        [
          Validators.required,
          Validators.pattern('[a-z0-9._%+-]+@[a-z0-9.-]+'),
          Validators.email
        ],
        [CustomValidators.asyncEmailPromiseValidator]
],

// 2 onSetNotification
emailControl.clearValidators();
emailControl.clearAsyncValidators();

// 3 onSetNotification
emailControl.setValidators([
        Validators.required,
        Validators.pattern('[a-z0-9._%+-]+@[a-z0-9.-]+'),
        Validators.email
]);
emailControl.setAsyncValidators(
        CustomValidators.asyncEmailPromiseValidator
);
```

3. Make changes to **SignupReactiveFormComponent Template** Use the following snippet of HTML:

```
<span class="help-block" *ngIf="(email.touched || email.dirty) && email.errors">
      <span *ngIf="email.hasError('required')">
            Please enter your email address.
      </span>
      <span *ngIf="email.hasError('pattern')">
            Please enter a valid email address.
      </span>
      <span *ngIf="email.hasError('email')">
            Please enter a valid email address.
      </span>
      <span *ngIf="email.hasError('asyncEmailInvalid')">
            This email already exists. Please enter other email address.
      </span>
</span>
```

Task 14. Async Custom Validator Directive

1. Create **AsyncEmailValidatorDirective.** Run the following command from the command line:

```
ng g d validators/async-email-validator --skip-tests true
```

2. Replace the content of **AsyncEmailValidatorDirective**. Use the following snippet of code:

```
import { Directive } from '@angular/core';
import { NG_ASYNC_VALIDATORS, Validator, AbstractControl, ValidationErrors } from
'@angular/forms';

import { Observable, debounceTime, distinctUntilChanged, first } from 'rxjs';
import { CustomValidators } from './custom.validators';

@Directive({
  standalone: true,
  selector: '[appAsyncEmailValidator][formControlName],
[appAsyncEmailValidator][ngModel]',
  providers: [
    {
      provide: NG_ASYNC_VALIDATORS,
      useExisting: AsyncEmailValidatorDirective,
      multi: true
    }
  ]
})
export class AsyncEmailValidatorDirective implements Validator {
  validate(c: AbstractControl): Promise<ValidationErrors | null> |
Observable<ValidationErrors | null> {
     return CustomValidators.asyncEmailPromiseValidator(c);
    // return this.validateEmailObservable(c.value)
    //  .pipe(
    //    debounceTime(1000),
    //    distinctUntilChanged(),
// // The observable returned must be finite, meaning it must complete at some point.
// // To convert an infinite observable into a finite one, pipe the observable through a
// // filtering operator such as first, last, take, or takeUntil
    //    first()
    //  );
  }

  private validateEmailObservable(email: string): Observable<ValidationErrors | null> {
    return new Observable(observer => {
      if (email === 'existsemail@example.com') {
        observer.next({asyncEmailInvalid: true});
      } else {
        observer.next(null);
      }
    });
  }
}
```

3. Make changes to file **validators/index.ts**. Use the following snippet of code:

```
export * from './async-email-validator.directive';
```

4. Make changes to file **app/app.module.ts**. Use the following snippet of code:

```
// 1
import { AsyncEmailValidatorDirective, ServiceLevelDirective } from './validators';

// 2
imports: [
    BrowserModule,
    FormsModule,
    ReactiveFormsModule,
    AppRoutingModule,
    ServiceLevelDirective,
    AsyncEmailValidatorDirective
  ],
```

5. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
email: [
        '',
        [
          Validators.required,
          Validators.pattern('[a-z0-9._%+-]+@[a-z0-9.-]+'),
          Validators.email
        ],
        // [CustomValidators.asyncEmailPromiseValidator]
      ],
```

6. Make changes to **SignupReactiveFormComponent template.** Use the following snippet of HTML:

```
<input class="form-control"
       id="emailId"
       type="email"
       placeholder="Email (required)"
       formControlName="email"
       appAsyncEmailValidator />
```

7. Enter the value **existsemail@example.com** to the field and ensure that validation runs.
8. Make changes to file **validators/async-email-validator.directive.ts** and ensure that validation runs.

```
validate(c: AbstractControl): Promise< ValidationErrors | null >|Observable <
ValidationErrors | null > {
     // return CustomValidators.asyncEmailPromiseValidator(c);
    // return this.validateEmailObservable(c.value)
    //  .pipe(
    //    debounceTime(1000),
    //    distinctUntilChanged(),
    //    first()
    //  );

 }
```

Task 15. Cross-Field Validation

1. Make changes to **SignupReactiveFormComponent template.** Add the following snippet of HTML after the block of email:

```
<div class="form-group"
     [ngClass]="{'has-error': (confirmEmail.touched ||
                               confirmEmail.dirty) &&
                               confirmEmail.invalid }">
     <label class="col-md-2 control-label"
            for="confirmEmailId">Confirm Email</label>

     <div class="col-md-8">
          <input class="form-control"
                 id="confirmEmailId"
                 type="email"
                 placeholder={{placeholder.confirmEmail}}
                 formControlName="confirmEmail" />
       <span class="help-block" *ngIf="(confirmEmail.touched ||
                                        confirmEmail.dirty) &&
                                        confirmEmail.errors">
           <span *ngIf="confirmEmail.hasError('required')">
                 Please confirm your email address.
           </span>
       </span>
     </div>
</div>
```

2. Make changes to **SignupReactiveFormComponent.** Ensure that the validation of the field confirmEmail runs.

```
// 1
placeholder = {
    email: 'Email (required)',
    confirmEmail: 'Confirm Email (required)',
    phone: 'Phone'
};

// 2
email: ['',
       [Validators.required, Validators.pattern('[a-z0-9._%+-]+@[a-z0-9.-]+'), ,
Validators.email],
// [CustomValidators.asyncEmailPromiseValidator]
],
confirmEmail: ['', Validators.required],

// 3
get confirmEmail(): AbstractControl {
    return this.userForm.get('confirmEmail')!;
}
```

3. Make changes to **SignupReactiveFormComponent template.** Add the following snippet of HTML before the block of email and put into it blocks for email and confirmEmail:

```
<div formGroupName="emailGroup">
```

```
<!-- Put here email and confirmEmail blocks -->
</div>
```

4. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
// 1
email: [
        '',
        [Validators.required, Validators.pattern('[a-z0-9._%+-]+@[a-z0-9.-]+'),
Validators.email],
// [CustomValidators.asyncEmailPromiseValidator]
],
confirmEmail: ['', Validators.required],
emailGroup: this.fb.group({
        email: ['',
          [Validators.required, Validators.pattern('[a-z0-9._%+-]+@[a-z0-9.-]+'),
Validators.email],
// [CustomValidators.asyncEmailPromiseValidator]
        ],
        confirmEmail: ['', Validators.required],
      }),

// 2
get email(): AbstractControl {
    return this.userForm.get('emailGroup.email')!;
}

get confirmEmail(): AbstractControl {
    return this.userForm.get('emailGroup.confirmEmail')!;
}
```

5. Make changes to file **custom.validators.ts.** Use the following snippet of code:

```
static emailMatcher(c: AbstractControl): ValidationErrors | null {
    const emailControl = c.get('email')!;
    const emailConfirmControl = c.get('confirmEmail')!;

    if (emailControl.pristine || emailConfirmControl.pristine) {
      return null;
    }

    if (emailControl.value === emailConfirmControl.value) {
      return null;
    }

    return { emailMatch: true };
  }
```

6. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
// 1
import { AbstractControl, FormGroup, FormControl, NonNullableFormBuilder, Validators,
AbstractControlOptions } from '@angular/forms';

// 2
emailGroup: this.fb.group({
```

```
        email: ['',
          [Validators.required, Validators.pattern('[a-z0-9._%+-]+@[a-z0-9.-]+') ,
Validators.email],
//[CustomValidators.asyncEmailPromiseValidator]
        ],
        confirmEmail: ['', Validators.required],
      }, {validator: CustomValidators.emailMatcher} as AbstractControlOptions),

// 3
get emailGroup(): AbstractControl {
    return this.userForm.get('emailGroup')!;
}

// 4 Replace method onSetNotification with new one
onSetNotification(notifyVia: string): void {
    const controls = new Map();
    controls.set('phoneControl', this.phone);
    controls.set('emailGroup', this.emailGroup);
    controls.set('emailControl', this.email);
    controls.set('confirmEmailControl', this.confirmEmail);

    if (notifyVia === 'text') {
      controls.get('phoneControl').setValidators(Validators.required);
      controls.forEach(
        (control, index) => {
          if (index !== 'phoneControl') {
            control.clearValidators();
            control.clearAsyncValidators();
          }
        }
      );

      this.placeholder = {
        phone: 'Phone (required)',
        email: 'Email',
        confirmEmail: 'Confirm Email'
      };
    } else {
      const emailControl = controls.get('emailControl');
      emailControl.setValidators([
        Validators.required,
        Validators.pattern('[a-z0-9._%+-]+@[a-z0-9.-]+'),
        Validators.email
      ]);
      emailControl.setAsyncValidators(CustomValidators.asyncEmailPromiseValidator);
      controls.get('confirmEmailControl').setValidators([Validators.required]);
      controls.get('emailGroup').setValidators([CustomValidators.emailMatcher]);
      controls.get('phoneControl').clearValidators();

      this.placeholder = {
        phone: 'Phone',
        email: 'Email (required)',
        confirmEmail: 'Confirm Email (required)'
      };
    }
    controls.forEach(control => control.updateValueAndValidity());
  }
```

7. Make changes to **SignupReactiveFormComponent template.** Use the following snippet of HTML:

```
<div formGroupName="emailGroup"
     [ngClass]="{'has-error': emailGroup.errors}">

<span class="help-block" *ngIf="(confirmEmail.touched || confirmEmail.dirty) &&
                                (confirmEmail.errors || emailGroup.errors) ">
   <span *ngIf="confirmEmail.hasError('required')">
         Please confirm your email address.
   </span>
   <span *ngIf="emailGroup.hasError('emailMatch')">
         The confirmation does not match the email address.
   </span>
</span>
```

Task 16. Adjusting Validation Rules

1. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
// 1
get notification(): AbstractControl {
    return this.userForm.get('notification')!;
}

// 2
private watchValueChanges(): void {
    this.notification.valueChanges.subscribe(value => console.log(value));
}

// 3
ngOnInit(): void {
    this.watchValueChanges();
    // this.setFormValues();
    // this.patchFormValues();
}
```

2. Make changes to **SignupReactiveFormComponent template.** Use the following snippet of HMTL:

```
<div class="form-group">
                    <label class="col-md-2 control-label">Send Notifications</label>
                     <div class="col-md-8">
                        <label class="radio-online">
                         <input type="radio"
                                value="email"
                                formControlName="notification"
                                (click)="onSetNotification('email')">Email
                        </label>
                        <label class="radio-online">
                         <input type="radio"
                                value="text"
                                formControlName="notification"
                                (click)="onSetNotification('text')">Text
                        </label>
                     </div>
                  </div>
```

3. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
// 1
private watchValueChanges(): void {
    this.notification.valueChanges
      .subscribe(value => console.log(value));
      .subscribe(value => this.setNotification(value));
  }

// 2
private onSsetNotification(notifyVia: string): void {
```

Task 17. Displaying Validation Messages

1. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
// 1
// map includes all controls,
// even though they don’t have validators
  validationMessagesMap = new Map([
    ['firstName', {
      message: '', // <== message for user
      required: 'Please enter your first name.',
      minlength: 'The first name must be longer than 3 characters.'
    }],
    ['lastName', {
      message: '',
      required: 'Please enter your last name.'
    }],
    ['email', {
      message: '',
      required: 'Please enter your email address.',
      pattern: 'Please enter a valid email address.',
      email: 'Please enter a valid email address.',
      asyncEmailInvalid:
        'This email already exists. Please enter other email address.'
    }],
    ['confirmEmail', {
      message: '',
      required: 'Please confirm your email address.'
    }],
    ['emailGroup', {
      message: '',
      emailMatch: 'The confirmation does not match the email address.'
    }],
    ['phone', {
      message: '',
      required: 'Please enter your phone number.'
    }],
    ['serviceLevel', {
      message: '',
      serviceLevel: `Please enter correct number from ${this.rMin} to ${this.rMax}.`
    }],
    ['notification', {
      message: ''
    }],
    ['sendProducts', {
      message: ''
    }]
  ]);

// 2
get sendProducts(): AbstractControl {
    return this.userForm.get('sendProducts')!;
}

// 3
ngOnInit(): void {
```

```
    this.watchValueChanges();
    this.setValidationMessages();
}

// 4
isShowValidationMessage(controlName: string): boolean {
    return this.validationMessagesMap.get(controlName)!.message && (this as {[index:
string]: any})[controlName].touched;
  }

// 5
private buildValidationMessages(controlName: string): void {
    const c: AbstractControl = (this as {[index: string]: any})[controlName]; // вызов
гетера
    this.validationMessagesMap.get(controlName)!.message = '';

    if (c.errors) {
      this.validationMessagesMap.get(controlName)!.message = Object.keys(c.errors)
        .map(key => {
          const value = this.validationMessagesMap.get(controlName)!;
          return (value as {[index: string]: any})[key];
        })
        .join(' ');
    }
  }


// 6
private setValidationMessages(): void {
    this.validationMessagesMap.forEach((control, cntrlName) => {
        this.buildValidationMessages(cntrlName);
      });
}


// 7
private watchValueChanges(): void {
    …

    this.userForm.valueChanges.subscribe(ignorValue =>
        this.setValidationMessages()
    );
}
```

2. Make changes to **SignupReactiveFormComponent template.** Use the following snippet of HTML:

```
// firstName
[ngClass]="{'has-error': (firstName.touched || firstName.dirty) && !firstName.valid }"
[ngClass]="{'has-error': isShowValidationMessage('firstName') }"

<span class="help-block" *ngIf="(firstName.touched || firstName.dirty) &&
firstName.errors">
      <span *ngIf="firstName.hasError('required')">
            Please enter your first name.
      </span>
      <span *ngIf="firstName.hasError('minlength')">
            The first name must be longer than 3 characters.
```

```
      </span>
</span>
<span class="help-block" *ngIf="isShowValidationMessage('firstName') ">
      {{validationMessagesMap.get('firstName')?.message}}
</span>

// lastName
[ngClass]="{'has-error': (lastName.touched || lastName.dirty) && !lastName.valid }"
[ngClass]="{'has-error': isShowValidationMessage('lastName') }"

<span class="help-block" *ngIf="(lastName.touched || lastName.dirty) &&
lastName.errors">
      <span *ngIf="lastName.hasError('required')">
            Please enter your last name.
      </span>
</span>
<span class="help-block" *ngIf="isShowValidationMessage('lastName') ">
      {{validationMessagesMap.get('lastName')?.message}}
</span>

// emailGroup
[ngClass]="{'has-error': emailGroup.errors}"
[ngClass]="{'has-error': isShowValidationMessage('emailGroup') }"

// email
[ngClass]="{'has-error': (email.touched || email.dirty) && email.invalid }"
[ngClass]="{'has-error': isShowValidationMessage('email') }"

<span class="help-block" *ngIf="(email.touched || email.dirty) && email.errors">
      <span *ngIf="email.hasError('required')">
            Please enter your email address.
      </span>
      <span *ngIf="email.hasError('pattern')">
            Please enter a valid email address.
      </span>
      <span *ngIf="email.hasError('email')">
            Please enter a valid email address.
      </span>
      <span *ngIf="email.hasError('asyncEmailInvalid')">
            This email already exists. Please enter other email address.
      </span>
</span>
<span class="help-block" *ngIf="isShowValidationMessage('email') ">
      {{validationMessagesMap.get('email')?.message}}
</span>

// confirmEmail
[ngClass]=”{‘has-error’: (confirmEmail.touched || confirmEmail.dirty) &&
confirmEmail.invalid }”
[ngClass]="{'has-error': isShowValidationMessage('confirmEmail') }"

<span class="help-block" *ngIf="(confirmEmail.touched || confirmEmail.dirty) &&
                                (confirmEmail.errors || emailGroup.errors) ">
      <span *ngIf="confirmEmail.hasError('required')">
            Please confirm your email address.
      </span>
      <span *ngIf="emailGroup.hasError('emailMatch')">
```

```
            The confirmation does not match the email address.
      </span>
</span>
<span class="help-block" *ngIf="isShowValidationMessage('confirmEmail') ">
      {{validationMessagesMap.get('confirmEmail')?.message}}
</span>
<span class="help-block" *ngIf="isShowValidationMessage('emailGroup') ">
      {{validationMessagesMap.get('emailGroup')?.message}}
 </span>

// phone
[ngClass]="{'has-error': (phone.touched || phone.dirty) && phone.invalid }"
[ngClass]="{'has-error': isShowValidationMessage('phone') }"

<span class="help-block" *ngIf="(phone.touched || phone.dirty) && phone.errors">
      <span *ngIf="phone.hasError('required')">
            Please enter your phone number.
      </span>
</span>
<span class="help-block" *ngIf="isShowValidationMessage('phone') ">
      {{validationMessagesMap.get('phone')?.message}}
</span>

// serviceLevel
[ngClass]="{'has-error': (serviceLevel.touched || serviceLevel.dirty) &&
!serviceLevel.valid }"
[ngClass]="{'has-error': isShowValidationMessage('serviceLevel') }"

<span class="help-block" *ngIf="(serviceLevel.touched || serviceLevel.dirty) &&
serviceLevel.errors">
      <span *ngIf="serviceLevel.hasError('serviceLevel')">
            Please enter correct number from {{rMin}} to {{rMax}}.
      </span>
</span>
<span class="help-block" *ngIf="isShowValidationMessage('serviceLevel') ">
      {{validationMessagesMap.get('serviceLevel')?.message}}
</span>
```

Task 18. Define the input element(s) to duplicate

1. Make changes to the model of form**.** Use the following snippet of code:

```
sendProducts: true,
addressType: 'home',
country: '',
city: '',
zip: '',
street1: '',
street2: ''
```

2. Uncomment HTML of **SignupReactiveFormComponent**, which starts from <!--

3. Replace the div element**.** Use the following snippet of code:

```
<div >
<div *ngIf="sendProducts.value">
```

4. Make changes to the markup of the fields **Home, Work, Other**

```
formControlName="addressType"
```

5. Make changes to the markup of the fields **Country, City, Zip Code, Street Address 1, Street Address 2**

```
// Country
formControlName="country"

// City
formControlName="city"

// Zip Code
formControlName="zip"

// Street Address 1
formControlName="street1"

// Street Address 2
formControlName="street2"
```

Task 19. Define a FormGroup

1. Make changes to the method **buildForm.** Use the following snippet of code:

```
addressType: 'home',
country: '',
city: '',
zip: '',
street1: '',
street2: ''
addresses: this.fb.group({
  addressType: 'home',
  country: '',
  city: '',
  zip: '',
  street1: '',
  street2: ''
})
```

2. Wrap 4 div blocks, which are in the block
<div *ngIf="sendProducts.value"> and contain the fields for address. Use the following snippet of HMTL:

```
<div formGroupName="addresses">...</div>
```

Task 20. Refactor to Make Copies

1. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
// 1
private buildAddress() {
    return this.fb.group({
      addressType: 'home',
      country: '',
      city: '',
      zip: '',
      street1: '',
      street2: ''
    });
  }

// 2
addresses: this.buildAddress()
addresses: this.fb.group({
       addressType: 'home',
       country: '',
       city: '',
       zip: '',
       street1: '',
       street2: ''
})
```

Task 21. Create a FormArray

1. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
// 1
import { FormGroup, FormControl, FormArray, NonNullableFormBuilder, Validators,
AbstractControl } from '@angular/forms';

// 2
get addresses(): FormArray {
    return this.userForm.get('addresses') as unknown as FormArray;
}
```

2. Make changes to the form model**.** Use the following snippet of code:

```
addresses: this.buildAddress()
addresses: this.fb.array([this.buildAddress()])
```

3. Make changes to **SignupReactiveFormComponent template.** Create wrapper block for the block . Use the following snippet of HTML:

```
<div formArrayName="addresses">
</div>
```

4. Replace the expression of attribute **formGroupName**="addresses". Use the following snippet of HTML:

```
<div formGroupName="addresses">
<div formGroupName="0">
```

Task 22. Loop through the FormArray

1. Make changes to **SignupReactiveFormComponent template.** Use the following snippet of HTML:

```
<div formArrayName="addresses">
     <div formGroupName="0">
     <div *ngFor="let address of addresses.controls; let i = index" [formGroupName]="i"
>
```

2. Replace the value of attribute **id** for the fields **Home, Work, Other.** Use the following snippet of HTML:

```
id="addressType1Id"
id="{{'addressType1Id' + i}}"
```

3. Replace the value of attribute **for** for the label elements **«Country, City, Zip Code», «Street Address 1», «Street Address 2».** Use the following snippet of HTML:

```
// Country, City, Zip Code
for="cityId"
attr.for="{{'countryId' + i}}"

// Street Address 1
for="street1Id"
attr.for="{{'street1Id' + i}}"

// Street Address 2
for="street2Id"
attr.for="{{'street2Id' + i}}"
```

4. Replace the value of the attribute **id** for the fields **Country, City, Zip Code, Street Address 1, Street Address 2.** Use the following snippet of HTML:

```
// Country
id="countryId"
id="{{'countryId' + i}}"

// City
id="cityId"
id="{{'cityId' + i}}"

// Zip Code
id="zipId"
id="{{'zipId' + i}}"

// Street Address 1
id="street1Id"
id="{{'street1Id' + i}}"

// Street Address 2
id="street2Id"
id="{{'street2Id' + i}}"
```

Task 23. Duplicate the Input Elements

1. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
onAddAddress(): void {
    this.addresses.push(this.buildAddress());
  }
```

2. Make changes to **SignupReactiveFormComponent template.** Use the following snippet of HTML:

```
// 1
<div formArrayName="addresses">
…
</div>
                    <div class="form-group">
                      <div class="col-md-4 col-md-offset-2">
                        <button class="btn btn-primary"
                                type="button"
                                (click)="onAddAddress()">
                          Add Another Address
                        </button>
                      </div>
                    </div>

// 2
<br>userForm.get('emailGroup').errors {{userForm.get('emailGroup').errors | json}}
<br>Street: {{addresses.get('0.street1')?.value}}
```

Task 24. Remove Input Elements

1. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
onRemoveAddress(index: number): void {
    this.addresses.removeAt(index);
}
```

2. Make changes to **SignupReactiveFormComponent template.** Use the following snippet of HTML:

```
<div *ngFor="let address of addresses.controls; let i = index" [formGroupName]="i">
     <div class="form-group" >
          <label class="col-md-2 control-label">Address Type</label>
          <div class="col-md-87">
               <label class="radio-inline">
                 <input type="radio" id="{{'addressType1Id' + i}}" value="home"
                                              formControlName="addressType">Home
               </label>
               <label class="radio-inline">
                 <input type="radio" id="{{'addressType2Id' + i}}" value="work"
                                              formControlName="addressType">Work
               </label>
               <label class="radio-inline">
                 <input type="radio" id="{{'addressType3Id' + i}}" value="other"
                                              formControlName="addressType">Other
               </label>
          </div>
          <div class="col-md-1 text-right" *ngIf="i>0">
               <button class="btn btn-danger" (click)="onRemoveAddress(i)">X</button>
          </div>
      </div>
```

Task 25. Control Value Accessor Interface

1. Create **AddressInfoComponent**. Run the following command from the command line

ng g c reactive-forms/signup-reactive-form/components/address-info

2. Replace the content of **AddressInfoComponent**. Use the following snippet of code:

```
import { Component, OnInit, forwardRef, Input, Output, EventEmitter } from
'@angular/core';
import {
  FormGroup,
  Validators,
  ControlValueAccessor,
  NG_VALUE_ACCESSOR,
  AbstractControl,
  ValidationErrors,
  NG_VALIDATORS,
  Validator,
  NonNullableFormBuilder
} from '@angular/forms';

@Component({
  selector: 'app-address-info',
  templateUrl: './address-info.component.html',
  styleUrls: ['./address-info.component.css'],
  providers: [
    {
      provide: NG_VALUE_ACCESSOR,
      useExisting: forwardRef(() => AddressInfoComponent),
      multi: true
    },
    {
      provide: NG_VALIDATORS,
      useExisting: forwardRef(() => AddressInfoComponent),
      multi: true
    }
  ]
})
export class AddressInfoComponent
  implements OnInit, ControlValueAccessor, Validator {
  countries: Array<string> = [
    'Ukraine',
    'Armenia',
    'Belarus',
    'Hungary',
    'Kazakhstan',
    'Poland',
    'Russia'
  ];

  validationMessagesMap = new Map([
    ['city', {
      message: '',
      required: 'Please enter city',
    }]
  ]);
```

```
  addressInfoForm = this.buildAddress();

  @Input('index') i = 0;
  @Output() removeAddress = new EventEmitter<number>();

  get city(): AbstractControl {
    return this.addressInfoForm.get('city')!;
  }

  constructor(private fb: NonNullableFormBuilder) {}

  ngOnInit(): void {
    this.watchValueChanges();
    this.setValidationMessages();
  }

  onRemoveAddress(index: number): void {
    this.removeAddress.emit(index);
  }

  isShowValidationMessage(controlName: string): boolean {
    return this.validationMessagesMap.get(controlName)!.message && (this as {[index:
string]: any})[controlName].touched;
  }

  private buildAddress() {
    return this.fb.group({
      addressType: 'home',
      country: '',
      city: ['', Validators.required],
      zip: '',
      street1: '',
      street2: ''
    });
  }

  private watchValueChanges(): void {
    this.city.valueChanges
      .subscribe(value => this.setValidationMessages());
  }

  private setValidationMessages() {
    this.validationMessagesMap.forEach((control, cntrlName) => {
      this.buildValidationMessages(cntrlName);
    });
  }

private buildValidationMessages(controlName: string): void {
    const c: AbstractControl = (this as {[index: string]: any})[controlName]; // вызов
гетера
    this.validationMessagesMap.get(controlName)!.message = '';

    if (c.errors) {
      this.validationMessagesMap.get(controlName)!.message = Object.keys(c.errors)
        .map(key => {
          const value = this.validationMessagesMap.get(controlName)!;
```

```
          return (value as {[index: string]: any})[key];
        })
        .join(' ');
    }
  }


  // ****** CONTROL_VALUE_ACCESSOR INTERFACE METHODS ********* /

  public onTouched: () => void = () => {};

  // model => DOM
  writeValue(val: any): void {
    if (val) {
      this.addressInfoForm.setValue(val, { emitEvent: false });
    }
  }

  // DOM => model
  registerOnChange(fn: any): void {
    console.log('on change');
    this.addressInfoForm.valueChanges.subscribe(fn);
  }

  registerOnTouched(fn: any): void {
    console.log('on blur');
    this.onTouched = fn;
  }
  setDisabledState?(isDisabled: boolean): void {
    isDisabled ? this.addressInfoForm.disable() : this.addressInfoForm.enable();
  }

  validate(c: AbstractControl): ValidationErrors | null {
    console.log('Adress Info validation', c);
    return this.addressInfoForm.valid
      ? null
      : {
          invalidForm: {
            valid: false,
            message: 'addressInfoForm fields are invalid'
          }
        };
  }
}
```

3. Replace the content of **AddressInfoComponent Template**. Use the following snippet of HTML:

```
<div [formGroup]="addressInfoForm">
  <div class="form-group" >
      <label class="col-md-2 control-label">Address Type</label>
      <div class="col-md-7">
              <label class="radio-inline">
                  <input type="radio" id="{{'addressType1Id' + i}}" value="home"
                        formControlName="addressType">Home
              </label>
              <label class="radio-inline">
```

```
                <input type="radio" id="{{'addressType2Id' + i}}" value="work"
                       formControlName="addressType">Work
            </label>
            <label class="radio-inline">
                <input type="radio" id="{{'addressType3Id' + i}}" value="other"
                       formControlName="addressType">Other
            </label>
    </div>
    <div class="col-md-1 text-right" *ngIf="i>0">
      <button class="btn btn-danger" (click)="onRemoveAddress(i)">X</button>
    </div>
</div>

<div class="form-group">
    <label class="col-md-2 control-label"
        attr.for="{{'countryId' + i}}">Country, City, Zip Code</label>

    <div class="col-md-3">
        <select class="form-control"
                id="{{'countryId' + i}}"
                formControlName="country">
            <option value="">Select a Country...</option>
            <option *ngFor="let country of countries"
            [value]="country">{{country}}</option>
        </select>
    </div>
    <div class="col-md-3"
         [ngClass]="{'has-error': isShowValidationMessage('city')}" >
        <input type="text"
               class="form-control"
               id="{{'cityId' + i}}"
               placeholder="City"
               formControlName="city">
        <span class="help-block" *ngIf=" isShowValidationMessage('city')">
          {{validationMessagesMap.get('city')?.message}}
        </span>
    </div>
    <div class="col-md-2">
        <input type="number"
               class="form-control"
               id="{{'zipId' + i}}"
               placeholder="Zip Code"
               formControlName="zip">
    </div>
</div>

<div class="form-group">
    <label class="col-md-2 control-label"
        attr.for="{{'street1Id' + i}}">Street Address 1</label>
    <div class="col-md-8">
        <input type="text"
               class="form-control"
               id="{{'street1Id' + i}}"
               placeholder="Street address"
               formControlName="street1">
    </div>
</div>
```

```
  <div class="form-group">
      <label class="col-md-2 control-label"
          attr.for="{{'street2Id' + i}}">Street Address 2</label>
      <div class="col-md-8">
          <input type="text"
                class="form-control"
                id="{{'street2Id' + i}}"
                placeholder="Street address (second line)"
                formControlName="street2">
      </div>
  </div>
</div>
```

4. Make changes to **SignupReactiveFormComponent.** Use the following snippet of code:

```
// 1
countries: Array<string> = [
    'Ukraine',
    'Armenia',
    'Belarus',
    'Hungary',
    'Kazakhstan',
    'Poland',
    'Russia'
];

// 2
private buildAddress() {
    return this.fb.group({
      addressType: 'home',
      country: '',
      city: '',
      zip: '',
      street1: '',
      street2: ''
    });
    return this.fb.control('');
}
```

5. Make changes to **SignupReactiveFormComponent Template.** Use the following snippet of HTML:

```
// 1
<div *ngFor="let address of addresses.controls; let i = index" [formGroupName]="i">
                        <div class="form-group" >
                            <label class="col-md-2 control-label">Address Type</label>
                            <div class="col-md-7">
                                    <label class="radio-inline">
                                        <input type="radio" id="{{'addressType1Id' +
i}}" value="home"
                                                formControlName="addressType">Home
                                    </label>
                                    <label class="radio-inline">
                                        <input type="radio" id="{{'addressType2Id' +
i}}" value="work"
```

```
                                        formControlName="addressType">Work
                                </label>
                                <label class="radio-inline">
                                    <input type="radio" id="{{'addressType3Id' +
i}}" value="other"
                                        formControlName="addressType">Other
                                </label>
                            </div>
                            <div class="col-md-1 text-right" *ngIf="i>0">
                              <button class="btn btn-danger"
(click)="onRemoveAddress(i)">X</button>
                            </div>
                        </div>

                        <div class="form-group">
                            <label class="col-md-2 control-label"
                                attr.for="{{'countryId' + i}}">Country, City, Zip
Code</label>

                            <div class="col-md-3">
                                <select class="form-control"
                                        id="{{'countryId' + i}}"
                                        formControlName="country">
                                    <option value="">Select a Country...</option>
                                    <option *ngFor="let country of countries"
                                    [value]="country">{{country}}</option>
                                </select>
                            </div>
                            <div class="col-md-3">
                                <input type="text"
                                      class="form-control"
                                      id="{{'cityId' + i}}"
                                      placeholder="City"
                                      formControlName="city">
                            </div>
                            <div class="col-md-2">
                                <input type="number"
                                      class="form-control"
                                      id="{{'zipId' + i}}"
                                      placeholder="Zip Code"
                                      formControlName="zip">
                            </div>
                        </div>

                        <div class="form-group">
                            <label class="col-md-2 control-label"
                                attr.for="{{'street1Id' + i}}">Street Address 1</label>
                            <div class="col-md-8">
                                <input type="text"
                                      class="form-control"
                                      id="{{'street1Id' + i}}"
                                      placeholder="Street address"
                                      formControlName="street1">
                            </div>
                        </div>

                        <div class="form-group">
```

```
                        <label class="col-md-2 control-label"
                            attr.for="{{'street2Id' + i}}">Street Address 2</label>
                        <div class="col-md-8">
                            <input type="text"
                                   class="form-control"
                                   id="{{'street2Id' + i}}"
                                   placeholder="Street address (second line)"
                                   formControlName="street2">
                        </div>
                    </div>
                </div>
            </div>


// 2
<div formArrayName="addresses">
     <app-address-info *ngFor="let address of addresses.controls; let i = index"
          [formControlName]="i"
          [index]="i"
          (removeAddress)="onRemoveAddress($event)">
     </app-address-info>
```