Diseases

Disease	DC	Incubation	Failure	Save Period	Failure	Success	Cured
Contagion Spell							
Blinding Sickness	Spell	Immediate	Poisoned	EoT	3x contracts disease	3x clears	7 days
Filth Fever	Spell	Immediate	Poisoned	EoT	3x contracts disease	3x clears	7 days
Flesh Rot	Spell	Immediate	Poisoned	EoT	3x contracts disease	3x clears	7 days
Mindfire	Spell	Immediate	Poisoned	EoT	3x contracts disease	3x clears	7 days
Seizure	Spell	Immediate	Poisoned	EoT	3x contracts disease	3x clears	7 days
Slimy Doom	Spell	Immediate	Poisoned	EoT	3x contracts disease	3x clears	7 days
Monstrous Diseases							
Aboleth	14	1 Minute					
Bulezaus	13	Immediate	Poisoned	24 hours	-1d8 Max hp	Cured	Save
Carnivorous Flower	15	Immediate	Poisoned	24 hours	-1d10 Max hp	Cured	Save
Death Dog	12	Immediate	Poisoned	24 hours	-1d10 Max hp	Cured	Save
Gas Spore	10/15	1d12+Con Hours					
Giant Rat	10	Immediate		24 hours	-1d6 Max hp	Cured	Save
Otyugh	15	Immediate	Poisoned	24 hours	-1d10 Max hp	Cured	Save
Rutterkin	13	Immediate	Poisoned	24 hours		Cured	Save
Slaad	15	Immediate					
Zuggtmoy	19	Immediate	Zuggtmoy Madness, charmed	24 hours	3x turn into Spore Servant	Cured	Save
Natural Diseases							
Bluerot	12	1d4 hours	-1d4 Con/Cha	Long rest	4d8 necrotic	Regain 1 each	Full regain
Cackle Fever	13	1d4	1 exhaustion level	Long rest	3x indefinite madness	Save DC -1d6	Save DC 0
Frigid Woe	11	1d4 days	Speed reduction -5'	10 days	Speed reduction -5'	NA	Full Regain
Mad Monkey Fever	13	1d6 hours	Long-Term Madness	1d10x10 hours	Repeat	Cured	Save
Sewer Plague	11	1d4 days	1 exhaustion level	Long rest	+1 exhaustion	-1 exhaustion	Full regain
Shivering Sickness	11	2d6 hours	Slow healing, disadv checks & saves	Long rest	NA	Cured	Save
Sight Rot	15	1 day	-1 to attacks & sight checks, worsens	NA	NA	NA	Full regain
Throat Leeches	12	1d6 hours	1 exhaustion level	Long rest	+1 exhaustion	-1 exhaustion	Full regain

Blinding Sickness. Pain grips the creature's mind, and its eyes turn milky white. The creature has disadvantage on Wisdom checks and Wisdom saving throws and is blinded. PHB p. 227

Filth Fever. A raging fever sweeps through the creature's body. The creature has disadvantage on Strength checks, Strength saving throws, and attack rolls that use Strength. PHB p. 227

Flesh Rot. The creature's flesh decays. The creature has disadvantage on Charisma checks and vulnerability to all damage. PHB p. 227

Mindfire. The creature's mind becomes feverish. The creature has disadvantage on Intelligence checks and Intelligence saving throws, and the creature behaves as if under the effects of the confusion spell during combat. PHB p. 227

Seizure. The creature is overcome with shaking. The creature has disadvantage on Dexterity checks, Dexterity saving throws, and attack rolls that use Dexterity. PHB p. 227

Slimy Doom. The creature begins to bleed uncontrollably. The creature has disadvantage on Constitution checks and Constitution saving throws. In addition, whenever the creature takes damage, it is stunned until the end of its next turn. PHB p. 227

Aboleth. The disease has no effect for 1 minute and can be removed by any magic that cures disease. After 1 minute, the diseased creature's skin becomes translucent and slimy, the creature can't regain hit points unless it is underwater, and the disease can be removed only by heal or another disease-curing spell of 6th level or higher. When the creature is outside a body of water, it takes 6 (1d12) acid damage every 10 minutes unless moisture is applied to the skin before 10 minutes have passed. MM p. 13

Bulezau. If the target is a creature, it must succeed on a DC 13 Constitution saving throw against disease or become poisoned until the disease ends. While poisoned in this way, the target sports festering boils, coughs up flies, and sheds rotting skin, and the target must repeat the saving throw after every 24 hours that elapse. On a successful save, the disease ends. On a failed save, the target's hit point maximum is reduced by 4 (1d8). The target dies if its hit point maximum is reduced to 0. MTF p. 131

Carnivorous Flower. If the target is a creature, it must succeed on a DC 15 Constitution saving throw against disease or become poisoned until the disease is cured. Every 24 hours that elapse, the target must repeat the saving throw, reducing its hit point maximum by 5 (1d10) on a failure. The disease is cured on a success. The target dies if the disease reduces its hit point maximum to 0. This reduction to the target's hit point maximum lasts until the disease is cured. RoT p. 67

Death Dog. If the target is a creature, it must succeed on a DC 12 Constitution saving throw against disease or become poisoned until the disease is cured. Every 24 hours that elapse, the creature must repeat the saving throw, reducing its hit point maximum by 5 (1d10) on a failure. This reduction lasts until the disease is cured. The creature dies if the disease reduces its hit point maximum to 0. MM p. 321

Gas Spore. Creatures immune to the poisoned condition are immune to this disease. Spores invade an infected creature's system, killing the creature in a number of hours equal to 1d12 + the creature's Constitution score, unless the disease is removed. In half that time, the creature becomes poisoned for the rest of the duration. After the creature dies, it sprouts 2d4 Tiny gas spores that grow to full size in 7 days. MM p. 138

Giant Rat. If the target is a creature, it must succeed on a DC 10 Constitution saving throw or contract a disease. Until the disease is cured, the target can't regain hit points except by magical means, and the target's hit point maximum decreases by 3 (1d6) every 24 hours. If the target's hit point maximum drops to 0 as a result of this disease, the target dies. MM p. 327

Otyugh. If the target is a creature, it must succeed on a DC 15 Constitution saving throw against disease or become poisoned until the disease is cured. Every 24 hours that elapse, the target must repeat the saving throw, reducing its hit point maximum by 5 (1d10) on a failure. The disease is cured on a success. The target dies if the disease reduces its hit point maximum to 0. This reduction to the target's hit point maximum lasts until the disease is cured. MM p. 248

Rutterkin. If the target is a creature, it must succeed on a DC 13 Constitution saving throw against disease or become poisoned. At the end of each long rest, the poisoned target can repeat the saving throw, ending the effect on itself on a success. If the target is reduced to 0 hit points while poisoned in this way, it dies and instantly transforms into a living abyssal wretch. The transformation of the body can be undone only by a wish spell. (See notes) MTF p. 136

Slaad. If the target is a humanoid, it must succeed on a DC 15 Constitution saving throw or be infected with a disease called chaos phage. While infected, the target can't regain hit points, and its hit point maximum is reduced by 10 (3d6) every 24 hours. If the disease reduces the target's hit point maximum to 0, the target instantly transforms into a red slaad or, if it has the ability to cast spells of 3rd level or higher, a green slaad. Only a wish spell can reverse the transformation. MM p. 276

Zuggtmoy. Any flesh-and-blood creature in the cloud when it appears, or that enters it later, must make a DC 19 Constitution saving throw. On a successful save, the creature can't be infected by these spores for 24 hours. On a failed save, the creature is infected with a disease called the spores of Zuggtmoy and also gains a random form of madness (determined by rolling on the Madness of Zuggtmoy table) that lasts until the creature is cured of the disease or dies. While infected in this way, the creature can't be reinfected, and it must repeat the saving throw at the end of every 24 hours, ending the infection on a success. On a failure, the infected creature's body is slowly taken over by fungal growth, and after three such failed saves, the creature dies and is reanimated as a spore servant if it's a type of creature that can be (see the "Myconids" entry in the Monster Manual). MTF p. 156

Bluerot. This disease targets humanoids. While afflicted with bluerot, a victim grows grotesque blue boils on their face and back. This disease is carried by undead (including the drowned ones in Tammeraut's Fate), and victims most often acquire it through wounds caused by infected creatures. The disease's boils manifest in 1d4 hours, causing the victim's Constitution and Charisma scores to decrease by 1d4 each, to a minimum of 3. This is quickly followed by a fever and tingling in the extremities. An infected creature is vulnerable to radiant damage and gains the ability to breathe underwater.

At the end of each long rest, an infected creature makes a DC 12 Constitution saving throw. On a success, the victim regains 1 point of Constitution and 1 point of Charisma lost to the disease. If the infected creature regains all the points lost to the disease, it is cured. Other effects that raise the victim's ability scores do not cure the disease. On a failed saving throw, the victim takes 18 (4d8) necrotic damage as the boils burst and spread. A creature reduced to 0 hit points by this damage cannot regain hit points until the disease is cured, though it can be stabilized as normal. GoS p. 234

Cackle Fever. This disease targets humanoids, although gnomes are strangely immune. While in the grips of this disease, victims frequently succumb to fits of mad laughter, giving the disease its common name and its morbid nickname: "the shrieks."

Symptoms manifest 1d4 hours after infection and include fever and disorientation. The infected creature gains one level of exhaustion that can't be removed until the disease is cured.

Any event that causes the infected creature great stress-including entering combat, taking damage, experiencing fear, or having a nightmare-forces the creature to make a DC 13 Constitution saving throw.

On a failed save, the creature takes 5 (1d10) psychic damage and becomes incapacitated with mad laughter for 1 minute. The creature can repeat the saving throw at the end of each of its turns, ending the mad laughter and the incapacitated condition on a success. Any humanoid creature that starts its turn within 10 feet of an infected creature in the throes of mad laughter must succeed on a DC 10 Constitution saving throw or also become infected with the disease. Once a creature succeeds on this save, it is immune to the mad laughter of that particular infected creature for 24 hours.

At the end of each long rest, an infected creature can make a DC 13 Constitution saving throw. On a successful save, the DC for this save and for the save to avoid an attack of mad laughter drops by 1d6. When the saving throw DC drops to 0, the creature recovers from the disease. A creature that fails three of these saving throws gains a randomly determined form of indefinite madness. DMG p. 257

This is unofficial Fan Content permitted under the Fan Content Policy. Not approved/endorsed by Wizards. Portions of the materials used are property of Wizards of the Coast. ©Wizards of the Coast LLC.

Frigid Woe. Frigid woe is a special disease developed by Aeor's mages that cannot be cured by conventional treatment or magic. The only way a creature infected with the disease can be cured is by finding and drinking the manufactured antidote, a milky liquid stored in gold vials found in Eiselcross's ruins. This disease was created to slow down the forces of the gods and get around the healing power of their clerics and angels.

The disease is transmitted by breathing in blue spores that Aeor's mages created long ago. When a creature comes into contact with these spores, it must succeed on a DC 11 Constitution saving throw or become infected with frigid woe. It takes ld4 days for the symptoms to manifest in an infected creature. These symptoms include fatigue, chills, and visible blue veins that appear on the creature's body. The infected creature's speed is reduced by 5 feet as long as it remains infected. Every 10 days after symptoms appear, an infected creature must succeed on a DC 11 Constitution saving throw, or its speed is reduced by another 5 feet. If a creature's speed is reduced to 0 as a result of this disease, the creature dies and its body turns into a statue made of ice.

A creature can drink the antidote as an action, ending all symptoms and effects of the disease instantly. EGW p. 125

Mad Monkey Fever. A magical mist creeps through the jungles of Chult. Contact with this thin, blue, odorless mist can infect giants and humanoids with mad monkey fever. A dispel magic spell destroys the mist in a 20-foot square starting at a point chosen by the caster within the spell's range. An encounter with this mist typically covers 1d6 such areas (400-2,400 square feet).

A giant or humanoid that comes into contact with the mist must succeed on a DC 13 Constitution saving throw or become infected with mad monkey fever. The infected creature gains a random form of long-term madness (roll on the Long-Term Madness table in chapter 8 of the Dungeon Master's Guide) that manifests 1d6 hours after infection and lasts for the duration (1d10 × 10 hours). If the madness is allowed to run its full course, the creature must repeat the saving throw at the end of the madness. If the second saving throw fails, the creature suffers another bout of long-term madness (roll again on the table) that lasts for the normal duration. The madness symptoms continue until the disease ends. ToA p. 40

Sewer Plague. Sewer plague is a generic term for a broad category of illnesses that incubate in sewers, refuse heaps, and stagnant swamps, and which are sometimes transmitted by creatures that dwell in those areas, such as rats and otyughs.

When a humanoid creature is bitten by a creature that carries the disease, or when it comes into contact with filth or offal contaminated by the disease, the creature must succeed on a DC 11 Constitution saving throw or become infected.

It takes 1d4 days for sewer plague's symptoms to manifest in an infected creature. Symptoms include fatigue and cramps. The infected creature suffers one level of exhaustion, and it regains only half the normal number of hit points from spending Hit Dice and no hit points from finishing a long rest.

At the end of each long rest, an infected creature must make a DC 11 Constitution saving throw. On a failed save, the character gains one level of exhaustion.

On a successful save, the character's exhaustion level decreases by one level. If a successful saving throw reduces the infected creature's level of exhaustion below 1, the creature recovers from the disease. DMG p. 257

Shivering Sickness. A giant or humanoid exposed to the disease must succeed on a DC 11 Constitution saving throw or become infected. A creature with natural armor has advantage on the saving throw. It takes 2d6 hours for symptoms to manifest in an infected creature. Symptoms include blurred vision, disorientation, and a sudden drop in body temperature that causes uncontrollable shivering and chattering of the teeth.

Once symptoms begin, the infected creature regains only half the normal number of hit points from spending Hit Dice and no hit points from a long rest. The infected creature also has disadvantage on ability checks and attack rolls. At the end of a long rest, an infected creature repeats the saving throw, shaking off the disease on a successful save. ToA p. 40

Sight Rot. This painful infection causes bleeding from the eyes and eventually blinds the victim.

A beast or humanoid that drinks water tainted by sight rot must succeed on a DC 15 Constitution saving throw or become infected. One day after infection, the creature's vision starts to become blurry. The creature takes a -1 penalty to attack rolls and ability checks that rely on sight. At the end of each long rest after the symptoms appear, the penalty worsens by 1. When it reaches -5, the victim is blinded until its sight is restored by magic such as lesser restoration or heal.

Sight rot can be cured using a rare flower called Eyebright, which grows in some swamps. Given an hour, a character who has proficiency with an herbalism kit can turn the flower into one dose of ointment. Applied to the eyes before a long rest, one dose of it prevents the disease from worsening after that rest. After three doses, the ointment cures the disease entirely. DMG p. 257

Throat Leaches. Minuscule parasites known as throat leeches infect the water in Chult's forests, swamps, and rivers. Any giant or humanoid that swallows tainted water must succeed on a DC 12 Constitution saving throw or be infested with throat leeches. Immediate symptoms include throat inflammation and shortness of breath. After 1d6 hours, the infected character gains 1 level of exhaustion that can't be removed (except as described below) until the disease is cured. At the end of each long rest, the infected creature must repeat the saving throw. On a failed save, the creature's exhaustion increases by 1 level; on a successful save, the creature's exhaustion decreases by 1 level. If a successful saving throw reduces the infected creature's level of exhaustion below 1, the creature recovers from the disease.

Explorers can avoid contracting throat leeches by drinking only rainwater or water that's been boiled or magically purified. ToA p. 40

This is unofficial Fan Content permitted under the Fan Content Policy. Not approved/endorsed by Wizards. Portions of the materials used are property of Wizards of the Coast. ©Wizards of the Coast LLC.

WWW.GMBINDER.COM

THIS DOCUMENT WAS LOVINGLY CREATED USING GM BINDER.

If you would like to support the GM Binder developers, consider joining our Patreon community.