PRODUCTOS

	NUM_PROD	NOMB_PROD	PREC_UNIT
1	16386	Llave	12.95
2	19440	Martillo	17.5
3	24013	Sierra	26.25
4	26722	Pinzas	11.5
5	21765	Broca	32.99

OFICINAS

	NUM_OFIC	TELEFONO_OFIC	TAMAÑO_OFI
1	1253	901-555-4276	120
2	1227	901-555-0364	100
3	1284	901-555-7335	120
4	1209	901-555-3108	95

VENDEDORES

	NUM_VEND	NOMB_VEN	PORCTCOM	AÑO_CONT	NUM_OFIC
1	137	Baker	10	1995	1284
2	186	Admas	15	2001	1253
3	204	Dickens	10	1998	1209
4	361	Carlyle	20	2001	1227

Sort.. | Filter:

	NUM_VEND	NUM_PROD	CANTIDAD_VENT
1	137	19440	473
2	137	24013	170
3	137	26722	688
4	186	16386	1745
5	186	19440	2529
6	186	21765	1962
7	186	24013	3071
8	204	21765	809
9	204	26722	734
10	361	16386	3729
11	361	21765	3110
12	361	26722	2738

Sort.. | Filter:

	NUM_CLI	NOMB_CLI	NUM_VEND	CIUDAD_DOC
1	121	Main ST. Hardware	137	Nueva York
2	839	Jane's Stores	186	Chicago
3	933	ABC Home Stores	137	Los Angeles
4	1047	Acme Hardware Store	137	Los Angeles
5	1525	Fred's Tool Stores	361	Atlanta
6	1700	XYZ Stores	361	Washington
7	1826	City Hardware	137	Nueva York
8	2198	Western Hardware	204	Nueva York
9	2267	Central Stores	186	Nueva York

Columns | Data | Model | Constraints | Grants | Statistics | Triggers | Flashback | Depe

Sort.. | Filter:

	NUM_CLI	NUM_EMPL	NOMB_EMPL	PUESTO
1	121	27498	Smith	Copropietario
2	121	30441	Garcia	Copropietario
3	933	25270	Chen	VP de ventas
4	933	30441	Levy	Gerente de ventas
5	933	48285	Morton	Presidente
6	1525	33779	Baker	Gerente de ventas
7	2198	27470	Smith	Presidente
8	2198	30441	Jones	VP de ventas
9	2198	33779	Garcia	VP de personal
10	2198	35268	Kaplan	Contador en Jefe

Worksheet | Query Builder

```
select *
  from clientes c
 where ( ( c.ciudad_doc = 'Atlanta' )
    or ( c.ciudad_doc = 'Chicago' )
    or ( c.ciudad_doc = 'Washington' ) );
```

Query Result ×

SQL | All Rows Fetched: 3 in 0.087 seconds

	NUM_CLI	NOMB_CLI	NUM_VEND	CIUDAD_DOC
1	839	Jane's Stores	186	Chicago
2	1525	Fred's Tool Stores	361	Atlanta
3	1700	XYZ Stores	361	Washington

Worksheet

| Worksheet | Query Builder |

```
select *
  from clientes c
 where c.nomb_cli like 'A%';


select *
```

Query Result ×

SQL | All Rows Fetched: 2 in 0.087 seconds

	NUM_CLI	NOMB_CLI	NUM_VEND	CIUDAD_DOC
1	933	ABC Home Stores	137	Los Angeles
2	1047	Acme Hardware Store	137	Los Angeles

| Worksheet | Query Builder |

```
select *
  from clientes c
 where c.nomb_cli like '_a%';

select distinct c.ciudad_doc
  from clientes c;
```

Query Result ×

SQL | All Rows Fetched: 2 in 0.073 seconds

	NUM_CLI	NOMB_CLI	NUM_VEND	CIUDAD_DOC
1	121	Main ST. Hardware	137	Nueva York
2	839	Jane's Stores	186	Chicago

Worksheet | Query Builder

```
select distinct c.ciudad_doc
  from clientes c;

select avg(cantidad_vent)
  from ventas v
  where v.num vend = 137;
```

Query Result ×

📌 🖨 🔁 🗙 SQL | All Rows Fetched: 5 in 0.07 seconds

	CIUDAD_DOC
1	Los Angeles
2	Atlanta
3	Nueva York
4	Chicago
5	Washington

Worksheet | Query Builder

```
select avg(cantidad_vent)
  from ventas v
  where v.num_vend = 137;

select sum(cantidad_vent)
  from ventas v
```

Query Result ×

📌 🖨 🔁 🗙 SQL | All Rows Fetched: 1 in 0.058 seconds

	AVG(CANTIDAD_VENT)
1	443.6666666666666666666666666666666666667

Worksheet | Query Builder

```sql
select sum(cantidad_vent)
  from ventas v
 where v.num_vend = 137;


select max(cantidad_vent)
  from ventas v
```

Query Result ×

SQL | All Rows Fetched: 1 in 0.056 seconds

	SUM(CANTIDAD_VENT)
1	1331

Worksheet

Worksheet | Query Builder

```sql
select max(cantidad_vent)
  from ventas v
 where v.num_prod = 21765;


select min(cantidad_vent)
  from ventas v
```

Query Result ×

SQL | All Rows Fetched: 1 in 0.064 seconds

	MAX(CANTIDAD_VENT)
1	3110

Welcome Page × **Base** ×

Worksheet | Query Builder

```sql
select min(cantidad_vent)
  from ventas v
 where v.num_prod = 21765;


select count(*)
  from ventas v
```

Query Result ×

SQL | All Rows Fetched: 1 in 0.062 seconds

	MIN(CANTIDAD_VENT)
1	809

Welcome Page × **Base** ×

Worksheet | Query Builder

```sql
select count(*)
  from ventas v
 where v.num_prod = 21765;


select vend.nomb_ven,
       sum(vent.cantidad vent)
```

Query Result ×

SQL | All Rows Fetched: 1 in 0.076 seconds

	COUNT(*)
1	3

Worksheet | Query Builder

```sql
select vend.nomb_ven,
       sum(vent.cantidad_vent)
  from vendedores vend
 inner join ventas vent
on vend.num_vend = vent.num_vend
 group by vend.nomb_ven;
```

Query Result ×

SQL | All Rows Fetched: 4 in 0.132 seconds

NOMB_VEN	SUM(VENT.CANTIDAD_VENT)
1 Admas	9307
2 Carlyle	9577
3 Dickens	1543
4 Baker	1331

Worksheet

Worksheet | Query Builder

```sql
select vend.nomb_ven,
       sum(vent.cantidad_vent)
  from vendedores vend
 inner join ventas vent
on vend.num_vend = vent.num_vend
 where vend.num_vend >= 150
 group by vend.nomb_ven;
```

Query Result ×

SQL | All Rows Fetched: 3 in 0.12 seconds

NOMB_VEN	SUM(VENT.CANTIDAD_VENT)
1 Carlyle	9577
2 Dickens	1543
3 Admas	9307

Worksheet   Query Builder

```sql
select vend.nomb_ven,
        sum(vent.cantidad_vent)
  from vendedores vend
 inner join ventas vent
on vend.num_vend = vent.num_vend
 where vend.num_vend >= 150
 group by vend.nomb_ven
having sum(vent.cantidad_vent) > 5000;
```

Query Result ×

SQL | All Rows Fetched: 2 in 0.085 seconds

NOMB_VEN	SUM(VENT.CANTIDAD_VENT)
1 Admas	9307
2 Carlyle	9577

Worksheet   Query Builder

```sql
select vend.nomb_ven
  from vendedores vend
 inner join clientes c
on vend.num_vend = c.num_vend
 where c.num_cli = 1525;
```

Query Result ×

SQL | All Rows Fetched: 1 in 0.075 seconds

NOMB_VEN
1 Carlyle

Worksheet

Worksheet | Query Builder

```sql
select p.nomb_prod
  from vendedores vend
 inner join (
         productos p
    inner join ventas vent
   on p.num_prod = vent.num_prod
 )
on vend.num_vend = vent.num_vend
 where ( ( vend.nomb_ven = 'Admas' )
    and ( vent.cantidad_vent > 2000 ) );
```

▲▼

▶ Query Result ×

📌 🖨 🔁 📇 SQL | All Rows Fetched: 2 in 0.122 seconds

	⬦ NOMB_PROD
1	Martillo
2	Sierra

Worksheet | Query Builder

```sql
select nomb_ven
  from vendedores
 where num_vend = (
    select num_vend
      from clientes
     where num_cli = 1525
);
```

▲▼

▶ Query Result ×

📌 🖨 🔁 📇 SQL | All Rows Fetched: 1 in 0.063 seconds

|	⬦ NOMB_VEN
1	Carlyle

Worksheet   Query Builder

```sql
select nomb_ven,
       porctcom
  from vendedores
 where porctcom = (
       select min(porctcom)
         from vendedores
        where num_vend > 200
       )
   and num_vend > 200;
```

Query Result ×

SQL | All Rows Fetched: 1 in 0.073 seconds

	NOMB_VEN	PORCTCOM
1	Dickens	10