

Lead creation accepts a reserved status

TC-API-LEAD-006 | API test scenario and observed defect

Expected: HTTP 400 and no new lead.
Observed: HTTP 201 with status: "converted" and is_converted: false.

Reported severity	Major	Test result	Failed
Environment / role	Staging / Owner	Tool / OS	Postman Desktop / Windows
Sample build	2026.10.03-582	Observed scope	Two creations; one GET verification

Impact and test basis

Creation accepts a state reserved for atomic conversion and saves conflicting conversion indicators. The supplied report cites DealFlow lead-creation requirements, section 4.1: converted may be assigned only through the conversion workflow.

Preconditions and test data

Signed in as Owner with an active workspace and working session/CSRF setup. Use a valid first name and fresh synthetic title/email for each attempt. Send the CSRF cookie value in X-CSRFToken with the authenticated session.

Request / POST /api/leads/

```
Content-Type: application/json
{
  "title": "{{negative_title}}",
  "first_name": "API",
  "last_name": "Test",
  "email": "{{negative_email}}",
  "notes": "Synthetic test data | TC-API-LEAD-006",
  "status": "converted"
}
```

Test procedure and expected result

1. Set fresh values for negative_title and negative_email.
2. Send the POST request. Expect HTTP 400 with validation details and no created lead ID.
3. Send GET /api/leads/?search={{negative_title}}. Expect no matching lead from this attempt.

Actual result and execution scope

Two separate POST attempts returned HTTP 201 with status: "converted" and is_converted: false. A follow-up GET confirmed persistence for the first record. The second POST and first GET are separate executions.

is_converted is not sent in the request; the API supplies that value. No fix or successful retest is evidenced in the supplied material.

Creation request and response

Second observed creation | 19:40:29, UTC+03:00




Figure 1. Request and response excerpts from the same Postman screenshot. POST returns 201 Created while the response contains converted and is_converted: false.

What this proves

The creation endpoint accepts the reserved status in this execution. The response inconsistency does not depend on a client-supplied is_converted field.

Evidence boundary: this screenshot is the second creation attempt. Persistence evidence on the next page belongs to the first attempt.

Original opaque masks are retained. Masked account details and identifiers have not been reconstructed.

Persistence and failed assertions

First observed creation | follow-up GET and Postman checks

GET returns the created record




Figure 2a. GET returns HTTP 200 and count: 1. The reporter states that the ID matched the first POST before redaction.

Same GET response / conversion fields

```
"status": "converted",
"estimated_amount": null,
"notes": "Synthetic test data | TC-API-LEAD-006",
"is_converted": false,
```

Figure 2b. Lower excerpt of the same response: status remains converted while is_converted remains false.

Postman assertions




Figure 3. Two failed checks: expected HTTP 400, and expected an error without a created ID. JSON response validation passes.

Interpretation

The first invalid creation was persisted, rather than only echoed in a response. The search variable in the captured request is `negative_lookup`; it represents the lookup value for that first attempt.

Confirmation and regression / not executed

Reject direct creation with status converted and verify no lead was saved. Confirm that normal lead creation and the approved atomic conversion workflow still work.

The supplied evidence supports two invalid creations and one persistence check. It does not establish results for other scenarios or later builds.

Supporting API contract review

Separate Swagger check | context, not reproduction of scenario 006

The Swagger execution used status: new and invalid placeholder values. Its HTTP 400 response is distinct from the converted-status defect.

Request example and executed validation response

```
"last_name": "string",
"phone": "string",
"email": "string",
"position": "string",
"telegram": "string",
"linkedin": "string",
"facebook": "string",
"instagram": "string",
"company_name_input": "string",
"title": "string",
"status": "new",
"estimated_amount": "-75206258.37",
"notes": "string",
"on_hold_reason": "string",
"company": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
"contact": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
"owner": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
"source": "3fa85f64-5717-4562-b3fc-2c963f66afa6"
}
```

Server response

Code	Details
400	Error: response status is 400
Undocumented	Response body

```
{
  "phone": [
    "Введіть телефон у форматі +380XXXXXXXXX."
  ],
  "email": [
    "Введіть коректну адресу електронної пошти."
  ],
  "company": [
    "The referenced resource does not exist."
  ],
  "contact": [
    "The referenced resource does not exist."
  ],
  "owner": [
    "The referenced resource does not exist."
  ],
  "source": [
    "The referenced resource does not exist."
  ]
}
```

Figure 4 (left). Generated request example with placeholder strings and UUIDs, not prepared test data. Figure 5 (right). Executed HTTP 400 response: invalid phone/email formats and references to nonexistent resources.

Documented success response / HTTP 201

Responses

Code	Description
201	Media type application/json Controls Accept header. Example Value Schema

```
"title": "string",
"status": "new",
"estimated_amount": "7.5",
"notes": "string",
"is_converted": true,
```

Figure 6. Documented 201 response and selected example fields. These describe a response shape; they are not execution evidence.

Documentation observation

The captured response list documents 201, while the actual 400 is marked Undocumented. Documenting validation errors and providing realistic request examples would clarify the contract.

Collection coverage and scope

Six lead-creation scenarios | only scenario 006 is assessed in this report

Setup checks the signed-in user and workspace, then obtains a CSRF cookie. Fresh synthetic values distinguish individual attempts.

Case	Scenario	Expected result
001	Valid lead creation	201; GET by ID and list search return matching values.
002	Missing first_name	400; no new lead.
003	Neither phone nor email	400; no new lead.
004	Invalid email format	400; no new lead.
005	Duplicate email with different letter case	400; no additional lead.
006	Direct creation with status converted	400; no new lead. Observed: 201 and conflicting conversion fields.




Figure 7. Collection structure captured during execution. Case numbers map to TC-API-LEAD-001 through TC-API-LEAD-006.

Execution boundary: the other five scenarios are listed as collection coverage; this report does not assess their outcomes. Requests were run manually, with assertions automated by Postman scripts.

This edition reorganizes the supplied evidence. It does not represent a new execution, independent verification or confirmation that the defect is still present.