

Enter TRACE:2

rtinit0 called at t=0.000

via
D0	1 2 3
1 | 9999 9999 9999
dest 2 | 9999 9999 9999
3 | 9999 9999 9999

rtinit0: sending packet to node 1

rtinit0: sending packet to node 2

rtinit0: sending packet to node 3

rtinit1 called at t=0.000

via
D1	0 2
0 | 9999 9999
dest 2 | 9999 9999
3 | 9999 9999

rtinit1: sending packet to node 0

rtinit1: sending packet to node 2

rtinit2 called at t=0.000

via
D2	0 1 3
0 | 9999 9999 9999
dest 1 | 9999 9999 9999
3 | 9999 9999 9999

rtinit2: sending packet to node 0

rtinit2: sending packet to node 1

rtinit2: sending packet to node 3

rtinit3 called at t=0.000

via
D3	0 2
0 | 9999 9999
dest 1 | 9999 9999
2 | 9999 9999

rtinit3: sending packet to node 0

rtinit3: sending packet to node 2

MAIN: rcv event, t=0.420, at 3 src: 0, dest: 3, contents: 0 1 3

7

rtupdate3 called at t=0.420, received from 0

via
D3	0 2
0 | 7 9999
dest 1 | 8 9999
2 | 10 9999

rtupdate3: costs changed, notifying neighbors

rtupdate3: sending update to 0

```

rtupdate3: sending update to 2
MAIN: rcv event, t=0.689, at 3 src: 2, dest: 3, contents:  3  1  0
2
rtupdate3 called at t=0.689, received from 2
      via
    D3 |  0  2
    ----|-----
      0 |  7  5
dest 1 |  8  3
      2 | 10  2
rtupdate3: costs changed, notifying neighbors
rtupdate3: sending update to 0
rtupdate3: sending update to 2
MAIN: rcv event, t=0.697, at 1 src: 0, dest: 1, contents:  0  1  3
7
rtupdate1 called at t=0.697, received from 0
      via
    D1 |  0  2
    ----|-----
      0 |  1 9999
dest 2 |  4 9999
      3 |  8 9999
rtupdate1: costs changed, notifying neighbors
rtupdate1: sending update to 0
rtupdate1: sending update to 2
MAIN: rcv event, t=0.980, at 0 src: 1, dest: 0, contents:  1  0  1
9999
rtupdate0 called at t=0.980, received from 1
      via
    D0 |  1  2  3
    ----|-----
      1 |  1 9999 9999
dest 2 |  2 9999 9999
      3 | 10000 9999 9999
rtupdate0: costs changed, notifying neighbors
rtupdate0: sending update to 1
rtupdate0: sending update to 2
rtupdate0: sending update to 3
MAIN: rcv event, t=1.270, at 2 src: 0, dest: 2, contents:  0  1  3
7
rtupdate2 called at t=1.270, received from 0
      via
    D2 |  0  1  3
    ----|-----
      0 |  3 9999 9999
dest 1 |  4 9999 9999
      3 | 10 9999 9999
rtupdate2: no change in min costs
MAIN: rcv event, t=1.532, at 1 src: 2, dest: 1, contents:  3  1  0
2

```

rtupdate1 called at t=1.532, received from 2

via
D1	0 2
0 | 1 4
dest 2 | 4 1
3 | 8 3

rtupdate1: costs changed, notifying neighbors

rtupdate1: sending update to 0

rtupdate1: sending update to 2

MAIN: rcv event, t=2.007, at 2 src: 1, dest: 2, contents: 1 0 1
9999

rtupdate2 called at t=2.007, received from 1

via
D2	0 1 3
0 | 3 2 9999
dest 1 | 4 1 9999
3 | 10 10000 9999

rtupdate2: costs changed, notifying neighbors

rtupdate2: sending update to 0

rtupdate2: sending update to 1

rtupdate2: sending update to 3

MAIN: rcv event, t=2.147, at 0 src: 2, dest: 0, contents: 3 1 0
2

rtupdate0 called at t=2.147, received from 2

via
D0	1 2 3
1 | 1 4 9999
dest 2 | 2 3 9999
3 | 10000 5 9999

rtupdate0: costs changed, notifying neighbors

rtupdate0: sending update to 1

rtupdate0: sending update to 2

rtupdate0: sending update to 3

MAIN: rcv event, t=2.336, at 1 src: 0, dest: 1, contents: 0 1 2
7

rtupdate1 called at t=2.336, received from 0

via
D1	0 2
0 | 1 4
dest 2 | 3 1
3 | 8 3

rtupdate1: no change in min costs

MAIN: rcv event, t=2.786, at 3 src: 0, dest: 3, contents: 0 1 2
7

rtupdate3 called at t=2.786, received from 0

via

D3	0	2
0	7	5
dest 1	8	3
2	9	2

rtupdate3: no change in min costs

MAIN: rcv event, t=3.045, at 0 src: 3, dest: 0, contents: 7 9999 2
0

rtupdate0 called at t=3.045, received from 3

D0	1	2	3
1	1	4	10006
dest 2	2	3	9
3	10000	5	7

rtupdate0: no change in min costs

MAIN: rcv event, t=3.485, at 1 src: 2, dest: 1, contents: 2 1 0
2

rtupdate1 called at t=3.485, received from 2

D1	0	2
0	1	3
dest 2	3	1
3	8	3

rtupdate1: no change in min costs

MAIN: rcv event, t=3.488, at 1 src: 0, dest: 1, contents: 0 1 2
5

rtupdate1 called at t=3.488, received from 0

D1	0	2
0	1	3
dest 2	3	1
3	6	3

rtupdate1: no change in min costs

MAIN: rcv event, t=3.613, at 2 src: 3, dest: 2, contents: 7 9999 2
0

rtupdate2 called at t=3.613, received from 3

D2	0	1	3
0	3	2	9
dest 1	4	1	10001
3	10	10000	2

rtupdate2: no change in min costs

MAIN: rcv event, t=4.725, at 3 src: 2, dest: 3, contents: 2 1 0
2

rtupdate3 called at t=4.725, received from 2

via

D3	0	2
0	7	4
dest 1	8	3
2	9	2

rtupdate3: costs changed, notifying neighbors

rtupdate3: sending update to 0

rtupdate3: sending update to 2

MAIN: rcv event, t=4.940, at 0 src: 3, dest: 0, contents: 7 8 2
0

rtupdate0 called at t=4.940, received from 3
via

D0	1	2	3
1	1	4	15
dest 2	2	3	9
3	10000	5	7

rtupdate0: no change in min costs

MAIN: rcv event, t=5.234, at 2 src: 3, dest: 2, contents: 7 8 2
0

rtupdate2 called at t=5.234, received from 3
via

D2	0	1	3
0	3	2	9
dest 1	4	1	10
3	10	10000	2

rtupdate2: no change in min costs

MAIN: rcv event, t=5.264, at 0 src: 3, dest: 0, contents: 5 3 2
0

rtupdate0 called at t=5.264, received from 3
via

D0	1	2	3
1	1	4	10
dest 2	2	3	9
3	10000	5	7

rtupdate0: no change in min costs

MAIN: rcv event, t=6.173, at 3 src: 0, dest: 3, contents: 0 1 2
5

rtupdate3 called at t=6.173, received from 0
via

D3	0	2
0	7	4
dest 1	8	3
2	9	2

rtupdate3: no change in min costs

MAIN: rcv event, t=6.887, at 0 src: 1, dest: 0, contents: 1 0 1
8

rtupdate0 called at t=6.887, received from 1

via			
D0	1	2	3
----	-----	-----	-----
1	1	4	10
dest 2	2	3	9
3	9	5	7

rtupdate0: no change in min costs

MAIN: rcv event, t=6.921, at 0 src: 1, dest: 0, contents: 1 0 1
3

rtupdate0 called at t=6.921, received from 1

via			
D0	1	2	3
----	-----	-----	-----
1	1	4	10
dest 2	2	3	9
3	4	5	7

rtupdate0: costs changed, notifying neighbors

rtupdate0: sending update to 1

rtupdate0: sending update to 2

rtupdate0: sending update to 3

MAIN: rcv event, t=6.969, at 3 src: 0, dest: 3, contents: 0 1 2
4

rtupdate3 called at t=6.969, received from 0

via		
D3	0	2
----	-----	-----
0	7	4
dest 1	8	3
2	9	2

rtupdate3: no change in min costs

MAIN: rcv event, t=7.168, at 2 src: 3, dest: 2, contents: 5 3 2
0

rtupdate2 called at t=7.168, received from 3

via			
D2	0	1	3
----	-----	-----	-----
0	3	2	7
dest 1	4	1	5
3	10	10000	2

rtupdate2: no change in min costs

MAIN: rcv event, t=8.227, at 1 src: 0, dest: 1, contents: 0 1 2
4

rtupdate1 called at t=8.227, received from 0

via		
D1	0	2
----	-----	-----
0	1	3
dest 2	3	1
3	5	3

rtupdate1: no change in min costs

MAIN: rcv event, t=8.244, at 0 src: 2, dest: 0, contents: 2 1 0
2

rtupdate0 called at t=8.244, received from 2

via			
D0	1	2	3
----- -----			
1	1	4	10
dest 2	2	3	9
3	4	5	7

rtupdate0: no change in min costs

MAIN: rcv event, t=9.069, at 2 src: 1, dest: 2, contents: 1 0 1
8

rtupdate2 called at t=9.069, received from 1

via			
D2	0	1	3
----- -----			
0	3	2	7
dest 1	4	1	5
3	10	9	2

rtupdate2: no change in min costs

MAIN: rcv event, t=9.320, at 0 src: 3, dest: 0, contents: 4 3 2
0

rtupdate0 called at t=9.320, received from 3

via			
D0	1	2	3
----- -----			
1	1	4	10
dest 2	2	3	9
3	4	5	7

rtupdate0: no change in min costs

MAIN: rcv event, t=11.022, at 2 src: 0, dest: 2, contents: 0 1 2
7

rtupdate2 called at t=11.022, received from 0

via			
D2	0	1	3
----- -----			
0	3	2	7
dest 1	4	1	5
3	10	9	2

rtupdate2: no change in min costs

MAIN: rcv event, t=12.792, at 2 src: 1, dest: 2, contents: 1 0 1
3

rtupdate2 called at t=12.792, received from 1

via			
D2	0	1	3
----- -----			
0	3	2	7
dest 1	4	1	5
3	10	4	2

rtupdate2: no change in min costs

MAIN: rcv event, t=13.977, at 2 src: 0, dest: 2, contents: 0 1 2
5

rtupdate2 called at t=13.977, received from 0

via			
D2	0	1	3
----- -----			
0	3	2	7
dest 1	4	1	5
3	8	4	2

rtupdate2: no change in min costs

MAIN: rcv event, t=15.855, at 2 src: 3, dest: 2, contents: 4 3 2
0

rtupdate2 called at t=15.855, received from 3

via			
D2	0	1	3
----- -----			
0	3	2	6
dest 1	4	1	5
3	8	4	2

rtupdate2: no change in min costs

MAIN: rcv event, t=17.443, at 2 src: 0, dest: 2, contents: 0 1 2
4

rtupdate2 called at t=17.443, received from 0

via			
D2	0	1	3
----- -----			
0	3	2	6
dest 1	4	1	5
3	7	4	2

rtupdate2: no change in min costs

Simulator terminated at t=17.443218, no packets in medium