## Spring Security - Logout





#### luv2code Company Home Page


Welcome to the luv2code company home page!

Logout



# Welcome to the luv2code company home page! Logout Clear user's session







Step-By-Step



Step-By-Step

1. Add logout support to Spring Security Configuration



Step-By-Step

1. Add logout support to Spring Security Configuration

2. Add logout button to JSP page





1. Add logout support to Spring Security Configuration

2. Add logout button to JSP page

3. Update login form to display "logged out" message



#### Step 1: Add Logout support to Spring Security Configuration

```
@Override
protected void configure(HttpSecurity http) throws Exception {
 http.authorizeRequests()
         .anyRequest().authenticated()
      .and()
      .formLogin()
        .loginPage("/showMyLoginPage")
        .loginProcessingUrl("/authenticateTheUser")
        .permitAll()
```



#### Step 1: Add Logout support to Spring Security Configuration

```
@Override
protected void configure(HttpSecurity http) throws Exception {
 http.authorizeRequests()
         .anyRequest().authenticated()
      .and()
      .formLogin()
        .loginPage("/showMyLoginPage")
        .loginProcessingUrl("/authenticateTheUser")
        .permitAll()
      .and()
      .logout().permitAll();
```




#### Step 1: Add Logout support to Spring Security Configuration

```
@Override
protected void configure(HttpSecurity http) throws Exception {
 http.authorizeRequests()
        .anyRequest().authenticated()
      .and()
      .formLogin()
        .loginPage("/showMyLoginPage")
        .loginProcessingUrl("/authenticateTheUser")
        .permitAll()
      .and()
                                          Add logout support
      .logout().permitAll();
                                            for default URL
                                               /logout
```






• Send data to default logout URL: /logout





• Send data to default logout URL: /logout

• Logout URL will be handled by Spring Security Filters






• Send data to default logout URL: /logout

Logout URL will be handled by Spring Security Filters

• You get it for free ... no coding required






• Send data to default logout URL: /logout

Logout URL will be handled by Spring Security Filters

• You get it for free ... no coding required

This is
Spring Security magic ...
LOL







• Send data to default logout URL: /logout



• Send data to default logout URL: /logout



- Send data to default logout URL: /logout
  - By default, must use POST method



- Send data to default logout URL: /logout
  - By default, must use POST method

GET method is disabled by default





• When a logout is processed, by default Spring Security will ...



• When a logout is processed, by default Spring Security will ...

• Invalidate user's HTTP session and remove session cookies, etc



• When a logout is processed, by default Spring Security will ...

Invalidate user's HTTP session and remove session cookies, etc

Send user back to your login page



• When a logout is processed, by default Spring Security will ...

• Invalidate user's HTTP session and remove session cookies, etc

Send user back to your login page

· Append a logout parameter: ?logout





1. Update login form



1. Update login form


1. Check the logout parameter



- 1. Update login form
  - 1. Check the logout parameter
  - 2. If logout parameter exists, show "logged out" message




- 1. Update login form
  - 1. Check the logout parameter
  - 2. If logout parameter exists, show "logged out" message





- 1. Update login form
  - 1. Check the logout parameter
  - 2. If logout parameter exists, show "logged out" message

JSTL can help with this :-)





File: WEB-INF/view/plain-login.jsp

```
<%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core"</pre>
```



**Use JSTL** 

File: WEB-INF/view/plain-login.jsp

```
<%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
```

• • •



**Use JSTL** 

File: WEB-INF/view/plain-login.jsp

```
<%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
...
<form:form action="..." method="...">
```

```
</form:form>
```

•••



**Use JSTL** 

File: WEB-INF/view/plain-login.jsp

```
<%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core"</pre>
<form:form action="..." method="...">
 <c:if test="${param.logout != null}">
   <i>You have been logged out.</i>
 </c:if>
   User name: <input type="text" name="username" />
   Password: <input type="password" name="password" />
</form:form>
```



**Use JSTL** 

File: WEB-INF/view/plain-login.jsp

```
<%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core"</pre>
<form:form action="..." method="...">
                                                               If logout param
 <c:if test="${param.logout != null}">
                                                                 then show
   <i>You have been logged out.</i>
                                                                 message
 </c:if>
   User name: <input type="text" name="username" />
   Password: <input type="password" name="password" />
</form:form>
```



**Use JSTL** 

File: WEB-INF/view/plain-login.jsp

```
<%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core"</pre>
<form:form action="..." method="...">
                                                               If logout param
 <c:if test="${param.logout != null}">
                                                                 then show
   <i>You have been logged out.</i>
                                                                 message
 </c:if>
   User name: <input type="text" name="username" />
   Password: <input type="password" name="password" />
```

http://localhost:8080/myapp/showMyLoginPage?logout

•••



**Use JSTL** 

File: WEB-INF/view/plain-login.jsp

```
<%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core"</pre>
<form:form action="..." method="...">
                                                               If logout param
 <c:if test="${param.logout != null}">
                                                                 then show
   <i>You have been logged out.</i>
                                                                  message
 </c:if>
   User name: <input type="text" name="username" /
   Password: <input type="password" name="password"
```

http://localhost:8080/myapp/showMyLoginPage?logout

• •

