

JSTL Core Tag - <forEach>



JSP Standard Tag Library (JSTL)





Core Tags - Part 1

Tag	Description
catch	catches any throwable to occurs in the boy
choose	conditional tag that can be used for exclusive operations, similar to switch statement
if	simple if/then conditional
import	retrieves a URL and exposes its contents on the page or a variable



Core Tags - Part 2

Tag	Description
forEach	Iterates over a collection of values
forTokens	Iterates over a collection of tokens
out	Used in scriptlets to display output, similar to $<\%=\dots\%>$



Core Tags - Part 3

Tag	Description
otherwise	Used with the <choose> tag to handle the else clause</choose>
param	Adds a parameter to a URL
redirect	Redirects the browser to a new URL
remove	Removes a scoped variable
set	Assigns an expression value to a variable
uri	Defines a URL with query parameters
when	Used with the <choose> tag, when a condition is true</choose>



JSP Core Taglib Reference

Every page that uses the Core tags must include this reference:

<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>



```
<%
 // just create some sample data ... normally provided by MVC
 String[] cities = {"Mumbai", "Singapore", "Philadelphia"};
 pageContext.setAttribute("myCities", cities);
%>
<body>
 <c:forEach var="tempCity" items="${myCities}">
   $\{\tempCity\} <\text{br/>}
 </ci>
</body>
```

Mumbai Singapore Philadelphia



```
<%
 // just create some sample data ... normally provided by MVC
 String[] cities = {"Mumbai", "Singapore", "Philadelphia"};
 pageContext.setAttribute("myCities", cities);
%>
<body>
 <c:forEach var="tempCity" items="${myCities}">
   $\{\tempCity\} <\text{br/>}
 </c:forEach>
</body>
```



Resources

Name	Website
JSP Custom Tags Tutorial	www.luv2code.com/tag-tutorial
JSTL Tutorial	www.luv2code.com/jstl-tutorial
JSTL JavaDoc	www.luv2code.com/jstl-javadoc
JSTL Specification PDF	www.luv2code.com/jstl-pdf





JSTL Core Tag - <forEach>

