

Quiz: Assembler instructions and program execution

[Back](#)[Next](#)

This quiz has 5 questions. The passing grade is 4.

Started on	Wednesday, January 15, 2025, 3:33 PM
State	Finished
Completed on	Wednesday, January 15, 2025, 3:36 PM
Time taken	3 mins 17 secs
Grade	2.00 out of 5.00 (40%)

Question **1**

Correct

1.00 points out of 1.00

Macros in a macro library can be used to reuse data definitions

Select one:

- ☒ True ✓
- ☐ False

Correct!

If you place the definition of a data structure (for example, a Customer record) in a macro library, many programs can reuse it, by including the definition from the macro library, instead of having to repeat all the statements that make up the data structure.

The correct answer is 'True'.

Question 2

Incorrect

0.00 points out of 1.00

Back

Next

The Assembler produces these two outputs:

Select one or more:

- ☐ A. Source program
- ☐ B. Assembly listing
- ☐ C. Macro library
- ☒ D. Load module ✕
- ☒ E. Object module ✓

The Assembler produces an **object module** and an **assembly listing**.

Regarding the incorrect answers:

The **source program** and the **macro library** are *inputs* to the Assembler.

The **load module** is produced by the Binder, not the Assembler.

The correct answers are: Object module, Assembly listing

Question **3**

Correct

1.00 points out of 1.00

[Back](#)[Next](#)

Program Assembly is the process that converts source code to object code

Select one:

☒ True ✓

☐ False

Correct!

During Program Assembly, the Assembler converts the source program to object code. The process is what other programming languages call compiling.

The correct answer is 'True'.

Question **4**

Incorrect

0.00 points out of 1.00

In z/OS, this instruction is used to return to the caller (and end the program):

BR 14

Select one:

☐ True

☒ False ✕

The correct answer is 'True'.

Question 5

Incorrect

0.00 points out of 1.00

[Back](#)[Next](#)

The ASMAC stored procedure creates a load module

Select one:

☒ True ✖

☐ False

The ASMAC stored procedure assembles a source program, producing an object module, not a load module.

To create a load module you need ASMACL (Compile and Link) or ASMACLG (Compile, Link, and Go). The "Link" step creates a load module.

The correct answer is 'False'.