

Water and Existence: The Cosmic and Planetary History of H₂O from the Big Bang to the Present

An evidence-constrained multidisciplinary synthesis from nucleosynthesis and astrochemistry to planetary accretion, deep-Earth cycling, life and the Anthropocene

Vahid Nezamivand Chegane


ORCID: 0009-0003-6477-091X | vahidmaykoltarh@yahoo.com | 31 August 2026

ABSTRACT

Water is both a molecular product of cosmic chemical evolution and a dynamic component of planetary systems. This synthesis reconstructs the history of H₂O across five linked levels: primordial hydrogen, stellar production of oxygen, interstellar and circumstellar water chemistry, incorporation of volatiles into the forming Solar System, and the subsequent evolution of Earth's surface and deep water reservoirs. The central methodological point is that "the origin of Earth's water" is not equivalent to a single delivery event. Hydrogen and oxygen have different nucleosynthetic histories; water molecules can form before, during, and after star and planet formation; and Earth's present water inventory reflects accretion, devolatilization, atmospheric loss, interior storage, surface condensation, and long-term recycling. Isotopic evidence, especially D/H, provides powerful constraints but does not support a single deterministic source percentage. Carbonaceous asteroids/chondrites are strongly implicated in the volatile inventory of the inner Solar System, while some comets possess Earth-like D/H values and therefore cannot be excluded categorically. Deep-Earth water storage is also treated cautiously: mineral capacity and local hydrous evidence do not establish a globally ocean-equivalent inventory. The paper concludes with an evidence-based framework linking cosmic chemistry, planetary accretion, the hydrological cycle, deep-Earth exchange, biospheric evolution, and anthropogenic water use. The result is a scientifically conservative narrative designed to distinguish observation, laboratory constraint, inference, model dependence, and conceptual synthesis.

Keywords: H₂O; water origin; astrochemistry; nucleosynthesis; solar-system formation; D/H; carbonaceous chondrites; comets; Earth accretion; mantle transition zone; hydrological cycle; astrobiology; water security

Figure 1. From primordial hydrogen to planetary water



Key principle: the atoms, molecules, reservoirs and delivery pathways have different histories.

Therefore "the origin of water" is not a single event but a chain of nucleosynthetic, chemical, dynamical and planetary processes.

Figure 1. Conceptual chain connecting elemental origins, water formation, Solar System incorporation and Earth's present reservoirs.

1. Introduction: Water as a cosmic and planetary system

Water is chemically simple but scientifically multiscale. H₂O links nuclear astrophysics, astrochemistry, planetary accretion, atmospheric evolution, mineral physics, geochemistry, biology, and human water use. The molecule itself is not the beginning of the story: its constituent hydrogen and oxygen atoms have different origins, and the reservoirs containing H₂O have been repeatedly reorganized.

The phrase “origin of Earth’s water” is therefore best treated as a provenance problem. Several questions must be separated: where the atoms came from; where H₂O molecules formed; what materials delivered hydrogen-bearing volatiles to the terrestrial planet; how much water survived accretion and atmospheric escape; how much was released from the mantle; and how the surface and deep reservoirs have exchanged water over geological time.

This manuscript follows those distinctions and explicitly avoids assigning precise source percentages where the available evidence does not uniquely determine them.

2. Hydrogen and oxygen: different cosmic histories

Most primordial hydrogen was produced during Big Bang nucleosynthesis, together with deuterium and helium isotopes. Oxygen, by contrast, is a secondary element produced by stellar nucleosynthesis and subsequently dispersed into the interstellar medium by stellar winds and explosive events. Thus the H and O atoms in terrestrial water do not have a single common nucleosynthetic birthplace.

The oxygen budget of the interstellar medium is shaped by stellar evolution, while hydrogen is dominated by primordial production. This difference is foundational: water chemistry can only begin after oxygen has been synthesized and incorporated into environments where hydrogen-bearing species are available.


3. Formation of water in interstellar and circumstellar environments

Observations of dense molecular clouds show that water is an important constituent of interstellar ice mantles. In cold environments, atoms and simple molecules freeze onto dust grains, where surface reactions produce H₂O and other species. Laboratory and spectroscopic studies indicate that ice mantles preserve information about the physical and chemical history of their environments.

Gas-phase chemistry also forms water in warmer regions. The relative importance of gas-phase and grain-surface pathways varies with temperature, density, radiation field, shocks, and the evolutionary stage of a star-forming region.

Accordingly, water can predate the Solar System in the form of interstellar/circumstellar ice and can also be chemically processed during the formation and evolution of the protoplanetary disk.

Figure 2. D/H as a provenance constraint — not a unique source tracer



Values are representative literature measurements/scales; mixing, fractionation and reservoir processing prevent one-to-one source attribution.

Figure 2. Representative D/H values illustrating the power and limitations of isotopic provenance. Values are shown as comparative scales rather than a mixing solution.

4. Water in the Solar System: beyond the simple snow-line picture

The Solar System formed approximately 4.57 billion years ago from a molecular-cloud/protoplanetary-disk environment. The snow line was an important thermodynamic boundary, but the statement that Earth therefore formed as a completely dry planet is too strong. Radial transport, mixing, planetesimal composition, adsorption, hydrated minerals, and later accretion all complicate the simple inside-dry/outside-wet picture.

Modern accretion models and isotopic studies support a mixed provenance. Carbonaceous asteroids are strong candidates for a major source of Earth's volatile inventory, but the precise fraction cannot be reduced to a single universal percentage because the answer depends on the assumed compositions, timing, loss processes, and mass balance.

5. D/H: powerful fingerprint, not a single-source proof

Earth's ocean water has $D/H \approx 1.558 \times 10^{-4}$. Oort-cloud comets historically showed substantially higher average values, whereas some carbonaceous meteorites and several Jupiter-family comets overlap the terrestrial range. The 103P/Hartley 2 measurement of $1.61 \pm 0.24 \times 10^{-4}$ demonstrated that at least some Jupiter-family comets contain ocean-like water.

These measurements constrain possible sources but do not uniquely solve the mixing problem. Isotopic fractionation can occur during nebular processing, aqueous alteration, atmospheric escape, and parent-body evolution. A rigorous provenance model must therefore combine D/H with oxygen isotopes, noble gases, elemental abundances, dynamical delivery models, and Earth's bulk chemical constraints.

The previously common claim that carbonaceous chondrites supplied a fixed 70–80% of all terrestrial water is not retained here as an established fact. Recent modelling allows substantial contributions from both carbonaceous and non-carbonaceous materials, depending on the accretion scenario.

6. Earth's early water inventory and atmospheric evolution

Earth accreted through a sequence of impacts and differentiation events, with the first several hundred million years poorly preserved in the terrestrial rock record. Volatile delivery, magma-ocean processing, degassing, dissolution into melts, and atmospheric escape therefore need to be considered together.

Volcanic and magmatic degassing supplied water vapor and other volatiles to the atmosphere. As the surface cooled sufficiently, condensation and precipitation established persistent surface reservoirs. The exact timing of the first long-lived oceans remains an active research question, but geological evidence demonstrates that liquid-water environments existed very early in Earth history.


An important conceptual correction is that surface water is not simply “delivered from outside.” Earth’s mantle contains hydrogen-bearing minerals, and internal degassing has contributed to the surface reservoir throughout geological time.

7. The deep-Earth water cycle

The mantle transition zone, approximately 410–660 km depth, contains minerals such as wadsleyite and ringwoodite capable of incorporating substantial hydrogen as hydroxyl. The discovery of hydrous ringwoodite included in a natural diamond provided direct evidence that at least some transition-zone material is water-bearing.

However, mineral storage capacity must not be confused with the actual global water inventory. Experimental capacity can be high while average mantle water content is low. Geophysical and geochemical estimates vary spatially, and whether the transition zone contains an ocean-equivalent mass of water remains unresolved.

Subduction transfers hydrated minerals and altered oceanic lithosphere downward; mantle melting, volcanism, hydrothermal circulation, and degassing return some water upward. The deep water cycle therefore couples plate tectonics, mantle rheology, volcanism, atmospheric composition, and long-term climate.



Conceptual only: mineral water capacity varies strongly with phase, temperature, pressure and composition; global inventory remains uncertain.

Figure 4. Deep-Earth water storage must be separated into mineral capacity and actual inventory; the latter remains uncertain.

8. The evolving hydrological cycle

The hydrological cycle operates across timescales from hours to billions of years. Evaporation, condensation, precipitation, runoff, groundwater flow, ice storage, ocean circulation, and biological transpiration operate on short timescales, while weathering, sediment burial, subduction, metamorphism, and volcanic degassing regulate longer-term exchange.

The faint-young-Sun problem provides an important planetary context. Solar luminosity has increased substantially since the early Earth, while greenhouse gases and other feedbacks helped regulate surface conditions. Water vapor itself is a powerful greenhouse gas, but its abundance is coupled to temperature

and atmospheric composition rather than functioning as an independent climate control.

Plate tectonics additionally reorganizes continental geometry, ocean gateways, weathering rates, and the long-term carbon cycle, thereby altering the environmental context in which water remains liquid at the surface.

Figure 3. Earth’s coupled surface-deep water cycle




Figure 3. Coupled surface-deep water cycle. Arrows are conceptual pathways, not a quantitative flux model.

9. Water and the emergence of life

Water is a chemically active solvent, not merely a passive background medium. Its polarity, hydrogen bonding, heat capacity, dielectric properties, and ability to dissolve ions and polar molecules make aqueous environments central to many prebiotic chemistry scenarios.

Nevertheless, no single origin-of-life pathway has been established. RNA-world, metabolism-first, alkaline-hydrothermal-vent, surface-pond, and other scenarios make different assumptions about water activity, mineral surfaces, redox gradients, energy sources, and concentration mechanisms. The scientifically defensible conclusion is that water is strongly implicated in prebiotic chemistry, not that water alone explains the origin of life.

Once life emerged, biological processes became an active component of the water cycle through photosynthesis, transpiration, soil formation, weathering, biomass storage, and ecosystem engineering.

10. Water in the Anthropocene

Humanity has become a major agent in the redistribution and transformation of freshwater. The UNESCO World Water Development Report 2024 reports that agriculture accounts for roughly 70% of global freshwater withdrawals, industry for just under 20%, and domestic use for about 12%, with strong regional variation.

Climate change is altering precipitation patterns, evaporation, snow and glacier storage, soil moisture, groundwater recharge, and extreme-event statistics. Pollution adds another dimension: a water molecule may remain chemically present while the reservoir becomes less suitable for human or ecological use.

The relevant scientific problem is therefore not simply water scarcity but the coupled management of quantity, quality, timing, storage, accessibility, energy use, and ecosystem function.

Table 1. Global freshwater withdrawal structure

Use sector	Approximate global share	Scientific interpretation
Agriculture	~70%	Dominant withdrawal sector globally; highly variable by region
Industry	<20%	Includes cooling, processing and manufacturing; regional variation is large
Domestic / municipal	~12%	Household and municipal supply; terminology and accounting vary

11. Integrated evidence framework

This synthesis uses an explicit evidence hierarchy. Direct measurements include ocean isotopic composition, meteorological observations, meteorite mineralogy, and laboratory spectra. Experimental constraints include high-pressure mineral physics and ice chemistry. Geochemical inference uses isotope and elemental budgets. Dynamical models estimate delivery pathways, accretion histories, and volatile loss. The final narrative is a conceptual synthesis built from those layers.

The distinction matters because a model output can be numerically precise while remaining physically uncertain. Likewise, a plausible geological story does not become a measurement merely because it is consistent with several observations.

12. Conclusions


Water has no single origin. Hydrogen is primarily primordial, oxygen is predominantly stellar, water molecules form in interstellar and circumstellar environments, and Earth's present inventory reflects accretion, processing, degassing, loss, condensation, interior storage, and long-term cycling.

Isotopic evidence strongly constrains provenance but does not justify a single deterministic percentage for carbonaceous asteroids, comets, or other sources. Carbonaceous materials are important candidates, and some cometary populations contain Earth-like water, demonstrating that the delivery history was more complex than early binary models suggested.

Earth's water system is also fundamentally internal. The mantle transition zone can store hydrogen in nominally anhydrous minerals, although the actual global inventory remains uncertain. Subduction and volcanic/hydrothermal return establish a deep water cycle that has operated alongside the surface hydrological cycle.

At the present planetary stage, the scientific challenge has shifted from identifying where water came from to understanding how water moves, changes quality, remains accessible, and interacts with climate, ecosystems, energy systems, and civilization.

Figure 5. Major stages in the planetary history of water



Event ages are approximate; early Earth chronology is constrained by incomplete surviving geological records.

Figure 5. Schematic stages in Earth's water history. Early dates are approximate because the oldest terrestrial record is incomplete.

Figure 6. Evidence hierarchy for reconstructing water's history




Figure 6. Evidence hierarchy. The synthesis deliberately separates observations from experimental constraints, inferences, models and conceptual organization.

13. References

1. Alpher RA, Bethe H, Gamow G. The origin of chemical elements. *Physical Review*. 1948;73:803-804.
2. Peebles PJE. *Principles of Physical Cosmology*. Princeton University Press; 1993.
3. Bethe HA. Energy production in stars. *Physical Review*. 1939;55:434-456.
4. Woosley SE, Heger A, Weaver TA. The evolution and explosion of massive stars. *Reviews of Modern Physics*. 2002;74:1015-1071.
5. Boogert ACA, Gerakines PA, Whittet DCB. Observations of the icy universe. *Annual Review of Astronomy and Astrophysics*. 2015;53:541-581.
6. Tielens AGGM, Hagen W. Model calculations of the molecular composition of interstellar grain mantles. *Astronomy & Astrophysics*. 1982;114:245-260.
7. van Dishoeck EF, Herbst E. Interstellar chemistry. *Astrophysics and Space Science*. 1998;261:139-152.

8. Halliday AN, Canup RM. The accretion of planet Earth. *Nature Reviews Earth & Environment*. 2023;4:19–35.
9. Drake MJ, Righter K. Determining the composition of the Earth. *Nature*. 2002;416:39–44.
10. Marty B. The origins and concentrations of water, carbon, nitrogen and noble gases on Earth. *Earth and Planetary Science Letters*. 2012;313–314:56–66.
11. Hartogh P, et al. Ocean-like water in the Jupiter-family comet 103P/Hartley 2. *Nature*. 2011;478:218–220.
12. Piani L, et al. A dual origin for water in carbonaceous asteroids revealed by CM chondrites. *Nature Astronomy*. 2018;2:317–323.
13. Pearson DG, et al. Hydrous mantle transition zone indicated by ringwoodite included within diamond. *Nature*. 2014;507:221–224.
14. Huang X, Xu Y, Karato S-I. Water content in the transition zone from electrical conductivity of wadsleyite and ringwoodite. *Nature*. 2005;434:746–749.
15. Kelbert A, Schultz A, Egbert G. Global electromagnetic induction constraints on transition-zone water content variations. *Nature*. 2009;460:1003–1006.
16. Campbell IH, O'Neill HStC. Evidence against a chondritic Earth. *Nature*. 2012;483:553–558.
17. UNESCO. United Nations World Water Development Report 2024: Water for Prosperity and Peace. UNESCO; 2024.

Author Information

Vahid **Nezamivand** **Chegane** **Independent** **Researcher** **ORCID:**
 0009-0003-6477-091X **Email:** vahidmaykoltarh@yahoo.com

Scientific positioning. This manuscript is a multidisciplinary scientific synthesis. It does not claim that one reservoir or delivery mechanism uniquely explains Earth's water. Where evidence is uncertain or model-dependent, the text states that limitation explicitly.