

DealFlow360 — Button-to-Database Map

Every control in the web client, the API call behind it, and the tables that call reads and writes · generated
2026-09-06

How this was produced. The read/write columns are not inferred from reading code. A SQL listener was attached to SQLAlchemy and the full 502-test suite was run, recording every statement each endpoint actually issued; the seventeen endpoints the suite never exercised were then driven directly. All **83** routes are covered by observed SQL. Controls were extracted from the JSX and each handler traced to its request, then checked against the route list — every endpoint named here exists.

table read from **table** written to **DB** issues a request **NAV** opens another screen **UI** client-side only

A note on reads: a write endpoint reads a good deal before it writes — the quote, its lines, the customer's tier, the discount policy — because the domain engines are given a full snapshot to score against. Those reads are listed, so a row with many read chips and one write chip is normal rather than surprising.

Part 1 · Screen by screen

Sign in (/login)

web/src/internal/Login.tsx

ON OPEN

GET /api/auth/demo-accounts
customer **user**

CONTROL		REQUEST	TABLES
Sign In (submit) Reads the account, then the app calls GET /api/me for capabilities.	DB	POST /api/auth/login	user
Create Account (submit, Create tab) Always creates a rep; the requested role is ignored.	DB	POST /api/auth/register	user
Sales Rep / Manager / Finance / Admin / Customer Demo buttons. Credentials come from the server, then the ordinary login.	DB	GET /api/auth/demo-accounts POST /api/auth/login	customer user
Create Account / Sign In (tab switch) Switches form mode.	UI	no request	—
Show / hide password	UI	no request	—
Forgot password? Shows a notice; no request.	UI	no request	—
Customer Portal Links to /portal/login.	NAV	no request	—

Customer portal sign in (/portal/login)

web/src/portal/PortalLogin.tsx

CONTROL		REQUEST	TABLES
Sign In to Customer Portal (submit) Rejected unless the account's scope is portal.	DB	POST /api/auth/login	user
Create Customer Account (submit) Creates the login and its customer record together.	DB	POST /api/auth/portal-signup	customer user
Sign In / Sign Up (tab switch)	UI	no request	—
Show / hide password	UI	no request	—
Switch to Internal Employee Console Links to /login.	NAV	no request	—

Home — rep & manager (/)

web/src/internal/Dashboard.tsx

ON OPEN

GET /api/dashboard

customer fulfillment_line fulfillment_plan invoice quotation quote_line user decision_log

CONTROL		REQUEST	TABLES
+ New Quotation Opens /build.	NAV	no request	—
View Approvals Opens /approvals. Hidden without view_approvals.	NAV	no request	—
At-risk deal row Opens /health.	NAV	no request	—

Home — finance (/)

web/src/internal/FinanceHome.tsx

ON OPEN

GET /api/dashboard GET /api/reports/revenue-trend GET /api/invoices GET /api/approvals GET /api/subscriptions

GET /api/deal-health GET /api/quotes

approval_request credit_note customer fulfillment_line fulfillment_plan invoice payment product quotation quote_line subscription user decision_log

CONTROL		REQUEST	TABLES
Refresh Re-runs every load on the screen.	DB	GET /api/invoices GET /api/approvals GET /api/subscriptions GET /api/deal-health GET /api/quotes	approval_request credit_note customer fulfillment_line fulfillment_plan invoice payment product quotation quote_line subscription user decision_log
Monthly / Quarterly / Yearly Re-queries the trend for that period.	DB	GET /api/reports/revenue-trend	invoice user
Review · View all · Inspect Open /approvals, /invoices, /health.	NAV	no request	—
Review Approvals / Ledger Invoices / Revenue Reports / Audit Registry Shortcut tiles to /approvals, /invoices, /reports, /reliability.	NAV	no request	—

Build Quote (/build)

web/src/internal/QuoteBuilder.tsx

ON OPEN

GET /api/customers GET /api/products GET /api/discount-policies GET /api/quotes/{id} GET /api/quotes/{id}/messages
GET /api/quotes/{id}/suggestions
approval_request config customer discount_policy portal_message product product_affinity quotation quote_line stock
tier_policy user decision_log

CONTROL		REQUEST	TABLES
Create quote Opens a DRAFT for the chosen customer.	DB	POST /api/quotes	approval_request config customer discount_policy product tier_policy user quotation quote_line
Start another Clears the form; no request.	UI	no request	—
Add line The sanctioned mutation path: re-scores and voids live approvals.	DB	POST /api/quotes/{id}/lines	config customer discount_policy product tier_policy user approval_request decision_log quotation quote_line
Delete (line row)	DB	DELETE /api/quotes/{id}/lines/{line_id}	config customer discount_policy product tier_policy user approval_request decision_log quotation quote_line
Apply to all lines Sets one discount across every line, then re-scores.	DB	POST /api/quotes/{id}/order-discount	config customer discount_policy product tier_policy user approval_request decision_log quotation quote_line
Confirm & score Runs BDRS and routes to the approval chain.	DB	POST /api/quotes/{id}/confirm	config customer discount_policy product tier_policy user approval_request decision_log idempotency_key outbox quotation quote_line
Send to Customer Portal	DB	POST /api/quotes/{id}/send-to-portal	user outbox quotation
Accept Counter-Offer Applies the customer's counter as a line edit and re-scores.	DB	POST /api/quotes/{id}/accept-counter	config customer discount_policy portal_message product tier_policy user approval_request decision_log quotation quote_line
Send Reply (submit)	DB	POST /api/quotes/{id}/messages	quotation user portal_message
Add to quote (upsell) Same path as Add line.	DB	POST /api/quotes/{id}/lines	config customer discount_policy product tier_policy user approval_request decision_log quotation quote_line
Dismiss (upsell) Hides the suggestion for this session.	UI	no request	—
View all quotes Opens /quotes.	NAV	no request	—

Quotations (/quotes)

web/src/internal/QuoteList.tsx

ON OPEN

GET /api/quotes
approval_request customer product quotation quote_line user

CONTROL		REQUEST	TABLES
Showing assigned / all accounts Re-queries with all_quotes.	DB	GET /api/quotes	approval_request customer product quotation quote_line user
Board / table view	UI	no request	—
Search, clear search Server-side filter.	DB	GET /api/quotes	approval_request customer product quotation quote_line user
Quote card / Review Opens /quotes/{id}.	NAV	no request	—
Prev / Next / page number Server-side paging.	DB	GET /api/quotes	approval_request customer product quotation quote_line user

Approvals (/approvals)

web/src/internal/Approvals.tsx

ON OPEN

GET /api/approvals
approval_request customer product quotation quote_line user

CONTROL		REQUEST	TABLES
Approve Quotation Advances the chain; may transition the quote to APPROVED.	DB	POST /api/quotes/{quote_id}/approve	customer product quote_line user approval_request idempotency_key outbox quotation
Return for Revision Requires a reason; sends the quote back to DRAFT.	DB	POST /api/quotes/{quote_id}/return	customer product quote_line user approval_request outbox quotation
Reject Quotation Requires a reason.	DB	POST /api/quotes/{quote_id}/reject	customer product quote_line user approval_request outbox quotation
Review Breakdown Expands the row; data already loaded.	UI	no request	—
Pending / Returned / Approved tabs	DB	GET /api/approvals	approval_request customer product quotation quote_line user
Prev / Next	DB	GET /api/approvals	approval_request customer product quotation quote_line user

Fulfillment (/fulfillment)

web/src/internal/FulfillmentList.tsx

ON OPEN

GET /api/warehouses GET /api/fulfillment/pending GET /api/fulfillment/stock
customer fulfillment_line fulfillment_plan product quotation quote_line stock user warehouse

CONTROL		REQUEST	TABLES
Warehouse filter	DB	GET /api/fulfillment/stock	product stock user warehouse
Order row / Manage Split Opens /pipeline for that quote.	NAV	no request	—
Prev / Next	DB	GET /api/fulfillment/pending GET /api/fulfillment/stock	customer fulfillment_line fulfillment_plan product quotation quote_line stock user warehouse

Pipeline (/pipeline)

web/src/internal/Pipeline.tsx

ON OPEN

GET /api/quotes GET /api/quotes/{id} GET /api/quotes/{id}/fulfillment GET /api/quotes/{id}/invoices
GET /api/quotes/{id}/amount-due GET /api/quotes/{id}/billing-detail GET /api/fulfillment/stock
approval_request credit_note customer fulfillment_line fulfillment_plan invoice invoice_line payment product
quotation quote_line stock subscription user warehouse

CONTROL		REQUEST	TABLES
1. Send to portal	DB	POST /api/quotes/{quote_id}/send-to-po	user outbox quotation
2. Customer confirm	DB	POST /api/quotes/{quote_id}/customer-co	user outbox quotation
Accept customer counter	DB	POST /api/quotes/{quote_id}/accept-co	config customer discount_policy portal_message product tier_policy user approval_request decision_log quotation quote_line
3. Plan fulfillment Allocates stock and reserves it.	DB	POST /api/quotes/{quote_id}/plan-fulf	product quote_line user warehouse decision_log fulfillment_line fulfillment_plan outbox quotation stock
4. Generate invoices	DB	POST /api/quotes/{quote_id}/generate-	credit_note product quote_line subscription_plan user decision_log invoice invoice_line outbox quotation subscription
5. Record payment	DB	POST /api/quotes/{quote_id}/payments	credit_note user invoice outbox payment quotation
Check Inbound Consolidation	DB	POST /api/quotes/{quote_id}/fulfillme	fulfillment_line quotation stock user outbox
Manual Override Split / Cancel Opens the override editor.	UI	no request	—
Apply Override & Recalculate Split Re-reserves stock against the chosen warehouses.	DB	POST /api/quotes/{quote_id}/fulfillme	product quotation quote_line user warehouse fulfillment_line fulfillment_plan outbox stock
Pause / Resume subscription	DB	POST /api/quotes/{quote_id}/subscript	user subscription
Cancel subscription Prompts for a reason.	DB	POST /api/quotes/{quote_id}/subscript	user outbox subscription

Subscriptions (/subscriptions)

web/src/internal/Subscriptions.tsx

ON OPEN

GET /api/subscriptions
customer product quotation quote_line subscription user

CONTROL		REQUEST	TABLES
All / Active / Paused / Cancelled	DB	GET /api/subscriptions	customer product quotation quote_line subscription user
Prev / Next / page size	DB	GET /api/subscriptions	customer product quotation quote_line subscription user

Invoices (/invoices)

web/src/internal/Invoices.tsx

ON OPEN

GET /api/invoices/summary GET /api/invoices
credit_note customer invoice payment quotation user

CONTROL		REQUEST	TABLES
Inspect Loads lines, credits and payments.	DB	GET /api/invoices/{invoice_id}	credit_note customer fulfillment_plan invoice invoice_line payment quotation user
All / Unpaid / Paid	DB	GET /api/invoices GET /api/invoices/summary	credit_note customer invoice payment quotation user
Search	DB	GET /api/invoices	credit_note customer invoice payment quotation user
Close Detail	UI	no request	—
Prev / Next	DB	GET /api/invoices	credit_note customer invoice payment quotation user

Deal Health (/health)

web/src/internal/HealthDashboard.tsx

ON OPEN

GET /api/deal-health
customer fulfillment_line fulfillment_plan quotation quote_line user decision_log

CONTROL		REQUEST	TABLES
Refresh	DB	GET /api/deal-health	customer fulfillment_line fulfillment_plan quotation quote_line user decision_log
Filter Alerts Only Client-side filter over loaded rows.	UI	no request	—
Inspect / Close Opens the detail drawer.	UI	no request	—
Go to Quote Opens /quotes/{id}.	NAV	no request	—
Prev / Next	DB	GET /api/deal-health	customer fulfillment_line fulfillment_plan quotation quote_line user decision_log

Reports (/reports)

web/src/internal/Reports.tsx

ON OPEN

GET /api/reports
product quotation quote_line user

CONTROL		REQUEST	TABLES
Period / rep / state / category filters	DB	GET /api/reports	product quotation quote_line user
Export CSV Streams a file; writes nothing.	DB	GET /api/reports/export	customer product quotation quote_line user
Export Excel (.xls)	DB	GET /api/reports/export	customer product quotation quote_line user

Products (/catalog)

web/src/internal/Catalog.tsx

ON OPEN

GET /api/catalog/summary GET /api/catalog/products
price_list product product_variant stock user

CONTROL		REQUEST	TABLES
+ New Product / Cancel Opens the create form.	UI	no request	—
Save Product (submit)	DB	POST /api/catalog/products	price_list price_list_item product_variant stock user product
Inspect Loads variants and per-price-list prices.	DB	GET /api/catalog/products/{product_id}	price_list price_list_item product product_variant stock user
Category filter / search	DB	GET /api/catalog/products	product product_variant stock user
Close	UI	no request	—
Prev / Next	DB	GET /api/catalog/products	product product_variant stock user

Config (/discount-config)

web/src/internal/DiscountConfig.tsx

ON OPEN

GET /api/admin/discount-config
approval_rule discount_policy tier_policy user

CONTROL		REQUEST	TABLES
Save configuration Validated first: unknown tier/category or a category above its tier cap is refused.	DB	PUT /api/admin/discount-config	approval_rule discount_policy user tier_policy

Ops (/operations)

web/src/internal/Operations.tsx

ON OPEN

GET /api/admin/warehouses GET /api/admin/subscription-plans
stock subscription_plan user warehouse

CONTROL		REQUEST	TABLES
Add warehouse	DB	POST /api/admin/warehouses	stock user warehouse
Add plan	DB	POST /api/admin/subscription-plans	user subscription_plan

Audit (/reliability)

web/src/internal/ReliabilityPanel.tsx

ON OPEN

GET /api/reliability/stats GET /api/reliability/logs
decision_log user

CONTROL		REQUEST	TABLES
Refresh Log	DB	GET /api/reliability/logs	decision_log user
Replay Re-runs the recorded call and compares; appends nothing.	DB	POST /api/reliability/replay/{log_id}	decision_log user
Agent / verdict filters	DB	GET /api/reliability/logs	decision_log user
Done / close	UI	no request	—

Portal — My Quotations (/portal)

web/src/portal/QuoteList.tsx

ON OPEN			
GET /api/portal/quotes			
customer quotation quote_line user			
CONTROL	REQUEST		TABLES
Refresh	DB	GET /api/portal/quotes	customer quotation quote_line user
Review & Negotiate	NAV	no request	—
Opens /portal/quotes/{id}.			
Prev / Next / per page	DB	GET /api/portal/quotes	customer quotation quote_line user

Portal — Quotation detail (/portal/quotes/{id})

web/src/portal/QuoteDetail.tsx

ON OPEN			
GET /api/portal/quotes/{quote_id}			
GET /api/portal/quotes/{quote_id}/messages			
customer portal_message product quotation quote_line user			
CONTROL	REQUEST		TABLES
Submit Request	DB	POST /api/portal/quotes/{quote_id}/co	customer portal_message user outbox quotation
Records the counter-offer; a rep must accept it before any line changes.			
Confirm Quotation	DB	POST /api/portal/quotes/{quote_id}/co	customer user outbox quotation
Send Reply (submit)	DB	POST /api/portal/quotes/{quote_id}/me	customer quotation quote_line user portal_message
Dismiss banner	UI	no request	—

Portal — Messages (/portal/messages)

web/src/portal/Messages.tsx

ON OPEN			
GET /api/portal/messages			
customer portal_message quotation user			
CONTROL	REQUEST		TABLES
Quotation link	NAV	no request	—
Opens that quotation in the portal.			

Portal — Profile (/portal/profile)

web/src/portal/Profile.tsx

ON OPEN			
GET /api/portal/profile			
customer invoice quotation user			

Shell — top navigation (both apps)

web/src/internal/router.tsx, web/src/portal/router.tsx

ON OPEN

GET /api/me

customer

user

CONTROL		REQUEST	TABLES
Home, Build Quote, Quotations, Approvals, Fulfillment, Subscriptions, Invoices, Deal Health, Reports, Products, Pipeline, Config, Ops, Audit Each link is shown only if GET /api/me grants its capability.	NAV	no request	—
My Quotations, Messages, Profile (portal) Same, from the portal capabilities.	NAV	no request	—
Reload data Reloads the page.	UI	no request	—
Sign Out Clears the token locally; no request.	UI	no request	—
User menu, mobile menu	UI	no request	—

Part 2 · Every API route and the tables it touches

All 83 routes, grouped by router module. Observed SQL.

admin.py — discount config, warehouses, subscription plans

	ROUTE	READS	WRITES
GET	/api/admin/discount-config	approval_rule discount_policy tier_policy user	reads only
PUT	/api/admin/discount-config	approval_rule discount_policy user	tier_policy
GET	/api/admin/subscription-plans	subscription_plan user	reads only
POST	/api/admin/subscription-plans	user	subscription_plan
GET	/api/admin/warehouses	stock user warehouse	reads only
POST	/api/admin/warehouses	stock user	warehouse
PATCH	/api/admin/warehouses/{warehouse_id}	stock user	warehouse

approvals.py — the approval chain

	ROUTE	READS	WRITES
GET	/api/approvals	approval_request customer product quotation quote_line user	reads only
POST	/api/quotes/{quote_id}/approve	customer product quote_line user	approval_request idempotency_key outbox quotation
POST	/api/quotes/{quote_id}/reject	customer product quote_line user	approval_request outbox quotation
POST	/api/quotes/{quote_id}/return	customer product quote_line user	approval_request outbox quotation

auth.py — sign in, sign up, demo accounts

	ROUTE	READS	WRITES
GET	/api/auth/demo-accounts	customer user	reads only
POST	/api/auth/login	user	reads only
GET	/api/auth/me	user	reads only

POST	/api/auth/portal-signup	—	customer user
GET	/api/auth/profiles	user	reads only
POST	/api/auth/register	—	user
POST	/api/auth/signup	—	user

catalog.py — products, variants, price lists

	ROUTE	READS	WRITES
GET	/api/catalog/price-lists	price_list user	reads only
GET	/api/catalog/products	product product_variant stock user	reads only
POST	/api/catalog/products	price_list price_list_item product_variant stock user	product
GET	/api/catalog/products/{product_id}	price_list price_list_item product product_variant stock user	reads only
PATCH	/api/catalog/products/{product_id}	price_list price_list_item product_variant stock user	product
PUT	/api/catalog/products/{product_id}/pr	price_list product product_variant stock user	price_list_item
POST	/api/catalog/products/{product_id}/va	price_list price_list_item product stock user	product_variant
DELETE	/api/catalog/products/{product_id}/va	price_list price_list_item product stock user	product_variant
GET	/api/catalog/summary	price_list product product_variant user	reads only

fulfillment.py — allocation, invoicing, payments, subscriptions

	ROUTE	READS	WRITES
POST	/api/quotes/{quote_id}/accept-counter	config customer discount_policy portal_message product tier_policy user	approval_request decision_log quotation quote_line
GET	/api/quotes/{quote_id}/amount-due	credit_note invoice payment quotation user	reads only
GET	/api/quotes/{quote_id}/billing-detail	product quotation quote_line subscription user	reads only
POST	/api/quotes/{quote_id}/customer-confi	user	outbox quotation
GET	/api/quotes/{quote_id}/fulfillment	fulfillment_line fulfillment_plan product user warehouse	reads only
POST	/api/quotes/{quote_id}/fulfillment/co	fulfillment_line quotation stock user	outbox
POST	/api/quotes/{quote_id}/fulfillment/ov	product quotation quote_line user warehouse	fulfillment_line fulfillment_plan outbox stock
POST	/api/quotes/{quote_id}/generate-invoic	credit_note product quote_line subscription_plan user	decision_log invoice invoice_line outbox quotation subscription
GET	/api/quotes/{quote_id}/invoices	credit_note invoice invoice_line payment subscription user	reads only
POST	/api/quotes/{quote_id}/payments	credit_note user	invoice outbox payment quotation
POST	/api/quotes/{quote_id}/plan-fulfillme	product quote_line user warehouse	decision_log fulfillment_line fulfillment_plan outbox quotation stock
POST	/api/quotes/{quote_id}/send-to-portal	user	outbox quotation

POST	/api/quotes/{quote_id}/subscription-cl	subscription user	credit_note invoice invoice_line
POST	/api/quotes/{quote_id}/subscription/c	user	outbox subscription
POST	/api/quotes/{quote_id}/subscription/p	user	subscription
GET	/api/quotes/{quote_id}/suggestions	config product product_affinity quotation quote_line stock user	decision_log

me.py — identity and capabilities

	ROUTE	READS	WRITES
GET	/api/me	customer user	reads only

operations.py — dashboards, stock, invoices, reports

	ROUTE	READS	WRITES
GET	/api/dashboard	customer fulfillment_line fulfillment_plan invoice quotation quote_line user	decision_log
GET	/api/fulfillment/pending	customer fulfillment_line fulfillment_plan quotation quote_line user warehouse	reads only
GET	/api/fulfillment/stock	product stock user warehouse	reads only
GET	/api/invoices	credit_note customer invoice payment quotation user	reads only
GET	/api/invoices/summary	credit_note invoice payment user	reads only
GET	/api/invoices/{invoice_id}	credit_note customer fulfillment_plan invoice invoice_line payment quotation user	reads only
GET	/api/reports/revenue-trend	invoice user	reads only
GET	/api/subscriptions	customer product quotation quote_line subscription user	reads only

portal.py — the customer portal

	ROUTE	READS	WRITES
GET	/api/portal/messages	customer portal_message quotation user	reads only
GET	/api/portal/profile	customer invoice quotation user	reads only
GET	/api/portal/quotes	customer quotation quote_line user	reads only
GET	/api/portal/quotes/{quote_id}	customer product quotation quote_line user	reads only
POST	/api/portal/quotes/{quote_id}/confirm	customer user	outbox quotation
POST	/api/portal/quotes/{quote_id}/counter	customer portal_message user	outbox quotation
GET	/api/portal/quotes/{quote_id}/message:	customer portal_message quotation user	reads only
POST	/api/portal/quotes/{quote_id}/message:	customer quotation quote_line user	portal_message

quotes.py — quotations and lines

	ROUTE	READS	WRITES
GET	/api/quotes	approval_request customer product quotation quote_line user	reads only

POST	/api/quotes	approval_request discount_policy user	config product	customer tier_policy	quotation quote_line
GET	/api/quotes/{quote_id}	approval_request quotation quote_line	customer product user		reads only
POST	/api/quotes/{quote_id}/confirm	config product	customer tier_policy	discount_policy user	approval_request decision_log idempotency_key outbox quotation quote_line
POST	/api/quotes/{quote_id}/lines	config product	customer tier_policy	discount_policy user	approval_request decision_log quotation quote_line
DELETE	/api/quotes/{quote_id}/lines/{line_id}	config product	customer tier_policy	discount_policy user	approval_request decision_log quotation quote_line
PATCH	/api/quotes/{quote_id}/lines/{line_id}	config product	customer tier_policy	discount_policy user	approval_request decision_log quotation quote_line
GET	/api/quotes/{quote_id}/messages		portal_message	quotation user	reads only
POST	/api/quotes/{quote_id}/messages		quotation	user	portal_message
POST	/api/quotes/{quote_id}/order-discount	config product	customer tier_policy	discount_policy user	approval_request decision_log quotation quote_line

reference.py — customers, products, policies

	ROUTE	READS	WRITES
GET	/api/customers	customer user	reads only
GET	/api/discount-policies	discount_policy tier_policy user	reads only
GET	/api/products	product user	reads only
GET	/api/warehouses	user warehouse	reads only

surface.py — deal health, audit log, replay

	ROUTE	READS	WRITES
GET	/api/deal-health	customer fulfillment_line fulfillment_plan quote_line user	decision_log
GET	/api/quotes/{quote_id}/export/pdf	customer product quote_line user	reads only
GET	/api/quotes/{quote_id}/health	customer fulfillment_plan quote_line user	decision_log
POST	/api/quotes/{quote_id}/narrate	customer quote_line user	decision_log quotation
GET	/api/reliability/logs	decision_log user	reads only
POST	/api/reliability/replay/{log_id}	decision_log user	reads only
GET	/api/reliability/stats	decision_log user	reads only
GET	/api/reports	product quotation quote_line user	reads only
GET	/api/reports/export	customer product quote_line user	reads only

Part 3 • Every table and what touches it

28 tables. A table with no writer is reference data the seed loads and the application only reads.

TABLE	READS	WRITTEN BY	NOTABLE READERS
-------	-------	------------	-----------------

approval_request	4	DELETE /api/quotes/{quote_id}/lines/{line_id} PATCH /api/quotes/{quote_id}/lines/{line_id} POST /api/quotes/{quote_id}/accept-counter POST /api/quotes/{quote_id}/approve POST /api/quotes/{quote_id}/confirm POST /api/quotes/{quote_id}/lines POST /api/quotes/{quote_id}/order-discount POST /api/quotes/{quote_id}/reject POST /api/quotes/{quote_id}/return	GET /api/approvals GET /api/quotes GET /api/quotes/{quote_id} POST /api/quotes
approval_rule	2	read-only in the app	GET /api/admin/discount-config PUT /api/admin/discount-config
config	8	read-only in the app	DELETE /api/quotes/{quote_id}/lines/{line_id} GET /api/quotes/{quote_id}/suggestions PATCH /api/quotes/{quote_id}/lines/{line_id} POST /api/quotes +4 more
credit_note	7	POST /api/quotes/{quote_id}/subscription-change	GET /api/invoices GET /api/invoices/summary GET /api/invoices/{invoice_id} GET /api/quotes/{quote_id}/amount-due +3 more
customer	34	POST /api/auth/portal-signup	DELETE /api/quotes/{quote_id}/lines/{line_id} GET /api/approvals GET /api/auth/demo-accounts GET /api/customers +30 more
decision_log	3	DELETE /api/quotes/{quote_id}/lines/{line_id} GET /api/dashboard GET /api/deal-health GET /api/quotes/{quote_id}/health GET /api/quotes/{quote_id}/suggestions PATCH /api/quotes/{quote_id}/lines/{line_id} POST /api/quotes/{quote_id}/accept-counter POST /api/quotes/{quote_id}/confirm POST /api/quotes/{quote_id}/generate-invoices POST /api/quotes/{quote_id}/lines POST /api/quotes/{quote_id}/narrate POST /api/quotes/{quote_id}/order-discount POST /api/quotes/{quote_id}/plan-fulfillment	GET /api/reliability/logs GET /api/reliability/stats POST /api/reliability/replay/{log_id}
discount_policy	10	read-only in the app	DELETE /api/quotes/{quote_id}/lines/{line_id} GET /api/admin/discount-config GET /api/discount-policies PATCH /api/quotes/{quote_id}/lines/{line_id} +6 more
fulfillment_line	5	POST /api/quotes/{quote_id}/fulfillment/override POST /api/quotes/{quote_id}/plan-fulfillment	GET /api/dashboard GET /api/deal-health GET /api/fulfillment/pending GET /api/quotes/{quote_id}/fulfillment +1 more
fulfillment_plan	6	POST /api/quotes/{quote_id}/fulfillment/override POST /api/quotes/{quote_id}/plan-fulfillment	GET /api/dashboard GET /api/deal-health GET /api/fulfillment/pending GET /api/invoices/{invoice_id} +2 more
idempotency_key	0	POST /api/quotes/{quote_id}/approve POST /api/quotes/{quote_id}/confirm	—
invoice	8	POST /api/quotes/{quote_id}/generate-invoices POST /api/quotes/{quote_id}/payments POST /api/quotes/{quote_id}/subscription-change	GET /api/dashboard GET /api/invoices GET /api/invoices/summary GET /api/invoices/{invoice_id} +4 more
invoice_line	2	POST /api/quotes/{quote_id}/generate-invoices POST /api/quotes/{quote_id}/subscription-change	GET /api/invoices/{invoice_id} GET /api/quotes/{quote_id}/invoices

outbox	0	POST /api/portal/quotes/{quote_id}/confirm POST /api/portal/quotes/{quote_id}/counter POST /api/quotes/{quote_id}/approve POST /api/quotes/{quote_id}/confirm POST /api/quotes/{quote_id}/customer-confirm POST /api/quotes/{quote_id}/fulfillment/consolidate/{product_id} POST /api/quotes/{quote_id}/fulfillment/override POST /api/quotes/{quote_id}/generate-invoices POST /api/quotes/{quote_id}/payments POST /api/quotes/{quote_id}/plan-fulfillment POST /api/quotes/{quote_id}/reject POST /api/quotes/{quote_id}/return POST /api/quotes/{quote_id}/send-to-portal POST /api/quotes/{quote_id}/subscription/cancel	—
payment	5	POST /api/quotes/{quote_id}/payments	GET /api/invoices GET /api/invoices/summary GET /api/invoices/{invoice_id} GET /api/quotes/{quote_id}/amount-due +1 more
portal_message	5	POST /api/portal/quotes/{quote_id}/messages POST /api/quotes/{quote_id}/messages	GET /api/portal/messages GET /api/portal/quotes/{quote_id}/messages GET /api/quotes/{quote_id}/messages POST /api/portal/quotes/{quote_id}/counter +1 more
price_list	8	read-only in the app	DELETE /api/catalog/products/{product_id}/variant: GET /api/catalog/price-lists GET /api/catalog/products/{product_id} GET /api/catalog/summary +4 more
price_list_item	5	PUT /api/catalog/products/{product_id}/price-list	DELETE /api/catalog/products/{product_id}/variant: GET /api/catalog/products/{product_id} PATCH /api/catalog/products/{product_id} POST /api/catalog/products +1 more
product	32	PATCH /api/catalog/products/{product_id} POST /api/catalog/products	DELETE /api/catalog/products/{product_id}/variant: DELETE /api/quotes/{quote_id}/lines/{line_id} GET /api/approvals GET /api/catalog/products +28 more
product_affinity	1	read-only in the app	GET /api/quotes/{quote_id}/suggestions
product_variant	6	DELETE /api/catalog/products/{product_id}/variants/{vari POST /api/catalog/products/{product_id}/variants	GET /api/catalog/products GET /api/catalog/products/{product_id} GET /api/catalog/summary PATCH /api/catalog/products/{product_id} +2 more
quotation	26	DELETE /api/quotes/{quote_id}/lines/{line_id} PATCH /api/quotes/{quote_id}/lines/{line_id} POST /api/portal/quotes/{quote_id}/confirm POST /api/portal/quotes/{quote_id}/counter POST /api/quotes POST /api/quotes/{quote_id}/accept-counter POST /api/quotes/{quote_id}/approve POST /api/quotes/{quote_id}/confirm POST /api/quotes/{quote_id}/customer-confirm POST /api/quotes/{quote_id}/generate-invoices POST /api/quotes/{quote_id}/lines POST /api/quotes/{quote_id}/narrate POST /api/quotes/{quote_id}/order-discount POST /api/quotes/{quote_id}/payments POST /api/quotes/{quote_id}/plan-fulfillment POST /api/quotes/{quote_id}/reject POST /api/quotes/{quote_id}/return POST /api/quotes/{quote_id}/send-to-portal	GET /api/approvals GET /api/dashboard GET /api/deal-health GET /api/fulfillment/pending +22 more
quote_line	23	DELETE /api/quotes/{quote_id}/lines/{line_id} PATCH /api/quotes/{quote_id}/lines/{line_id} POST /api/quotes POST /api/quotes/{quote_id}/accept-counter POST /api/quotes/{quote_id}/confirm POST /api/quotes/{quote_id}/lines POST /api/quotes/{quote_id}/order-discount	GET /api/approvals GET /api/dashboard GET /api/deal-health GET /api/fulfillment/pending +19 more
stock	13	POST /api/quotes/{quote_id}/fulfillment/override POST /api/quotes/{quote_id}/plan-fulfillment	DELETE /api/catalog/products/{product_id}/variant: GET /api/admin/warehouses GET /api/catalog/products GET /api/catalog/products/{product_id} +9 more

subscription	4	POST /api/quotes/{quote_id}/generate-invoices POST /api/quotes/{quote_id}/subscription/cancel POST /api/quotes/{quote_id}/subscription/pause	GET /api/quotes/{quote_id}/billing-detail GET /api/quotes/{quote_id}/invoices GET /api/subscriptions POST /api/quotes/{quote_id}/subscription-change
subscription_plan	2	POST /api/admin/subscription-plans	GET /api/admin/subscription-plans POST /api/quotes/{quote_id}/generate-invoices
tier_policy	9	PUT /api/admin/discount-config	DELETE /api/quotes/{quote_id}/lines/{line_id} GET /api/admin/discount-config GET /api/discount-policies PATCH /api/quotes/{quote_id}/lines/{line_id} +5 more
user	80	POST /api/auth/portal-signup POST /api/auth/register POST /api/auth/signup	DELETE /api/catalog/products/{product_id}/variant: DELETE /api/quotes/{quote_id}/lines/{line_id} GET /api/admin/discount-config GET /api/admin/subscription-plans +76 more
warehouse	7	PATCH /api/admin/warehouses/{warehouse_id} POST /api/admin/warehouses	GET /api/admin/warehouses GET /api/fulfillment/pending GET /api/fulfillment/stock GET /api/quotes/{quote_id}/fulfillment +3 more

Appendix · Routes with no button

14 of 83 routes are implemented and tested but no control in the current UI reaches them. They are listed so the gap is visible rather than discovered later.

	ROUTE	WHAT IT DOES
PATCH	/api/admin/warehouses/{warehouse_id}	—
GET	/api/auth/me	Return authenticated internal user identity and email from database.
GET	/api/auth/profiles	Return internal profiles available for the quick login switcher.
POST	/api/auth/signup	Create an internal account and sign in.
GET	/api/catalog/price-lists	—
PATCH	/api/catalog/products/{product_id}	—
PUT	/api/catalog/products/{product_id}/price-list	—
POST	/api/catalog/products/{product_id}/variants	—
DELETE	/api/catalog/products/{product_id}/variants/{variant_id}	—
POST	/api/quotes/{quote_id}/subscription-change	—
PATCH	/api/quotes/{quote_id}/lines/{line_id}	—
GET	/api/quotes/{quote_id}/export/pdf	Generates an official PDF commercial quotation document.
GET	/api/quotes/{quote_id}/health	Evaluates Sentinel anomaly detectors on a specific quotation.
POST	/api/quotes/{quote_id}/narrate	Generates executive commentary for a quote with numeric consistency verification.