

```
Applications Places System Fri Mar 1, 1:46 AM cloudera
cloudera@quickstart:~
File Edit View Search Terminal Help
[cloudera@quickstart ~]$ hive

Logging initialized using configuration in file:/etc/hive/conf.dist/hive-log4j.properties
WARNING: Hive CLI is deprecated and migration to Beeline is recommended.
hive> create database folder2;
OK
Time taken: 0.224 seconds
hive> use folder2;
OK
Time taken: 0.014 seconds
hive> create table flight(fno int,source varchar(10),year int, dealy float);
OK
Time taken: 0.167 seconds
hive> alter table flight rename to air_flight;
OK
Time taken: 0.088 seconds
hive> alter table air_flight add columns(dest varchar(10));
OK
Time taken: 0.077 seconds
hive> drop table flight;
OK
Time taken: 0.023 seconds
```

```
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.apache.hadoop.util.RunJar.run(RunJar.java:221)
at org.apache.hadoop.util.RunJar.main(RunJar.java:136)
FAILED: ParseException line 2:0 cannot recognize input near 'row' 'format' 'delimited' in table r
ow format specification
hive> create table flight(fno int, source varchar(10), year int, dealy float)
> row format delimited
> fields terminated by ','
> lines terminated by '\n'
> stored as textfile;
OK
Time taken: 0.042 seconds
hive>
```

cloudera@quickstart:~

```
at java.lang.reflect.Method.invoke(Method.java:606)
at org.apache.hadoop.util.RunJar.run(RunJar.java:221)
at org.apache.hadoop.util.RunJar.main(RunJar.java:136)
FAILED: ParseException line 2:0 cannot recognize input near 'row' 'format' 'delimited' in table r
ow format specification
hive> create table flight(fno int, source varchar(10), year int, dealy float)
> row format delimited
> fields terminated by ','
> lines terminated by '\n'
> stored as textfile;
OK
Time taken: 0.042 seconds
hive> insert into flight values(215,"pune",2023,15.00);
Query ID = cloudera_20240301014848_ceb5cfd5-9671-4e0d-bb84-a15f859ef510
Total jobs = 3
Launching Job 1 out of 3
```

Applications Places System Fri Mar 1, 1:51 AM


cloudera@quickstart:~

cloudera@quickstart:~

File Edit View Search Terminal Help

[cloudera@quickstart ~]\$ gedit ipp.txt

988/proxy/



```
at java.lang.reflect.Method.invoke(Method.java:606)
at org.apache.hadoop.util.RunJar.run(RunJar.java:221)
at org.apache.hadoop.util.RunJar.main(RunJar.java:136)
FAILED: ParseException line 1:16 mismatched input 'path' expecting INPATH near 'local' in load statement
hive> load data local inpath "ipp.txt"
> overwrite into table flight;
Loading data to table folder2.flight
Table folder2.flight stats: [numFiles=1, numRows=0, totalSize=111, rawDataSize=0]
OK
Time taken: 0.168 seconds
hive>
```

cloudera@quickstart:~

cloudera@quickstart:~

ipp.txt (~) - gedit

```
at org.apache.hadoop.util.RunJar.main(RunJar.java:136)
FAILED: ParseException line 1:47 mismatched input 'year' expecting ')' in create table statement
hive> create table nflight(fno int, dest varchar(10), year int)
> row format delimited
> fields terminated by ','
> lines terminated by '\n'
> stored as textfile;
OK
Time taken: 0.042 seconds
hive>
```

cloudera@quickstart:~

cloudera@quickstart:~

ipp.txt (~) - gedit

Type here to search

34°C Partly sunny

```
> lines terminated by '\n'  
> stored as textfile;
```

OK

Time taken: 0.042 seconds

```
hive> select * from nflight;
```

OK

Time taken: 0.03 seconds

```
hive> insert into nflight values(215,"khamgaon",2024);
```



OK

Time taken: 11.395 seconds

```
hive> select a.fno,a.source,a.year,a.dealy,b.dest  
      > from flight a join nflight b  
      > on(a.fno=b.fno);
```

Query ID = cloudera\_20240301020202\_5ca25dd1-4b5e-488d-abc9-5c245bc378d4

Total jobs = 1