

1 Castle Point Terrace Hoboken, NJ 07030 stevens.edu

CS 442 / 561 – Programming Assignment 2

Objectives:

You will continue with evaluating simple report queries and produce the output. As with the assignment #1, you will also express the queries in SQL. The reports below are similar in nature with the reports from the assignment #1; however, there are two main differences between the two: (1) the new reports will require aggregation "outside" the groups (in assignment #1, all of the aggregates were computed for the rows within the groups); (2) some of the aggregates in the new reports will be computed based on other aggregates of the same reports – they are known as "dependent aggregates".

Description:

- Generate reports based on the following queries:
 - 1. For each *customer*, *product* and *month*, <u>count</u> the number of sales transactions that were between the *previous* and the *following* month's average sales quantities. For January and December, display <NULL> or 0.
 - For customer and product, show the <u>average</u> sales before, during and after each month (e.g., for February, show average sales of January and March. For "before" January and "after" December, display <NULL>. The "YEAR" attribute is not considered for this query – for example, both January of 2017 and January of 2018 are considered January regardless of the year.
 - 3. For each *customer*, *product* and *state* combination, compute (1) the product's <u>average</u> sale of this customer for the state (i.e., the simple AVG for the group-by attributes this is the easy part), (2) the <u>average</u> sale of the product and the state but for *all of the other customers*, (3) the customer's <u>average</u> sale for the given state, but for *all of the other products*, and (4) the customer's <u>average</u> sale for the given product, but for *all of the other states*.
 - 4. For each *customer*, find the top 3 highest quantities purchased in New Jersey (NJ). Show the customer's name, the quantity and product purchased, and the date they purchased it. If there are ties, show all refer to the sample output below.
 - 5. For each product, find the median sales quantity (assume an odd number of sales for simplicity of presentation). (NOTE "median" is defined as "denoting or relating to a value or quantity lying at the midpoint of a frequency distribution of observed values or quantities, such that there is an equal probability of falling above or below it." E.g., Median value of the list {13, 23, 12, 16, 15, 9, 29} is 15.

For example, given the following sales transactions for Bread, the median quant for Bread is 3.

PRODUCT	QUANT
======	=====
Bread	1
Bread	1
Bread	1
Bread	2
Bread	2
Bread	3
Bread	4
Bread	5
Bread	6
Bread	7
Bread	7

The following are sample report output (NOTE: the numbers shown below are not the actual



1 Castle Point Terrace Hoboken, NJ 07030 stevens.edu

aggregate values. You can write simple SQL queries to find the actual aggregate values).

You are only allowed to standard SQL syntax covered in class – do not use any other functions other than the 5 aggregate functions (sum, count, avg, max & min); and use only simple syntax of (agg(x))' - i.e., do not use features such as CASE statement inside (such features hide implicit JOINs).

Report #1:

CUSTOMER	PRODUCT	MONTH	SALES_COUNT_BETWEEN_AVGS
Claire	Apple	1	<null></null>
Dan	Banana	3	19

. . . .

Report #2:

CUSTOMER	PRODUCT	MONTH	BEFORE_AVG	DURING_AVG	AFTER_AVG
======	======		========	========	=======
Воо	Fish	1	<null></null>	284	434
Sam	Eggs	3	254	539	325

. . . .

Report #3:

CUSTOMER	PRODUCT	STATE	PROD_AVG	OTHER_CUST_AVG	OTHER_PROD_AVG	OTHER_STATE_AVG
======	======	=====	======	==========		
Helen	Bread	NY	243	268	493	287
Emily	Milk	NJ	426	478	926	194

. . . .

Report #4:

CUSTOMER	QUANTITY	PRODUCT	DATE
======	======	======	
Воо	982	Banana	2019-03-01
Воо	762	Fish	2016-12-23
Воо	679	Eggs	2017-02-27
Воо	679	Ice	2017-01-15
Chae	999	Butter	2016-11-11
Chae	990	Grapes	2017-08-07
Chae	901	Jellies	2017-07-31

. . . .

Report #5:

PRODUCT	MEDIAN	QUANT
======	======	
Bread		422
Milk		1976

Grading:

NOTE:

- 1. A query with syntax errors will lose 50% of the points for the query.
- 2. For this course, you are only allowed to use the syntax covered in class (any query



1 Castle Point Terrace Hoboken, NJ 07030 stevens.edu

using such syntactic features will result in 0 point) - e.g., do not use aggregate functions other than the 5 (sum, count, avg, max & min); do not use the keywords such as coalesce, limit, row number, etc. and 'case' statement inside aggregate functions or anywhere else in the queries. Additionally, do not use any algorithmic features such as 'if then', 'while', etc.

If you're unsure, please ask before using any syntactic features that are not covered in class.

Submission:

Submit one file containing all the 5 queries on Canvas - Please include your name and CWID in the file. The file type must be "TXT".

Please include a "README" file if any special instructions are required.

I encourage you to discuss the "ideas" with your TAs (rather than your classmates, esp, if you have any specific questions), but the final queries must be your own work. If I determine that your queries are copies of someone else's, both you and that someone else will be disciplined (you will receive 0 for the entire assignment) and possibly receive additional penalties for the course.