

# Cucumber Report

17 Jul, 2022 5:11:47 PM

**Start : Jul 17, 5:10:12.645 PM**

**End : Jul 17, 5:11:42.356 PM**

**Duration : 1 m 29.711 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**



**FAILED - 5**


**SKIPPED - 0**

**PASSED - 0**


**FAILED - 5**

**SKIPPED - 25**







#	Feature Name	T	P	F	S	Duration
1	Login page feature	5	0	5	0	1 m 29.711 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login page feature</u>	<u>validate Login page</u>	10	0	1	9	58.278 s
2	<u>Login page feature</u>	<u>Validate Login actitime succesfully</u>	5	0	1	4	8.345 s
3	<u>Login page feature</u>	<u>Validate Login actitime succesfully</u>	5	0	1	4	7.822 s
4	<u>Login page feature</u>	<u>Validate Login actitime succesfully</u>	5	0	1	4	8.428 s
5	<u>Login page feature</u>	<u>validate invalid login</u>	5	0	1	4	6.585 s

**(F)- Login page feature**

<b>FAILED</b>	<b>DURATION - 1 m 29.711 s</b>	Scenarios		Steps	
/ 5:10:12.645 PM // 5:11:42.356 PM /		Total - 5	5	Total - 30	30
		Pass - 0		Pass - 0	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 25	



**(S)- validate Login page**

<div>FAILED</div> <div>DURATION - 58.278 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div>	<div></div>
/ 5:10:12.661 PM // 5:11:10.939 PM /				
Login page feature				

#	Step / Hook Details	Status	Duration
1	<p>Given User is on login page</p> <p>org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: unable to send message to renderer (Session info: chrome=103.0.5060.114) Build info: version: '4.2.2', revision: '683ccb65d6' System info: host: 'LAPTOP-AU5JLEOO', ip: '192.168.251.183', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_321' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [14bae4fd59e991e71f88520f6c9eb9f1, get {url=http://localhost:85/login.do}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.114, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:61428}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61428/devtoo..., se:cdpVersion: 103.0.5060.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 14bae4fd59e991e71f88520f6c9eb9f1</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p>	<b>FAILED</b>	0.915 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:588) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:351) at stepDefinations.LoginPageStepdef.user_is_on_login_page(LoginPageStepdef.java:26) at ?.User is on login page(file:///F:/NewWorkspace/CucumberProject27/src/test/resources/featureFiles/verifyloginPage.feature:5) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
2	Then Username field should be display	SKIPPED	0.002 s
3	And Password field should be display	SKIPPED	0.001 s
4	And Login field should be display	SKIPPED	0.000 s
5	And Keep me login checkbox should be display	SKIPPED	0.001 s
6	And Logo should be display	SKIPPED	0.001 s
7	And Logolabel should be display	SKIPPED	0.001 s
8	And Header label should be display	SKIPPED	0.000 s
9	And Actitime link should be display	SKIPPED	0.000 s
10	And Licence link should be display	SKIPPED	0.001 s



**(S)- Validate Login actitime succesfully**

<div>FAILED</div> <div>DURATION - 8.345 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 5:11:11.063 PM // 5:11:19.408 PM /				
Login page feature				

#	Step / Hook Details	Status	Duration
1	<p>Given User is on login page</p> <pre> org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: unable to send message to renderer (Session info: chrome=103.0.5060.114) Build info: version: '4.2.2', revision: '683ccb65d6' System info: host: 'LAPTOP-AU5JLEOO', ip: '192.168.251.183', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_321' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3d4a8c01408e69c49ac1589e39d51ed3, get {url=http://localhost:85/login.do}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.114, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\HP\AppData\Local\T..., goog:chromeOptions: {debuggerAddress: localhost:61445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61445/devtoo..., se:cdpVersion: 103.0.5060.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, </pre>	FAILED	3.874 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:virtualAuthenticators: true} Session ID: 3d4a8c01408e69c49ac1589e39d51ed3 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:588) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:351) at stepDefinitions.LoginPageStepdef.user_is_on_login_page(LoginPageStepdef.java:26) at ?.User is on login page(file:///F:/NewWorkspace/CucumberProject27/src/test/resources/featureFiles/verifyloginPage.feature:17) * Not displayable characters are replaced by '?'. </pre>		
2	When User enter username as "admin"	SKIPPED	0.002 s
3	And User enter password as "manager1"	SKIPPED	0.000 s
4	And Click login button	SKIPPED	0.001 s
5	Then Dashboard page title should be display as "actiTIME - Enter Time-Track"	SKIPPED	0.000 s



### (S)- Validate Login actitime succesfully

<b>FAILED</b>	<b>DURATION - 7.822 s</b>		<b>Steps</b> Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 5:11:19.455 PM // 5:11:27.277 PM /				
Login page feature				

#	Step / Hook Details	Status	Duration
1	<p>Given User is on login page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: unable to send message to renderer (Session info: chrome=103.0.5060.114) Build info: version: '4.2.2', revision: '683ccb65d6' System info: host: 'LAPTOP-AU5JLEOO', ip: '192.168.251.183', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_321' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [db0107fd54b02f79d94fc1e9dccc1ad7, get {url=http://localhost:85/login.do}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.114, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\HP\AppData\Local\T..., goog:chromeOptions: {debuggerAddress: localhost:61462}}, </pre>	FAILED	3.137 s

#	Step / Hook Details	Status	Duration
	<p>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61462/devtoo...  se:cdpVersion: 103.0.5060.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},  unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,  webauthn:virtualAuthenticators: true} Session ID: db0107fd54b02f79d94fc1e9dccc1ad7</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:588)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:351)  at stepDefinitions.LoginPageStepdef.user_is_on_login_page(LoginPageStepdef.java:26)  at ?.User is on login page(file:///F:/NewWorkspace/CucumberProject27/src/test/resources/featureFiles/verifyloginPage.feature:17)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User enter username as "adminra"	SKIPPED	0.001 s
3	And User enter password as "manager"	SKIPPED	0.002 s
4	And Click login button	SKIPPED	0.000 s
5	Then Dashboard page title should be display as "actiTIME - Enter Time-Track"	SKIPPED	0.000 s



### (S)- Validate Login actitime successfully

<b>FAILED</b>	<b>DURATION - 8.428 s</b>		<b>Steps</b> Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 5:11:27.309 PM // 5:11:35.737 PM /				
Login page feature				

#	Step / Hook Details	Status	Duration
1	<p>Given User is on login page</p> <p>org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: unable to send message to renderer (Session info: chrome=103.0.5060.114) Build info: version: '4.2.2', revision: '683ccb65d6' System info: host: 'LAPTOP-AU5JLEOO', ip: '192.168.251.183', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_321' Driver info: org.openqa.selenium.</p>	FAILED	4.433 s

#	Step / Hook Details	Status	Duration
	<p>chrome.ChromeDriver Command: [a1ed0aa115f8456f0f4ee615fdac1f93, get {url=http://localhost:85/login.do}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.114, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:61477}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61477/devtoo..., se:cdpVersion: 103.0.5060.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a1ed0aa115f8456f0f4ee615fdac1f93</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:588)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:351)  at stepDefinitions.LoginPageStepdef.user_is_on_login_page(LoginPageStepdef.java:26)  at ?.User is on login page(file:///F:/NewWorkspace/CucumberProject27/src/test/resources/featureFiles/verifyloginPage.feature:17)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User enter username as "1admin"	SKIPPED	0.006 s
3	And User enter password as "mangers"	SKIPPED	0.000 s
4	And Click login button	SKIPPED	0.000 s
5	Then Dashboard page title sould be display as "actiTIME - Enter Time-Track"	SKIPPED	0.001 s

**(S)- validate invalid login**

<div>FAILED</div> <div>DURATION - 6.585 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 5:11:35.771 PM // 5:11:42.356 PM /				
Login page feature				

#	Step / Hook Details	Status	Duration
1	Given User is on login page	FAILED	2.646 s



#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: unable to send message to renderer (Session info: chrome=103.0.5060.114) Build info: version: '4.2.2', revision: '683ccb65d6' System info: host: 'LAPTOP-AU5JLEOO', ip: '192.168.251.183', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_321' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0c95b3f6e1ae3829539c58f805368a59, get {url=http://localhost:85/login.do}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.114, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:61493}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61493/devtoo..., se:cdpVersion: 103.0.5060.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0c95b3f6e1ae3829539c58f805368a59</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:588)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:351)  at stepDefinations.LoginPageStepdef.user_is_on_login_page(LoginPageStepdef.java:26)  at ?.User is on login page(file:///F:/NewWorkspace/CucumberProject27/src/test/resources/featureFiles/verifyloginPage.feature:29)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User enter username	SKIPPED	0.001 s
3	And User enter password	SKIPPED	0.000 s
4	And Click login button	SKIPPED	0.000 s
5	Then Enter correct username and password msg should be display	SKIPPED	0.000 s