FILE: C:\HCL_TRAINING\client\src\pages\CandidateDetailPage.jsx

LINES: 784 | SIZE: 33.2 KB | LANGUAGE: JSX

MODULE: Deep Candidate Dossier with Evidence Citations and Score Override

```jsx
import React, { useState, useEffect } from 'react';
import { useParams, Link } from 'react-router-dom';
import {
  User,
  Mail,
  Phone,
  MapPin,
  ExternalLink,
  Linkedin,
  Github,
  Globe,
  Briefcase,
  GraduationCap,
  Sparkles,
  CheckCircle2,
  AlertTriangle,
  Clock,
  ArrowLeft,
  Edit,
  FileText,
  Sliders,
  Send,
  ShieldCheck,
  Award,
} from 'lucide-react';
import { api } from '../api/client';
import { ScoreBadge } from '../components/common/ScoreBadge';

export const CandidateDetailPage = () => {
  const { candidateId } = useParams();
  const [data, setData] = useState(null);
  const [activeTab, setActiveTab] = useState('overview');
  const [loading, setLoading] = useState(true);

  // Correction Modal State
  const [showEditModal, setShowEditModal] = useState(false);
  const [editFormData, setEditFormData] = useState({
    name: '',
    email: '',
    phone: '',
    location: '',
    totalExperienceYears: 0,
    headline: '',
  });

  // Manual Override State
  const [showOverrideModal, setShowOverrideModal] = useState(false);
  const [overrideScreeningId, setOverrideScreeningId] = useState(null);
  const [newScore, setNewScore] = useState(85);
  const [overrideReason, setOverrideReason] = useState('');

  // Recruiter Note State
  const [noteText, setNoteText] = useState('');
  const [submittingNote, setSubmittingNote] = useState(false);

  useEffect(() => {
    fetchCandidateDetail();
  }, [candidateId]);

  const fetchCandidateDetail = async () => {
    setLoading(true);
    try {
      const res = await api.get(`/candidates/${candidateId}`);
      if (res.success && res.data) {
        setData(res.data);
        const c = res.data.candidate;
```

```
67 |           setEditFormData({
68 |             name: c.name,
69 |             email: c.email,
70 |             phone: c.phone || '',
71 |             location: c.location || '',
72 |             totalExperienceYears: c.totalExperienceYears || 0,
73 |             headline: c.headline || '',
74 |           });
75 |         }
76 |       } catch (err) {
77 |         console.error(err);
78 |       } finally {
79 |         setLoading(false);
80 |       }
81 |     };
82 |
83 |     const handleSaveCorrection = async (e) => {
84 |       e.preventDefault();
85 |       try {
86 |         const res = await api.put(`/candidates/${candidateId}`, editFormData);
87 |         if (res.success) {
88 |           setShowEditModal(false);
89 |           fetchCandidateDetail();
90 |         }
91 |       } catch (err) {
92 |         alert(err.message || 'Failed to update candidate details');
93 |       }
94 |     };
95 |
96 |     const handleApplyOverride = async (e) => {
97 |       e.preventDefault();
98 |       if (!overrideReason.trim()) {
99 |         alert('A justification reason is required for auditability.');
100 |         return;
101 |       }
102 |
103 |       try {
104 |         const res = await api.patch(`/screening/${overrideScreeningId}/override`, {
105 |           adjustedScore: Number(newScore),
106 |           reason: overrideReason.trim(),
107 |         });
108 |         if (res.success) {
109 |           setShowOverrideModal(false);
110 |           fetchCandidateDetail();
111 |         }
112 |       } catch (err) {
113 |         alert(err.message || 'Override failed');
114 |       }
115 |     };
116 |
117 |     const handleAddNote = async (e) => {
118 |       e.preventDefault();
119 |       if (!noteText.trim()) return;
120 |
121 |       setSubmittingNote(true);
122 |       try {
123 |         const currentApp = (data?.applications || [])[0];
124 |         await api.post(`/candidates/${candidateId}/notes`, {
125 |           text: noteText.trim(),
126 |           applicationId: currentApp?._id,
127 |         });
128 |         setNoteText('');
129 |         fetchCandidateDetail();
130 |       } catch (err) {
131 |         alert(err.message);
132 |       } finally {
133 |         setSubmittingNote(false);
134 |       }
135 |     };
136 |
137 |     if (loading) {
138 |       return <div className="py-16 text-center text-xs text-ink-muted">Loading candidate p
```

```
    > rofile...</div>;
139 |   }
140 |
141 |   if (!data?.candidate) {
142 |     return (
143 |       <div className="surface-card rounded-2xl p-8 text-center">
144 |         <p className="text-xs text-ink-muted">Candidate record not found.</p>
145 |         <Link to="/candidates" className="text-xs text-forest-600 font-medium mt-2 inlin
    > e-block">
146 |           &larr; Back to candidates
147 |         </Link>
148 |       </div>
149 |     );
150 |   }
151 |
152 |   const { candidate, resumes, applications, screeningResults } = data;
153 |   const primaryScreening = screeningResults && screeningResults.length > 0 ? screeningRe
    > sults[0] : null;
154 |   const primaryResume = resumes && resumes.length > 0 ? resumes[0] : null;
155 |
156 |   // Group skills by category
157 |   const skillsByCategory = {};
158 |   (candidate.skills || []).forEach((sk) => {
159 |     const cat = sk.category || 'General Competencies';
160 |     if (!skillsByCategory[cat]) skillsByCategory[cat] = [];
161 |     skillsByCategory[cat].push(sk);
162 |   });
163 |
164 |   return (
165 |     <div className="space-y-6 max-w-6xl mx-auto">
166 |       {/* Top Navigation */}
167 |       <div className="flex items-center justify-between">
168 |         <Link to="/candidates" className="inline-flex items-center gap-1.5 text-xs text-
    > ink-muted hover:text-ink">
169 |           <ArrowLeft className="w-3.5 h-3.5" />
170 |           <span>Back to candidates</span>
171 |         </Link>
172 |
173 |         <div className="flex items-center gap-2">
174 |           <button
175 |             onClick={() => setShowEditModal(true)}
176 |             className="inline-flex items-center gap-1.5 px-3 py-1.5 border border-border
    >  bg-white rounded-lg text-xs font-medium text-ink hover:bg-sage-50 transition-colors sha
    > dow-subtle"
177 |           >
178 |             <Edit className="w-3.5 h-3.5" />
179 |             <span>Correct Parsed Data</span>
180 |           </button>
181 |         </div>
182 |       </div>
183 |
184 |       {/* Candidate Profile Header Card */}
185 |       <div className="surface-card rounded-2xl p-6 sm:p-8">
186 |         <div className="flex flex-col md:flex-row md:items-start justify-between gap-6">
187 |           <div className="flex items-start gap-4">
188 |             <div className="w-16 h-16 rounded-2xl bg-forest-100 text-forest-800 font-edi
    > torial text-2xl font-bold flex items-center justify-center shrink-0 border border-forest
    > -200">
189 |               {candidate.name.charAt(0)}
190 |             </div>
191 |
192 |             <div>
193 |               <div className="flex items-center gap-2.5">
194 |                 <h1 className="font-editorial text-2xl sm:text-3xl font-bold text-ink">
195 |                   {candidate.name}
196 |                 </h1>
197 |                 <span className="text-[11px] px-2.5 py-0.5 rounded-full bg-sage-100 text
    > -forest-800 border border-sage-300 font-mono font-medium">
198 |                   {primaryResume?.confidenceScore || 92}% Parser Confidence
199 |                 </span>
200 |               </div>
201 |
```

```
202 |                <p className="text-xs text-ink-muted mt-1 leading-relaxed">
203 |                  {candidate.headline || `${candidate.totalExperienceYears} Years Experien
    >  ce`}
204 |                </p>
205 |
206 |                <div className="flex flex-wrap items-center gap-4 mt-3 text-xs text-ink-su
    >  btle">
207 |                  {candidate.email && (
208 |                    <span className="flex items-center gap-1 text-ink">
209 |                      <Mail className="w-3.5 h-3.5 text-ink-subtle" />
210 |                      {candidate.email}
211 |                    </span>
212 |                  )}
213 |                  {candidate.phone && (
214 |                    <span className="flex items-center gap-1 text-ink">
215 |                      <Phone className="w-3.5 h-3.5 text-ink-subtle" />
216 |                      {candidate.phone}
217 |                    </span>
218 |                  )}
219 |                  <span className="flex items-center gap-1 text-ink">
220 |                    <MapPin className="w-3.5 h-3.5 text-ink-subtle" />
221 |                    {candidate.location || 'Remote'}
222 |                  </span>
223 |                  <span className="flex items-center gap-1 text-ink">
224 |                    <Clock className="w-3.5 h-3.5 text-ink-subtle" />
225 |                    {candidate.totalExperienceYears} years exp
226 |                  </span>
227 |                </div>
228 |
229 |                {/* External Links */}
230 |                {candidate.links && (
231 |                  <div className="flex items-center gap-3 mt-3 text-xs">
232 |                    {candidate.links.linkedin && (
233 |                      <a
234 |                        href={candidate.links.linkedin}
235 |                        target="_blank"
236 |                        rel="noreferrer"
237 |                        className="inline-flex items-center gap-1 text-forest-700 hover:te
    >  xt-forest-800 font-medium"
238 |                        >
239 |                        <Linkedin className="w-3.5 h-3.5" />
240 |                        <span>LinkedIn</span>
241 |                      </a>
242 |                    )}
243 |                    {candidate.links.github && (
244 |                      <a
245 |                        href={candidate.links.github}
246 |                        target="_blank"
247 |                        rel="noreferrer"
248 |                        className="inline-flex items-center gap-1 text-forest-700 hover:te
    >  xt-forest-800 font-medium"
249 |                        >
250 |                        <Github className="w-3.5 h-3.5" />
251 |                        <span>GitHub</span>
252 |                      </a>
253 |                    )}
254 |                    {candidate.links.portfolio && (
255 |                      <a
256 |                        href={candidate.links.portfolio}
257 |                        target="_blank"
258 |                        rel="noreferrer"
259 |                        className="inline-flex items-center gap-1 text-forest-700 hover:te
    >  xt-forest-800 font-medium"
260 |                        >
261 |                        <Globe className="w-3.5 h-3.5" />
262 |                        <span>Portfolio</span>
263 |                      </a>
264 |                    )}
265 |                  </div>
266 |                )}
267 |              </div>
268 |            </div>
```

```
269 |
270 |           {/* Primary Screening Match Score Badge */}
271 |           {primaryScreening && (
272 |             <div className="p-4 rounded-xl bg-sage-50 border border-sage-200 text-right
    >   min-w-[200px]">
273 |               <span className="text-[10px] font-semibold uppercase tracking-wider text-i
    >   nk-subtle block mb-1">
274 |                 Target Role Match
275 |               </span>
276 |               <span className="text-xs font-semibold text-ink block mb-1 truncate">
277 |                 {primaryScreening.jobId?.title}
278 |               </span>
279 |               <div className="flex justify-end">
280 |                 <ScoreBadge score={primaryScreening.overallScore} size="lg" showLabel={t
    >   rue} />
281 |               </div>
282 |               {primaryScreening.recruiterOverride?.isOverridden && (
283 |                 <span className="text-[10px] text-amber-700 font-medium block mt-1">
284 |                   Overridden by Recruiter
285 |                 </span>
286 |               )}
287 |             </div>
288 |           )}
289 |         </div>
290 |       </div>
291 |
292 |       {/* Profile Tabs */}
293 |       <div className="flex items-center gap-2 border-b border-border pb-px overflow-x-au
    >   to text-xs font-medium">
294 |         {[
295 |           { id: 'overview', label: 'Match Overview & Evidence' },
296 |           { id: 'timeline', label: 'Experience & Education' },
297 |           { id: 'skills', label: `Skills Taxonomy (${candidate.skills?.length || 0})` },
298 |           { id: 'resume', label: 'Original Resume Document' },
299 |           { id: 'notes', label: 'Recruiter Notes & Audit' },
300 |         ].map((tab) => (
301 |           <button
302 |             key={tab.id}
303 |             onClick={() => setActiveTab(tab.id)}
304 |             className={`px-4 py-2.5 border-b-2 transition-colors whitespace-nowrap ${
305 |               activeTab === tab.id
306 |                 ? 'border-forest-600 text-forest-800 font-semibold bg-sage-50/50 rounded
    >   -t-lg'
307 |                 : 'border-transparent text-ink-muted hover:text-ink'
308 |             }`}
309 |           >
310 |             {tab.label}
311 |           </button>
312 |         ))}
313 |       </div>
314 |
315 |       {/* Tab 1: Match Overview & Evidence */}
316 |       {activeTab === 'overview' && (
317 |         <div className="space-y-6">
318 |           {primaryScreening ? (
319 |             <>
320 |               {/* Component breakdown */}
321 |               <div className="surface-card rounded-2xl p-6">
322 |                 <div className="flex items-center justify-between mb-4">
323 |                   <div>
324 |                     <h3 className="font-editorial text-lg font-semibold text-ink">
325 |                       Explainable AI Component Breakdown
326 |                     </h3>
327 |                     <p className="text-xs text-ink-muted">
328 |                       Role: <span className="font-semibold text-ink">{primaryScreening.j
    >   obId?.title}</span>
329 |                     </p>
330 |                   </div>
331 |
332 |                   <button
333 |                     onClick={() => {
334 |                       setOverrideScreeningId(primaryScreening._id);
```

```
335 |                       setNewScore(primaryScreening.overallScore);
336 |                       setShowOverrideModal(true);
337 |                     }}
338 |                     className="inline-flex items-center gap-1.5 px-3 py-1.5 bg-sage-50 b
    >   order border-sage-300 rounded-lg text-xs font-medium text-forest-800 hover:bg-sage-100 t
    >   ransition-colors"
339 |                   >
340 |                     <Sliders className="w-3.5 h-3.5" />
341 |                     <span>Recruiter Manual Override</span>
342 |                   </button>
343 |                 </div>
344 |
345 |                 <div className="grid grid-cols-2 sm:grid-cols-4 gap-4">
346 |                   <div className="p-3.5 rounded-xl bg-[#FBFBF9] border border-border">
347 |                     <span className="text-[11px] text-ink-subtle block mb-1">
348 |                       Skill Alignment (40%)
349 |                     </span>
350 |                     <span className="font-mono text-2xl font-bold text-ink">
351 |                       {primaryScreening.componentScores?.skillAlignment}%
352 |                     </span>
353 |                     <span className="text-[10px] text-ink-muted block mt-1">
354 |                       {primaryScreening.matchedRequiredSkills?.length || 0} mandatory sk
    >   ills matched
355 |                     </span>
356 |                   </div>
357 |
358 |                   <div className="p-3.5 rounded-xl bg-[#FBFBF9] border border-border">
359 |                     <span className="text-[11px] text-ink-subtle block mb-1">
360 |                       Semantic Similarity (30%)
361 |                     </span>
362 |                     <span className="font-mono text-2xl font-bold text-ink">
363 |                       {primaryScreening.componentScores?.semanticSimilarity}%
364 |                     </span>
365 |                     <span className="text-[10px] text-ink-muted block mt-1">
366 |                       Vector cosine document match
367 |                     </span>
368 |                   </div>
369 |
370 |                   <div className="p-3.5 rounded-xl bg-[#FBFBF9] border border-border">
371 |                     <span className="text-[11px] text-ink-subtle block mb-1">
372 |                       Relevant Experience (20%)
373 |                     </span>
374 |                     <span className="font-mono text-2xl font-bold text-ink">
375 |                       {primaryScreening.componentScores?.experienceScore}%
376 |                     </span>
377 |                     <span className="text-[10px] text-ink-muted block mt-1">
378 |                       {primaryScreening.experienceEvidence?.summary || `${candidate.tota
    >   lExperienceYears} yrs experience`}
379 |                     </span>
380 |                   </div>
381 |
382 |                   <div className="p-3.5 rounded-xl bg-[#FBFBF9] border border-border">
383 |                     <span className="text-[11px] text-ink-subtle block mb-1">
384 |                       Qualification Match (10%)
385 |                     </span>
386 |                     <span className="font-mono text-2xl font-bold text-ink">
387 |                       {primaryScreening.componentScores?.qualificationScore}%
388 |                     </span>
389 |                     <span className="text-[10px] text-forest-700 font-medium block mt-1"
    >   >
390 |                       {primaryScreening.qualificationEvidence?.matchStatus || 'Meets'} s
    >   tandard
391 |                     </span>
392 |                   </div>
393 |                 </div>
394 |
395 |                 {/* Overridden Notice if active */}
396 |                 {primaryScreening.recruiterOverride?.isOverridden && (
397 |                   <div className="mt-4 p-3 rounded-xl bg-amber-50 border border-amber-20
    >   0 text-xs text-amber-900">
398 |                     <span className="font-semibold block mb-0.5">Recruiter Manual Overri
    >   de Applied</span>
```

```
399 |                     <p className="text-[11px] text-amber-800">
400 |                       Score adjusted from <span className="font-mono">{primaryScreening.
    >   recruiterOverride.originalScore}%</span> to <span className="font-mono font-bold">{prima
    >   ryScreening.overallScore}%</span>.
401 |                       Reason: "{primaryScreening.recruiterOverride.reason}"
402 |                     </p>
403 |                   </div>
404 |                 )}
405 |               </div>
406 |
407 |               {/* Supporting Excerpts & Evidence Citations */}
408 |               <div className="surface-card rounded-2xl p-6">
409 |                 <h3 className="font-editorial text-lg font-semibold text-ink mb-1">
410 |                   Evidence Excerpts from Resume
411 |                 </h3>
412 |                 <p className="text-xs text-ink-muted mb-4">
413 |                   Direct citations extracted from candidate documents supporting the alg
    >   orithm's assessment.
414 |                 </p>
415 |
416 |                 <div className="space-y-3">
417 |                   {(primaryScreening.supportingExcerpts || []).map((exc, i) => (
418 |                     <div key={i} className="p-3.5 rounded-xl bg-[#FBFBF9] border border-
    >   border text-xs">
419 |                       <div className="flex items-center justify-between mb-1">
420 |                         <span className="font-semibold text-forest-800 text-[11px]">{exc
    >   .topic}</span>
421 |                         <span className="text-[10px] text-ink-subtle">Source: {exc.sourc
    >   eSection}</span>
422 |                       </div>
423 |                       <blockquote className="italic text-ink-muted border-l-2 border-for
    >   est-400 pl-2.5 py-0.5 leading-relaxed">
424 |                         "{exc.quote}"
425 |                       </blockquote>
426 |                     </div>
427 |                   ))}
428 |                 </div>
429 |               </div>
430 |
431 |               {/* Matched vs Missing Skills breakdown */}
432 |               <div className="grid grid-cols-1 md:grid-cols-2 gap-6">
433 |                 {/* Matched mandatory skills */}
434 |                 <div className="surface-card rounded-2xl p-6">
435 |                   <h4 className="text-xs font-semibold uppercase tracking-wider text-for
    >   est-700 mb-3 flex items-center gap-1.5">
436 |                     <CheckCircle2 className="w-4 h-4 text-forest-600" /> Matched Mandato
    >   ry Skills ({primaryScreening.matchedRequiredSkills?.length || 0})
437 |                   </h4>
438 |                   <div className="space-y-2">
439 |                     {(primaryScreening.matchedRequiredSkills || []).map((m, i) => (
440 |                       <div key={i} className="p-2.5 rounded-lg bg-forest-50/60 border bo
    >   rder-forest-200 text-xs">
441 |                         <span className="font-semibold text-forest-900 block">{m.skill}<
    >   /span>
442 |                         <span className="text-[11px] text-forest-800 italic block mt-0.5
    >   ">
443 |                           "{m.evidence}"
444 |                         </span>
445 |                       </div>
446 |                     ))}
447 |                   </div>
448 |                 </div>
449 |
450 |                 {/* Missing or unverified skills */}
451 |                 <div className="surface-card rounded-2xl p-6">
452 |                   <h4 className="text-xs font-semibold uppercase tracking-wider text-amb
    >   er-700 mb-3 flex items-center gap-1.5">
453 |                     <AlertTriangle className="w-4 h-4 text-amber-600" /> Missing / Unver
    >   ified Skills ({primaryScreening.missingRequiredSkills?.length || 0})
454 |                   </h4>
455 |                   {(primaryScreening.missingRequiredSkills || []).length === 0 ? (
456 |                     <p className="text-xs text-forest-700">All mandatory requirements ve
```

```
  > rified in candidate text!</p>
457 |                   ) : (
458 |                     <div className="space-y-2">
459 |                       {primaryScreening.missingRequiredSkills.map((m, i) => (
460 |                         <div key={i} className="p-2.5 rounded-lg bg-amber-50/70 border b
  > order-amber-200 text-xs text-amber-900">
461 |                           <span className="font-semibold block">{m}</span>
462 |                           <span className="text-[11px] text-amber-800 block mt-0.5">
463 |                             Not explicitly detected in resume experience. Recommended fo
  > r interview probe.
464 |                           </span>
465 |                         </div>
466 |                       ))}
467 |                     </div>
468 |                   )}
469 |                 </div>
470 |               </div>
471 |             </>
472 |           ) : (
473 |             <div className="surface-card rounded-2xl p-8 text-center text-xs text-ink-mu
  > ted">
474 |               Candidate has not been screened against a specific job opening yet.
475 |               <Link to="/screening/upload" className="text-forest-600 font-medium block
  > mt-2">
476 |                 Screen candidate against a job &rarr;
477 |               </Link>
478 |             </div>
479 |           )}
480 |         </div>
481 |       )}
482 |
483 |       {/* Tab 2: Experience & Education Timeline */}
484 |       {activeTab === 'timeline' && (
485 |         <div className="space-y-6">
486 |           {/* Work Experience */}
487 |           <div className="surface-card rounded-2xl p-6">
488 |             <h3 className="font-editorial text-lg font-semibold text-ink mb-4 flex items
  > -center gap-2">
489 |               <Briefcase className="w-5 h-5 text-forest-600" /> Work Experience Timeline
490 |             </h3>
491 |
492 |             <div className="space-y-6 relative border-l-2 border-sage-200 ml-3 pl-5">
493 |               {(candidate.experienceTimeline || []).map((exp, index) => (
494 |                 <div key={index} className="relative">
495 |                   <div className="w-3 h-3 rounded-full bg-forest-500 absolute -left-[27p
  > x] top-1 ring-4 ring-white" />
496 |                   <div className="flex items-center justify-between">
497 |                     <h4 className="text-sm font-semibold text-ink">{exp.role}</h4>
498 |                     <span className="font-mono text-xs text-ink-subtle">
499 |                       {exp.startDate} - {exp.endDate}
500 |                     </span>
501 |                   </div>
502 |                   <span className="text-xs font-medium text-forest-700 block mb-1">
503 |                     {exp.company}
504 |                   </span>
505 |                   <p className="text-xs text-ink-muted leading-relaxed mb-2">
506 |                     {exp.description}
507 |                   </p>
508 |                   {exp.technologies && exp.technologies.length > 0 && (
509 |                     <div className="flex flex-wrap gap-1">
510 |                       {exp.technologies.map((t) => (
511 |                         <span key={t} className="text-[10px] px-2 py-0.5 rounded bg-sage
  > -50 text-ink border border-sage-200">
512 |                           {t}
513 |                         </span>
514 |                       ))}
515 |                     </div>
516 |                   )}
517 |                 </div>
518 |               ))}
519 |             </div>
520 |           </div>
```

```
521 |
522 |           {/* Education */}
523 |           <div className="surface-card rounded-2xl p-6">
524 |             <h3 className="font-editorial text-lg font-semibold text-ink mb-4 flex items
    >   -center gap-2">
525 |               <GraduationCap className="w-5 h-5 text-forest-600" /> Education & Qualific
    >   ations
526 |             </h3>
527 |
528 |             <div className="space-y-4">
529 |               {(candidate.educationTimeline || []).map((edu, index) => (
530 |                 <div key={index} className="p-3.5 rounded-xl bg-[#FBFBF9] border border-
    >   border text-xs flex justify-between items-center">
531 |                   <div>
532 |                     <span className="font-semibold text-ink block">{edu.degree}</span>
533 |                     <span className="text-ink-muted">{edu.institution} &bull; {edu.field
    >   }</span>
534 |                   </div>
535 |                   <span className="font-mono text-xs text-forest-700 bg-sage-100 px-2 py
    >   -0.5 rounded font-medium">
536 |                     {edu.graduationYear}
537 |                   </span>
538 |                 </div>
539 |               ))}
540 |             </div>
541 |           </div>
542 |         </div>
543 |       )}
544 |
545 |       {/* Tab 3: Skills Taxonomy */}
546 |       {activeTab === 'skills' && (
547 |         <div className="surface-card rounded-2xl p-6 space-y-6">
548 |           <h3 className="font-editorial text-lg font-semibold text-ink mb-1">
549 |             Categorized Skills Inventory
550 |           </h3>
551 |           <p className="text-xs text-ink-muted mb-4">
552 |             Technical competencies extracted and categorized by domain.
553 |           </p>
554 |
555 |           <div className="grid grid-cols-1 md:grid-cols-2 gap-6">
556 |             {Object.entries(skillsByCategory).map(([category, skills]) => (
557 |               <div key={category} className="p-4 rounded-xl bg-[#FBFBF9] border border-b
    >   order">
558 |                 <span className="text-xs font-semibold text-forest-800 uppercase trackin
    >   g-wider block mb-3">
559 |                   {category} ({skills.length})
560 |                 </span>
561 |                 <div className="flex flex-wrap gap-1.5">
562 |                   {skills.map((s) => (
563 |                     <div
564 |                       key={s.name}
565 |                       className="inline-flex items-center gap-1.5 px-2.5 py-1 rounded-md
    >    bg-white border border-border text-xs"
566 |                       >
567 |                       <span className="font-medium text-ink">{s.name}</span>
568 |                       <span className="font-mono text-[10px] text-ink-subtle">
569 |                         {s.yearsOfExperience}y
570 |                       </span>
571 |                     </div>
572 |                   ))}
573 |                 </div>
574 |               </div>
575 |             ))}
576 |           </div>
577 |         </div>
578 |       )}
579 |
580 |       {/* Tab 4: Original Resume Text */}
581 |       {activeTab === 'resume' && (
582 |         <div className="surface-card rounded-2xl p-6">
583 |           <div className="flex items-center justify-between pb-3 border-b border-border
    >   mb-4">
```

```
584 |             <div>
585 |               <h3 className="font-editorial text-lg font-semibold text-ink">
586 |                 Raw Extracted Resume Document
587 |               </h3>
588 |               <span className="text-xs text-ink-muted">
589 |                 File: {primaryResume?.fileName || 'resume.pdf'} &bull; Hash: <span class
    >  Name="font-mono text-[11px]">{primaryResume?.fileHash?.slice(0, 16)}...</span>
590 |               </span>
591 |             </div>
592 |           </div>
593 |
594 |           <pre className="p-4 rounded-xl bg-[#F8F9F5] border border-border text-xs font-
    >  mono text-ink-light whitespace-pre-wrap leading-relaxed max-h-96 overflow-y-auto">
595 |             {primaryResume?.rawText || 'No raw text available.'}
596 |           </pre>
597 |         </div>
598 |       )}
599 |
600 |       {/* Tab 5: Recruiter Notes & Audit */}
601 |       {activeTab === 'notes' && (
602 |         <div className="surface-card rounded-2xl p-6 space-y-6">
603 |           <h3 className="font-editorial text-lg font-semibold text-ink">
604 |             Recruiter Notes & Interaction Log
605 |           </h3>
606 |
607 |           {/* Add note */}
608 |           <form onSubmit={handleAddNote} className="space-y-3">
609 |             <textarea
610 |               rows={3}
611 |               placeholder="Write an internal recruiter observation, interview feedback,
    >  or verification detail..."
612 |               value={noteText}
613 |               onChange={(e) => setNoteText(e.target.value)}
614 |               className="w-full bg-[#FBFBF9] border border-border rounded-xl p-3 text-xs
    >   text-ink focus:outline-none focus:border-forest-500 focus:bg-white transition-all leadi
    >  ng-relaxed"
615 |             />
616 |             <div className="flex justify-end">
617 |               <button
618 |                 type="submit"
619 |                 disabled={submittingNote || !noteText.trim()}
620 |                 className="px-4 py-2 bg-forest-500 hover:bg-forest-600 text-white rounde
    >  d-lg text-xs font-medium flex items-center gap-1.5 shadow-sm disabled:opacity-50"
621 |               >
622 |                 <Send className="w-3.5 h-3.5" />
623 |                 <span>Save Note</span>
624 |               </button>
625 |             </div>
626 |           </form>
627 |
628 |           {/* Existing notes */}
629 |           <div className="space-y-3 pt-3 border-t border-border">
630 |             {(applications || []).flatMap((app) => app.notes || []).length === 0 ? (
631 |               <p className="text-xs text-ink-subtle text-center py-4">No notes recorded
    >  yet.</p>
632 |             ) : (
633 |               (applications || []).flatMap((app) => app.notes || []).map((n, idx) => (
634 |                 <div key={idx} className="p-3 rounded-xl bg-[#FBFBF9] border border-bord
    >  er text-xs">
635 |                   <div className="flex items-center justify-between text-ink-subtle text
    >  -[10px] mb-1">
636 |                     <span className="font-medium text-ink">Recruiter Note</span>
637 |                     <span>{new Date(n.createdAt).toLocaleDateString()}</span>
638 |                   </div>
639 |                   <p className="text-ink leading-relaxed">{n.text}</p>
640 |                 </div>
641 |               ))
642 |             )}
643 |           </div>
644 |         </div>
645 |       )}
646 |
```

```
647 |       {/* Correction Modal */}
648 |       {showEditModal && (
649 |         <div className="fixed inset-0 z-50 bg-black/40 backdrop-blur-sm flex items-cente
    >   r justify-center p-4">
650 |           <div className="bg-white rounded-2xl shadow-dropdown border border-border max-
    >   w-md w-full p-6 space-y-4">
651 |             <h3 className="font-editorial text-lg font-bold text-ink">
652 |               Correct Extracted Candidate Data
653 |             </h3>
654 |             <p className="text-xs text-ink-muted">
655 |               Manually fix OCR or parser errors. All corrections are logged to the compl
    >   iance audit trail.
656 |             </p>
657 |
658 |             <form onSubmit={handleSaveCorrection} className="space-y-3">
659 |               <div>
660 |                 <label className="block text-xs font-medium text-ink mb-1">Full Name</la
    >   bel>
661 |                 <input
662 |                   type="text"
663 |                   required
664 |                   value={editFormData.name}
665 |                   onChange={(e) => setEditFormData({ ...editFormData, name: e.target.val
    >   ue })}
666 |                   className="w-full bg-[#FBFBF9] border border-border rounded-lg px-3 py
    >   -1.5 text-xs text-ink"
667 |                 />
668 |               </div>
669 |
670 |               <div>
671 |                 <label className="block text-xs font-medium text-ink mb-1">Email</label>
672 |                 <input
673 |                   type="email"
674 |                   value={editFormData.email}
675 |                   onChange={(e) => setEditFormData({ ...editFormData, email: e.target.va
    >   lue })}
676 |                   className="w-full bg-[#FBFBF9] border border-border rounded-lg px-3 py
    >   -1.5 text-xs text-ink"
677 |                 />
678 |               </div>
679 |
680 |               <div>
681 |                 <label className="block text-xs font-medium text-ink mb-1">Total Experie
    >   nce (Years)</label>
682 |                 <input
683 |                   type="number"
684 |                   min={0}
685 |                   max={40}
686 |                   value={editFormData.totalExperienceYears}
687 |                   onChange={(e) => setEditFormData({ ...editFormData, totalExperienceYea
    >   rs: Number(e.target.value) })}
688 |                   className="w-full bg-[#FBFBF9] border border-border rounded-lg px-3 py
    >   -1.5 text-xs text-ink font-mono"
689 |                 />
690 |               </div>
691 |
692 |               <div>
693 |                 <label className="block text-xs font-medium text-ink mb-1">Location</lab
    >   el>
694 |                 <input
695 |                   type="text"
696 |                   value={editFormData.location}
697 |                   onChange={(e) => setEditFormData({ ...editFormData, location: e.target
    >   .value })}
698 |                   className="w-full bg-[#FBFBF9] border border-border rounded-lg px-3 py
    >   -1.5 text-xs text-ink"
699 |                 />
700 |               </div>
701 |
702 |               <div className="pt-2 flex justify-end gap-2">
703 |                 <button
704 |                   type="button"
```

```
705 |                   onClick={() => setShowEditModal(false)}
706 |                   className="px-3.5 py-1.5 border border-border rounded-lg text-xs font-
    >  medium text-ink hover:bg-sage-50"
707 |                 >
708 |                   Cancel
709 |                 </button>
710 |                 <button
711 |                   type="submit"
712 |                   className="px-4 py-1.5 bg-forest-500 hover:bg-forest-600 text-white ro
    >  unded-lg text-xs font-medium"
713 |                 >
714 |                   Save Corrections
715 |                 </button>
716 |               </div>
717 |             </form>
718 |           </div>
719 |         </div>
720 |       )}
721 |
722 |       {/* Manual Override Modal */}
723 |       {showOverrideModal && (
724 |         <div className="fixed inset-0 z-50 bg-black/40 backdrop-blur-sm flex items-cente
    >  r justify-center p-4">
725 |           <div className="bg-white rounded-2xl shadow-dropdown border border-border max-
    >  w-md w-full p-6 space-y-4">
726 |             <h3 className="font-editorial text-lg font-bold text-ink">
727 |               Recruiter Score Override
728 |             </h3>
729 |             <p className="text-xs text-ink-muted">
730 |               Recruiters remain final decision-makers. Override the AI calculated score
    >  with an explicit justification reason.
731 |             </p>
732 |
733 |             <form onSubmit={handleApplyOverride} className="space-y-3">
734 |               <div>
735 |                 <label className="block text-xs font-medium text-ink mb-1">
736 |                   Adjusted Score: <span className="font-mono font-bold text-forest-700">
    >  {newScore}%</span>
737 |                 </label>
738 |                 <input
739 |                   type="range"
740 |                   min={10}
741 |                   max={100}
742 |                   value={newScore}
743 |                   onChange={(e) => setNewScore(Number(e.target.value))}
744 |                   className="w-full accent-forest-500"
745 |                 />
746 |               </div>
747 |
748 |               <div>
749 |                 <label className="block text-xs font-medium text-ink mb-1">
750 |                   Reason for Override *
751 |                 </label>
752 |                 <textarea
753 |                   rows={3}
754 |                   required
755 |                   placeholder="e.g. Candidate demonstrated verified equivalence in speci
    >  alized microservices during portfolio review..."
756 |                   value={overrideReason}
757 |                   onChange={(e) => setOverrideReason(e.target.value)}
758 |                   className="w-full bg-[#FBFBF9] border border-border rounded-lg p-2.5 t
    >  ext-xs text-ink focus:outline-none focus:border-forest-500"
759 |                 />
760 |               </div>
761 |
762 |               <div className="pt-2 flex justify-end gap-2">
763 |                 <button
764 |                   type="button"
765 |                   onClick={() => setShowOverrideModal(false)}
766 |                   className="px-3.5 py-1.5 border border-border rounded-lg text-xs font-
    >  medium text-ink hover:bg-sage-50"
767 |                 >
```

```
768 |                   Cancel
769 |                 </button>
770 |                 <button
771 |                   type="submit"
772 |                   className="px-4 py-1.5 bg-forest-500 hover:bg-forest-600 text-white ro
    >  unded-lg text-xs font-medium"
773 |                 >
774 |                   Confirm Override
775 |                 </button>
776 |               </div>
777 |             </form>
778 |           </div>
779 |         </div>
780 |       )}
781 |     </div>
782 |   );
783 | };
784 |
```