FILE: C:\HCL_TRAINING\client\src\pages\InterviewsPage.jsx

LINES: 315 | SIZE: 13.3 KB | LANGUAGE: JSX

MODULE: Gap-Targeted Interview Question Generator and 1-5 Rubric

```jsx
import React, { useState, useEffect } from 'react';
import { Link } from 'react-router-dom';
import {
  CalendarCheck2,
  Clock,
  User,
  Briefcase,
  CheckCircle2,
  Sparkles,
  HelpCircle,
  Star,
  FileEdit,
  Save,
  Plus,
} from 'lucide-react';
import { api } from '../api/client';

export const InterviewsPage = () => {
  const [interviews, setInterviews] = useState([]);
  const [selectedInterview, setSelectedInterview] = useState(null);
  const [loading, setLoading] = useState(true);
  const [savingFeedback, setSavingFeedback] = useState(false);

  useEffect(() => {
    fetchInterviews();
  }, []);

  const fetchInterviews = async () => {
    setLoading(true);
    try {
      const res = await api.get('/interviews');
      if (res.success) {
        setInterviews(res.data || []);
        if (res.data.length > 0) {
          setSelectedInterview(res.data[0]);
        }
      }
    } catch (err) {
      console.error(err);
    } finally {
      setLoading(false);
    }
  };

  const handleRubricChange = (index, newScore) => {
    if (!selectedInterview) return;
    const updated = { ...selectedInterview };
    updated.rubricScores[index].score = newScore;
    setSelectedInterview(updated);
  };

  const handleRubricNoteChange = (index, notes) => {
    if (!selectedInterview) return;
    const updated = { ...selectedInterview };
    updated.rubricScores[index].notes = notes;
    setSelectedInterview(updated);
  };

  const handleSaveFeedback = async () => {
    if (!selectedInterview) return;
    setSavingFeedback(true);
    try {
      const res = await api.put(`/interviews/${selectedInterview._id}`, {
        rubricScores: selectedInterview.rubricScores,
        generalNotes: selectedInterview.generalNotes,
        recommendation: selectedInterview.recommendation,
```

```
67 |           status: selectedInterview.status,
68 |         });
69 |
70 |         if (res.success) {
71 |           alert('Interview evaluation and rubric scores saved successfully.');
72 |           fetchInterviews();
73 |         }
74 |       } catch (err) {
75 |         alert(err.message || 'Failed to save feedback');
76 |       } finally {
77 |         setSavingFeedback(false);
78 |       }
79 |     };
80 |
81 |     return (
82 |       <div className="space-y-6 max-w-7xl mx-auto">
83 |         {/* Header */}
84 |         <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-4 pb
   > -2 border-b border-border">
85 |           <div>
86 |             <span className="text-xs font-semibold uppercase tracking-wider text-forest-70
   > 0">
87 |               Structured Hiring Evaluation
88 |             </span>
89 |             <h1 className="font-editorial text-3xl font-bold text-ink mt-0.5">
90 |               Interview Intelligence Studio
91 |             </h1>
92 |             <p className="text-xs text-ink-muted mt-1">
93 |               Role-tailored technical & behavioral rubrics, skill-gap inquiry guides, and
   > objective scoring.
94 |             </p>
95 |           </div>
96 |         </div>
97 |
98 |         <div className="grid grid-cols-1 lg:grid-cols-3 gap-6">
99 |           {/* Left Column: Scheduled Interviews List */}
100 |           <div className="surface-card rounded-2xl p-5 space-y-3">
101 |             <span className="text-xs font-semibold uppercase tracking-wider text-ink-muted
   >  block mb-2">
102 |               Interviews ({interviews.length})
103 |             </span>
104 |
105 |             {loading ? (
106 |               <div className="py-8 text-center text-xs text-ink-muted">Loading interviews.
   > ..</div>
107 |             ) : interviews.length === 0 ? (
108 |               <div className="text-center py-8 text-xs text-ink-muted">
109 |                 No interviews scheduled yet.
110 |               </div>
111 |             ) : (
112 |               interviews.map((item) => {
113 |                 const isSelected = selectedInterview?._id === item._id;
114 |
115 |                 return (
116 |                   <div
117 |                     key={item._id}
118 |                     onClick={() => setSelectedInterview(item)}
119 |                     className={`p-3.5 rounded-xl border cursor-pointer transition-all ${
120 |                       isSelected
121 |                         ? 'bg-sage-50/80 border-forest-500 shadow-sm'
122 |                         : 'bg-[#FBFBF9] border-border hover:border-forest-300'
123 |                     }`}
124 |                   >
125 |                     <div className="flex items-start justify-between gap-2 mb-1">
126 |                       <span className="font-semibold text-xs text-ink truncate">
127 |                         {item.candidateId?.name}
128 |                       </span>
129 |                       <span
130 |                         className={`text-[10px] px-2 py-0.2 rounded-full font-medium ${
131 |                           item.status === 'Completed'
132 |                             ? 'bg-forest-100 text-forest-800'
133 |                             : 'bg-amber-100 text-amber-800'
```

```
134 |                       }`}
135 |                     >
136 |                       {item.status}
137 |                     </span>
138 |                   </div>
139 |
140 |                   <span className="text-[11px] text-ink-muted block truncate mb-2">
141 |                     {item.jobId?.title}
142 |                   </span>
143 |
144 |                   <div className="flex items-center justify-between text-[10px] text-ink
    >   -subtle pt-2 border-t border-border/60">
145 |                     <span className="flex items-center gap-1">
146 |                       <Clock className="w-3 h-3" />
147 |                       {new Date(item.scheduledAt).toLocaleDateString()}
148 |                     </span>
149 |                     <span className="font-medium text-forest-700">
150 |                       {item.recommendation || 'Pending'}
151 |                     </span>
152 |                   </div>
153 |                 </div>
154 |               );
155 |             })
156 |           )}
157 |         </div>
158 |
159 |         {/* Right Column: Detailed Rubric & Suggested Questions (2 cols) */}
160 |         <div className="lg:col-span-2 space-y-6">
161 |           {selectedInterview ? (
162 |             <>
163 |               {/* Interview Meta Bar */}
164 |               <div className="surface-card rounded-2xl p-6">
165 |                 <div className="flex flex-col sm:flex-row sm:items-center justify-betwee
    >   n gap-3">
166 |                   <div>
167 |                     <span className="text-[10px] font-semibold uppercase tracking-wider
    >   text-forest-700">
168 |                       {selectedInterview.stageName}
169 |                     </span>
170 |                     <h2 className="font-editorial text-2xl font-bold text-ink">
171 |                       {selectedInterview.candidateId?.name}
172 |                     </h2>
173 |                     <span className="text-xs text-ink-muted">
174 |                       Role: <span className="font-semibold text-ink">{selectedInterview.
    >   jobId?.title}</span> &bull; Interviewer: {selectedInterview.interviewer?.name}
175 |                     </span>
176 |                   </div>
177 |
178 |                   <div className="flex items-center gap-2">
179 |                     <select
180 |                       value={selectedInterview.recommendation}
181 |                       onChange={(e) =>
182 |                         setSelectedInterview({ ...selectedInterview, recommendation: e.t
    >   arget.value })
183 |                       }
184 |                       className="bg-white border border-border rounded-lg text-xs font-s
    >   emibold px-3 py-1.5 focus:outline-none focus:border-forest-500 shadow-subtle text-ink"
185 |                     >
186 |                       <option value="Pending">Pending Outcome</option>
187 |                       <option value="Strong Yes">Strong Yes (Advance)</option>
188 |                       <option value="Yes">Yes (Meets Standard)</option>
189 |                       <option value="Neutral">Neutral (Need 2nd Opinion)</option>
190 |                       <option value="No">No (Does Not Meet Standard)</option>
191 |                     </select>
192 |
193 |                     <button
194 |                       onClick={handleSaveFeedback}
195 |                       disabled={savingFeedback}
196 |                       className="inline-flex items-center gap-1.5 px-4 py-1.5 bg-forest-
    >   500 hover:bg-forest-600 text-white rounded-lg text-xs font-semibold shadow-sm transition
    >   -colors disabled:opacity-50"
197 |                     >
```

```
198 |                       <Save className="w-3.5 h-3.5" />
199 |                       <span>{savingFeedback ? 'Saving...' : 'Save Evaluation'}</span>
200 |                     </button>
201 |                   </div>
202 |                 </div>
203 |               </div>
204 |
205 |               {/* AI-Suggested Role-Specific & Gap Questions */}
206 |               <div className="surface-card rounded-2xl p-6">
207 |                 <h3 className="font-editorial text-lg font-semibold text-ink mb-1 flex i
    >   tems-center gap-2">
208 |                   <Sparkles className="w-4 h-4 text-forest-600" />
209 |                   AI Suggested Interview Questions & Rubrics
210 |                 </h3>
211 |                 <p className="text-xs text-ink-muted mb-4">
212 |                   Tailored inquiry prompts targeting claimed competencies and resume ski
    >   ll gaps.
213 |                 </p>
214 |
215 |                 <div className="space-y-4">
216 |                   {(selectedInterview.suggestedQuestions || []).map((q, idx) => (
217 |                     <div key={idx} className="p-4 rounded-xl bg-[#FBFBF9] border border-
    >   border text-xs space-y-2">
218 |                       <div className="flex items-center justify-between">
219 |                         <span className="text-[10px] font-bold uppercase tracking-wider
    >   text-forest-700 bg-sage-100 px-2 py-0.5 rounded">
220 |                           {q.category}
221 |                         </span>
222 |                         <span className="text-[10px] text-ink-subtle font-medium">
223 |                           {q.targetSkillOrGap}
224 |                         </span>
225 |                       </div>
226 |
227 |                       <p className="font-semibold text-ink text-xs leading-relaxed">
228 |                         "{q.question}"
229 |                       </p>
230 |
231 |                       <p className="text-[11px] text-ink-muted leading-relaxed">
232 |                         <strong className="text-ink">Context:</strong> {q.context}
233 |                       </p>
234 |
235 |                       {q.sampleRubric && (
236 |                         <div className="p-2.5 rounded-lg bg-white border border-border/8
    >   0 text-[10px] text-ink-light">
237 |                           <strong className="text-forest-800">Scoring Rubric:</strong> {
    >   q.sampleRubric}
238 |                         </div>
239 |                       )}
240 |                     </div>
241 |                   ))}
242 |                 </div>
243 |               </div>
244 |
245 |               {/* Structured Rubric Evaluation (1 to 5) */}
246 |               <div className="surface-card rounded-2xl p-6">
247 |                 <h3 className="font-editorial text-lg font-semibold text-ink mb-1">
248 |                   Structured Candidate Rubric (1 - 5 Scale)
249 |                 </h3>
250 |                 <p className="text-xs text-ink-muted mb-4">
251 |                   Rate candidate competencies objectively to prevent halo effect and bia
    >   s.
252 |                 </p>
253 |
254 |                 <div className="space-y-4">
255 |                   {(selectedInterview.rubricScores || []).map((rubric, idx) => (
256 |                     <div key={idx} className="p-3.5 rounded-xl bg-[#FBFBF9] border borde
    >   r-border text-xs">
257 |                       <div className="flex items-center justify-between mb-2">
258 |                         <span className="font-semibold text-ink">{rubric.criteria}</span
    >   >
259 |                         <div className="flex items-center gap-1">
260 |                           {[1, 2, 3, 4, 5].map((star) => (
```

```
261 |                             <button
262 |                               key={star}
263 |                               type="button"
264 |                               onClick={() => handleRubricChange(idx, star)}
265 |                               className={`w-6 h-6 rounded flex items-center justify-cent
    >   er font-mono text-xs font-bold transition-colors ${
266 |                                 rubric.score >= star
267 |                                   ? 'bg-forest-500 text-white'
268 |                                   : 'bg-white border border-border text-ink-muted hover:
    >   bg-sage-100'
269 |                               }`}
270 |                             >
271 |                               {star}
272 |                             </button>
273 |                           ))}
274 |                         </div>
275 |                       </div>
276 |
277 |                       <input
278 |                         type="text"
279 |                         placeholder="Interviewer observations on this criteria..."
280 |                         value={rubric.notes || ''}
281 |                         onChange={(e) => handleRubricNoteChange(idx, e.target.value)}
282 |                         className="w-full bg-white border border-border rounded-lg px-3
    >   py-1.5 text-xs text-ink focus:outline-none focus:border-forest-500"
283 |                       />
284 |                     </div>
285 |                   ))}
286 |                 </div>
287 |               </div>
288 |
289 |               {/* General Interview Notes */}
290 |               <div className="surface-card rounded-2xl p-6">
291 |                 <h3 className="font-editorial text-lg font-semibold text-ink mb-2">
292 |                   Overall Interview Synthesis & Notes
293 |                 </h3>
294 |                 <textarea
295 |                   rows={4}
296 |                   placeholder="Summarize key architectural discussion, leadership signal
    >   , and compensation/level expectations..."
297 |                   value={selectedInterview.generalNotes || ''}
298 |                   onChange={(e) =>
299 |                     setSelectedInterview({ ...selectedInterview, generalNotes: e.target.
    >   value })
300 |                   }
301 |                   className="w-full bg-[#FBFBF9] border border-border rounded-xl p-3 tex
    >   t-xs text-ink focus:outline-none focus:border-forest-500 focus:bg-white transition-all l
    >   eading-relaxed"
302 |                 />
303 |               </div>
304 |             </>
305 |           ) : (
306 |             <div className="surface-card rounded-2xl p-12 text-center text-xs text-ink-m
    >   uted">
307 |               Select an interview on the left to review suggested questions and record r
    >   ubric scores.
308 |             </div>
309 |           )}
310 |         </div>
311 |       </div>
312 |     </div>
313 |   );
314 | };
315 |
```