FILE: C:\HCL_TRAINING\client\src\pages\TalentPoolPage.jsx

LINES: 409 | SIZE: 15.0 KB | LANGUAGE: JSX

MODULE: Faceted Full-Text Candidate Search with Minimum Experience Sliders

```jsx
import React, { useState, useEffect } from 'react';
import { useSearchParams, Link } from 'react-router-dom';
import {
  Sparkles,
  Search,
  Filter,
  Bookmark,
  BookmarkCheck,
  Trash2,
  Users,
  MapPin,
  Clock,
  ArrowRight,
  ShieldCheck,
  AlertCircle,
  Tag,
} from 'lucide-react';
import { api } from '../api/client';
import { ScoreBadge } from '../components/common/ScoreBadge';

export const TalentPoolPage = () => {
  const [searchParams] = useSearchParams();
  const initialKeyword = searchParams.get('search') || '';

  const [keyword, setKeyword] = useState(initialKeyword);
  const [selectedSkills, setSelectedSkills] = useState([]);
  const [minExp, setMinExp] = useState(0);
  const [maxExp, setMaxExp] = useState(25);
  const [minScore, setMinScore] = useState(0);
  const [location, setLocation] = useState('');
  const [candidates, setCandidates] = useState([]);
  const [loading, setLoading] = useState(false);

  // Saved searches
  const [savedSearches, setSavedSearches] = useState([]);
  const [newSearchName, setNewSearchName] = useState('');
  const [showSaveModal, setShowSaveModal] = useState(false);

  const POPULAR_SKILLS = [
    'React', 'Node.js', 'TypeScript', 'PostgreSQL', 'Docker',
    'Kubernetes', 'AWS', 'Terraform', 'Python', 'PyTorch',
    'Figma', 'Design Systems', 'GraphQL', 'Redis',
  ];

  useEffect(() => {
    fetchSavedSearches();
    executeSearch();
  }, []);

  const fetchSavedSearches = async () => {
    try {
      const res = await api.get('/search/saved');
      if (res.success) setSavedSearches(res.data || []);
    } catch (e) {}
  };

  const executeSearch = async () => {
    setLoading(true);
    try {
      const payload = {
        keyword: keyword.trim(),
        skills: selectedSkills,
        minExp: Number(minExp),
        maxExp: Number(maxExp),
        minScore: Number(minScore),
        location: location.trim(),
```

```
67 |       };
68 |
69 |       const res = await api.post('/search/talent-pool', payload);
70 |       if (res.success) {
71 |         setCandidates(res.data || []);
72 |       }
73 |     } catch (err) {
74 |       console.error(err);
75 |     } finally {
76 |       setLoading(false);
77 |     }
78 |   };
79 |
80 |   const toggleSkill = (skill) => {
81 |     setSelectedSkills((prev) =>
82 |       prev.includes(skill) ? prev.filter((s) => s !== skill) : [...prev, skill]
83 |     );
84 |   };
85 |
86 |   const handleApplySavedSearch = (saved) => {
87 |     const f = saved.filters || {};
88 |     setKeyword(f.keyword || '');
89 |     setSelectedSkills(f.skills || []);
90 |     setMinExp(f.minExperience || 0);
91 |     setMinScore(f.minScore || 0);
92 |     setLocation(f.location || '');
93 |   };
94 |
95 |   const handleSaveSearchPreset = async (e) => {
96 |     e.preventDefault();
97 |     if (!newSearchName.trim()) return;
98 |
99 |     try {
100 |       const res = await api.post('/search/saved', {
101 |         name: newSearchName.trim(),
102 |         filters: {
103 |           keyword,
104 |           skills: selectedSkills,
105 |           minExperience: minExp,
106 |           minScore,
107 |           location,
108 |         },
109 |       });
110 |
111 |       if (res.success) {
112 |         setNewSearchName('');
113 |         setShowSaveModal(false);
114 |         fetchSavedSearches();
115 |       }
116 |     } catch (err) {
117 |       alert(err.message);
118 |     }
119 |   };
120 |
121 |   const handleDeleteSavedSearch = async (e, id) => {
122 |     e.stopPropagation();
123 |     try {
124 |       await api.delete(`/search/saved/${id}`);
125 |       fetchSavedSearches();
126 |     } catch (e) {}
127 |   };
128 |
129 |   return (
130 |     <div className="space-y-6 max-w-7xl mx-auto">
131 |       {/* Header */}
132 |       <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-4 pb
    >   -2 border-b border-border">
133 |         <div>
134 |           <span className="text-xs font-semibold uppercase tracking-wider text-forest-70
    >   0">
135 |             Multi-Facet Talent Sourcing
136 |           </span>
```

```
137 |           <h1 className="font-editorial text-3xl font-bold text-ink mt-0.5">
138 |             Advanced Search & Talent Pool
139 |           </h1>
140 |           <p className="text-xs text-ink-muted mt-1">
141 |             Query across candidate resumes, extracted skill models, past companies, and
    >  matching ranges.
142 |           </p>
143 |         </div>
144 |
145 |         <button
146 |           onClick={() => setShowSaveModal(true)}
147 |           className="inline-flex items-center gap-1.5 px-3.5 py-2 bg-sage-50 hover:bg-sa
    >  ge-100 border border-sage-300 text-forest-800 rounded-lg text-xs font-semibold transitio
    >  n-colors self-start sm:self-auto"
148 |         >
149 |           <Bookmark className="w-4 h-4" />
150 |           <span>Save Filter Preset</span>
151 |         </button>
152 |       </div>
153 |
154 |       {/* Saved Searches Pill Bar */}
155 |       {savedSearches.length > 0 && (
156 |         <div className="flex items-center gap-2 overflow-x-auto pb-1 text-xs">
157 |           <span className="text-ink-subtle font-medium text-[11px] shrink-0">Saved Prese
    >  ts:</span>
158 |           {savedSearches.map((s) => (
159 |             <div
160 |               key={s._id}
161 |               onClick={() => handleApplySavedSearch(s)}
162 |               className="inline-flex items-center gap-2 px-3 py-1 rounded-full bg-white
    >  border border-border hover:border-forest-400 cursor-pointer text-xs font-medium text-ink
    >   shrink-0 transition-colors shadow-subtle group"
163 |             >
164 |               <BookmarkCheck className="w-3.5 h-3.5 text-forest-600" />
165 |               <span>{s.name}</span>
166 |               <button
167 |                 onClick={(e) => handleDeleteSavedSearch(e, s._id)}
168 |                 className="text-ink-subtle hover:text-red-700 ml-1"
169 |                 title="Delete preset"
170 |               >
171 |                 &times;
172 |               </button>
173 |             </div>
174 |           ))}
175 |         </div>
176 |       )}
177 |
178 |       {/* Search & Multi-filter Controls Box */}
179 |       <div className="surface-card rounded-2xl p-6 space-y-4">
180 |         {/* Keyword & Location row */}
181 |         <div className="grid grid-cols-1 sm:grid-cols-3 gap-3">
182 |           <div className="sm:col-span-2 relative">
183 |             <Search className="w-4 h-4 text-ink-subtle absolute left-3 top-1/2 -translat
    >  e-y-1/2" />
184 |             <input
185 |               type="text"
186 |               placeholder="Full-text query: e.g. React microservices, AWS architect, NLP
    >   researcher..."
187 |               value={keyword}
188 |               onChange={(e) => setKeyword(e.target.value)}
189 |               onKeyDown={(e) => { if (e.key === 'Enter') executeSearch(); }}
190 |               className="w-full bg-[#FBFBF9] border border-border rounded-xl pl-9 pr-3 p
    >  y-2 text-xs text-ink focus:outline-none focus:border-forest-500 focus:bg-white transitio
    >  n-all font-medium"
191 |             />
192 |           </div>
193 |
194 |           <div className="relative">
195 |             <MapPin className="w-4 h-4 text-ink-subtle absolute left-3 top-1/2 -translat
    >  e-y-1/2" />
196 |             <input
197 |               type="text"
```

```
198 |                placeholder="Location (e.g. San Francisco, Remote)"
199 |                value={location}
200 |                onChange={(e) => setLocation(e.target.value)}
201 |                className="w-full bg-[#FBFBF9] border border-border rounded-xl pl-9 pr-3 p
    >   y-2 text-xs text-ink focus:outline-none focus:border-forest-500 focus:bg-white transitio
    >   n-all"
202 |              />
203 |            </div>
204 |          </div>
205 |
206 |          {/* Skill tag filters */}
207 |          <div>
208 |            <span className="text-[11px] font-semibold text-ink-muted uppercase tracking-w
    >   ider block mb-2">
209 |              Skill Taxonomy Filters:
210 |            </span>
211 |            <div className="flex flex-wrap gap-1.5">
212 |              {POPULAR_SKILLS.map((sk) => {
213 |                const active = selectedSkills.includes(sk);
214 |                return (
215 |                  <button
216 |                    key={sk}
217 |                    type="button"
218 |                    onClick={() => toggleSkill(sk)}
219 |                    className={`text-xs px-2.5 py-1 rounded-lg border font-medium transiti
    >   on-all ${
220 |                      active
221 |                        ? 'bg-forest-500 text-white border-forest-500 shadow-sm'
222 |                        : 'bg-[#FBFBF9] text-ink border-border hover:border-forest-300'
223 |                    }`}
224 |                  >
225 |                    {sk}
226 |                  </button>
227 |                );
228 |              })}
229 |            </div>
230 |          </div>
231 |
232 |          {/* Sliders: Experience Range & Min Score */}
233 |          <div className="pt-2 border-t border-border grid grid-cols-1 sm:grid-cols-2 gap-
    >   6 text-xs">
234 |            <div>
235 |              <div className="flex justify-between items-center mb-1">
236 |                <span className="font-medium text-ink">Minimum Experience:</span>
237 |                <span className="font-mono font-bold text-forest-700">{minExp} Years</span
    >   >
238 |              </div>
239 |              <input
240 |                type="range"
241 |                min={0}
242 |                max={15}
243 |                value={minExp}
244 |                onChange={(e) => setMinExp(Number(e.target.value))}
245 |                className="w-full accent-forest-500 cursor-pointer"
246 |              />
247 |            </div>
248 |
249 |            <div>
250 |              <div className="flex justify-between items-center mb-1">
251 |                <span className="font-medium text-ink">Match Score Threshold:</span>
252 |                <span className="font-mono font-bold text-forest-700">&ge; {minScore}%</sp
    >   an>
253 |              </div>
254 |              <input
255 |                type="range"
256 |                min={0}
257 |                max={90}
258 |                step={5}
259 |                value={minScore}
260 |                onChange={(e) => setMinScore(Number(e.target.value))}
261 |                className="w-full accent-forest-500 cursor-pointer"
262 |              />
```

```
263 |           </div>
264 |         </div>
265 |
266 |         {/* Submit action */}
267 |         <div className="flex justify-end pt-1">
268 |           <button
269 |             onClick={executeSearch}
270 |             disabled={loading}
271 |             className="px-5 py-2 bg-forest-500 hover:bg-forest-600 text-white rounded-lg
    >  text-xs font-semibold flex items-center gap-2 shadow-sm transition-colors disabled:opac
    >  ity-50"
272 |           >
273 |             <Search className="w-3.5 h-3.5" />
274 |             <span>Apply Sourcing Filters</span>
275 |           </button>
276 |         </div>
277 |       </div>
278 |
279 |       {/* Results Count & Cards */}
280 |       <div>
281 |         <div className="flex items-center justify-between mb-3 text-xs text-ink-muted">
282 |           <span>Found {candidates.length} matching talent profiles</span>
283 |         </div>
284 |
285 |         {loading ? (
286 |           <div className="py-16 text-center text-xs text-ink-muted">Filtering talent poo
    >  l...</div>
287 |         ) : candidates.length === 0 ? (
288 |           <div className="surface-card rounded-2xl p-12 text-center text-xs text-ink-mut
    >  ed">
289 |             No candidates matched your search parameters. Try loosening filters or clear
    >  ing keyword.
290 |           </div>
291 |         ) : (
292 |           <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-5">
293 |             {candidates.map((cand) => (
294 |               <div
295 |                 key={cand._id}
296 |                 className="surface-card rounded-2xl p-5 hover:border-forest-300 hover:sh
    >  adow-card transition-all flex flex-col justify-between"
297 |               >
298 |                 <div>
299 |                   <div className="flex items-start justify-between gap-3 mb-1.5">
300 |                     <div>
301 |                       <Link
302 |                         to={`/candidates/${cand._id}`}
303 |                         className="font-editorial text-lg font-bold text-ink hover:text-
    >  forest-700 block transition-colors"
304 |                       >
305 |                         {cand.name}
306 |                       </Link>
307 |                       <span className="text-[11px] text-ink-muted block truncate">
308 |                         {cand.headline || `${cand.totalExperienceYears}y Experience`}
309 |                       </span>
310 |                     </div>
311 |
312 |                     {cand.bestMatchScore !== null && (
313 |                       <ScoreBadge score={cand.bestMatchScore} size="sm" />
314 |                     )}
315 |                   </div>
316 |
317 |                   <div className="flex items-center gap-3 text-xs text-ink-subtle my-2.5
    >  ">
318 |                     <span className="flex items-center gap-1 text-ink">
319 |                       <MapPin className="w-3 h-3 text-ink-subtle" />
320 |                       {cand.location || 'Remote'}
321 |                     </span>
322 |                     <span className="flex items-center gap-1 text-ink">
323 |                       <Clock className="w-3 h-3 text-ink-subtle" />
324 |                       {cand.totalExperienceYears}y exp
325 |                     </span>
326 |                     {cand.isDuplicate && (
```

```
327 |                       <span className="text-[10px] text-amber-700 font-medium bg-amber-5
    >   0 px-1.5 py-0.2 rounded border border-amber-200">
328 |                         Duplicate
329 |                       </span>
330 |                     )}
331 |                   </div>
332 |
333 |                   {/* Skills tags */}
334 |                   <div className="flex flex-wrap gap-1 my-3">
335 |                     {(cand.skills || []).slice(0, 5).map((sk) => (
336 |                       <span
337 |                         key={sk.name}
338 |                         className="text-[10px] px-2 py-0.5 rounded bg-sage-50 text-ink b
    >   order border-sage-200 font-medium"
339 |                       >
340 |                         {sk.name}
341 |                       </span>
342 |                     ))}
343 |                   </div>
344 |                 </div>
345 |
346 |                 <div className="pt-3 border-t border-border flex items-center justify-be
    >   tween text-xs">
347 |                   <span className="text-[11px] text-ink-subtle truncate max-w-[170px]">
348 |                     {cand.bestMatchJob ? `Evaluated: ${cand.bestMatchJob}` : 'In Talent
    >   Pool'}
349 |                   </span>
350 |                   <Link
351 |                     to={`/candidates/${cand._id}`}
352 |                     className="text-forest-600 hover:text-forest-800 font-semibold"
353 |                   >
354 |                     View &rarr;
355 |                   </Link>
356 |                 </div>
357 |               </div>
358 |             ))}
359 |           </div>
360 |         )}
361 |       </div>
362 |
363 |       {/* Save Preset Modal */}
364 |       {showSaveModal && (
365 |         <div className="fixed inset-0 z-50 bg-black/40 backdrop-blur-sm flex items-cente
    >   r justify-center p-4">
366 |           <div className="bg-white rounded-2xl shadow-dropdown border border-border max-
    >   w-sm w-full p-6 space-y-4">
367 |             <h3 className="font-editorial text-lg font-bold text-ink">
368 |               Save Search Preset
369 |             </h3>
370 |             <p className="text-xs text-ink-muted">
371 |               Save your current search query and filters as a reusable preset.
372 |             </p>
373 |
374 |             <form onSubmit={handleSaveSearchPreset} className="space-y-3">
375 |               <div>
376 |                 <label className="block text-xs font-semibold text-ink mb-1">Preset Titl
    >   e</label>
377 |                 <input
378 |                   type="text"
379 |                   required
380 |                   placeholder="e.g. Senior Full-Stack React Leads"
381 |                   value={newSearchName}
382 |                   onChange={(e) => setNewSearchName(e.target.value)}
383 |                   className="w-full bg-[#FBFBF9] border border-border rounded-lg px-3 py
    >   -1.5 text-xs text-ink focus:outline-none focus:border-forest-500"
384 |                 />
385 |               </div>
386 |
387 |               <div className="pt-2 flex justify-end gap-2">
388 |                 <button
389 |                   type="button"
390 |                   onClick={() => setShowSaveModal(false)}
```

```
391 |                   className="px-3 py-1.5 border border-border rounded-lg text-xs font-me
    >  dium text-ink hover:bg-sage-50"
392 |                 >
393 |                   Cancel
394 |                 </button>
395 |                 <button
396 |                   type="submit"
397 |                   className="px-4 py-1.5 bg-forest-500 hover:bg-forest-600 text-white ro
    >  unded-lg text-xs font-medium"
398 |                 >
399 |                   Save Preset
400 |                 </button>
401 |               </div>
402 |             </form>
403 |           </div>
404 |         </div>
405 |       )}
406 |     </div>
407 |   );
408 | };
409 |
```