FILE: C:\HCL_TRAINING\index.html

LINES: 1687 | SIZE: 89.7 KB | LANGUAGE: HTML

MODULE: Complete Client-Side Browser Edition (Zero Terminal Needed)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>HireSense AI â€” Standalone Talent Acquisition & Resume Intelligence Platform</title>

  <!-- Fonts -->
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;700;800&family=Newsreader:ital,opsz,wght@0,6..72,400;0,6..72,600;1,6..72,400&family=JetBrains+Mono:wght@400;500;600&display=swap" rel="stylesheet">

  <!-- Tailwind CSS -->
  <script src="https://cdn.tailwindcss.com"></script>
  <script>
    tailwind.config = {
      theme: {
        extend: {
          colors: {
            background: '#F7F7F4',
            surface: '#FFFFFF',
            ink: '#171A21',
            'ink-muted': '#555B66',
            'ink-subtle': '#8C92A0',
            border: '#E2E4DE',
            forest: {
              50: '#F0F7F4',
              100: '#E1EFEA',
              200: '#C3DFD5',
              300: '#95C5B5',
              400: '#62A590',
              500: '#176B52',
              600: '#125742',
              700: '#0E4434',
              800: '#0B3529',
              900: '#08291F',
            },
            sage: {
              50: '#F4F7F5',
              100: '#E8F0EA',
              200: '#D5E2D8',
              300: '#B8CCC0',
              400: '#94ADA0',
            },
            amber: {
              50: '#FEF9EE',
              100: '#FDF1DC',
              500: '#D97706',
              600: '#B45309',
            }
          },
          fontFamily: {
            sans: ['"Plus Jakarta Sans"', 'sans-serif'],
            editorial: ['Newsreader', 'Georgia', 'serif'],
            mono: ['"JetBrains Mono"', 'monospace'],
          }
        }
      }
    }
  </script>

  <style>
    body {
```

```
64 |        background-color: #F7F7F4;
65 |        color: #171A21;
66 |        font-family: 'Plus Jakarta Sans', sans-serif;
67 |      }
68 |      .custom-scrollbar::-webkit-scrollbar {
69 |        width: 6px;
70 |        height: 6px;
71 |      }
72 |      .custom-scrollbar::-webkit-scrollbar-track {
73 |        background: #F7F7F4;
74 |      }
75 |      .custom-scrollbar::-webkit-scrollbar-thumb {
76 |        background: #D5E2D8;
77 |        border-radius: 999px;
78 |      }
79 |      .custom-scrollbar::-webkit-scrollbar-thumb:hover {
80 |        background: #176B52;
81 |      }
82 |    </style>
83 |  </head>
84 |  <body class="min-h-screen flex flex-col antialiased selection:bg-forest-100 selection:te
   >  xt-forest-900">
85 |
86 |    <!-- TOP EVALUATOR & ACADEMIC HEADER -->
87 |    <header class="bg-[#171A21] text-white border-b border-border text-xs py-2 px-4 sticky
   >   top-0 z-50 shadow-md">
88 |      <div class="max-w-7xl mx-auto flex flex-wrap items-center justify-between gap-3">
89 |        <div class="flex items-center gap-3">
90 |          <span class="bg-forest-500 text-white font-bold px-2 py-0.5 rounded text-[10px]
   >  tracking-wider uppercase">
91 |            Standalone Evaluation Build
92 |          </span>
93 |          <span class="text-gray-300 font-medium">
94 |            <strong>ABES Engineering College</strong> â€¢ HCL Capstone Project
95 |          </span>
96 |          <span class="hidden md:inline text-gray-500">|</span>
97 |          <span class="hidden md:inline text-gray-300">
98 |            Student: <strong>Vaibhav Srivastava</strong> (Roll: <strong>2400320101215</str
   >  ong>)
99 |          </span>
100 |         <span class="hidden lg:inline text-gray-500">|</span>
101 |         <span class="hidden lg:inline text-gray-300">
102 |           Mentor: <strong>Anshul Tickoo</strong>
103 |         </span>
104 |       </div>
105 |
106 |       <div class="flex items-center gap-2">
107 |         <a href="HireSense_AI_Documentation.pdf" target="_blank" class="inline-flex item
   >  s-center gap-1.5 px-2.5 py-1 bg-white/10 hover:bg-white/20 text-white rounded text-[11px
   >  ] font-medium transition-colors">
108 |           <svg class="w-3.5 h-3.5 text-forest-300" fill="none" stroke="currentColor" vie
   >  wBox="0 0 24 24"><path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d
   >  ="M12 10v6m0 0l-3-3m3 3l3-3m2 8H7a2 2 0 01-2-2V5a2 2 0 012-2h5.586a1 1 0 01.707.293l5.41
   >  4 5.414a1 1 0 01.293.707V19a2 2 0 01-2 2z"></path></svg>
109 |           <span>View Project PDF</span>
110 |         </a>
111 |         <a href="https://github.com/VaibhavS18S/hiredsense" target="_blank" class="inlin
   >  e-flex items-center gap-1.5 px-2.5 py-1 bg-forest-600 hover:bg-forest-500 text-white rou
   >  nded text-[11px] font-semibold transition-colors">
112 |           <svg class="w-3.5 h-3.5" fill="currentColor" viewBox="0 0 24 24"><path fill-ru
   >  le="evenodd" clip-rule="evenodd" d="M12 2C6.477 2 2 6.484 2 12.017c0 4.425 2.865 8.18 6.
   >  839 9.504.5.092.682-.217.682-.483 0-.237-.008-.868-.013-1.703-2.782.605-3.369-1.343-3.36
   >  9-1.343-.454-1.158-1.11-1.466-1.11-1.466-.908-.62.069-.608.069-.608 1.003.07 1.53 1.032
   >  1.53 1.032.892 1.53 2.341 1.088 2.91.832.092-.647.35-1.088.636-1.338-2.22-.253-4.555-1.1
   >  13-4.555-4.951 0-1.093.39-1.988 1.029-2.688-.103-.253-.446-1.272.098-2.65 0 0 .84-.27 2.
   >  75 1.026A9.564 9.564 0 0112 6.844c.85.004 1.705.115 2.504.337 1.909-1.296 2.747-1.027 2.
   >  747-1.027.546 1.379.202 2.398.1 2.651.64.7 1.028 1.595 1.028 2.688 0 3.848-2.339 4.695-4
   >  .566 4.943.359.309.678.92.678 1.855 0 1.338-.012 2.419-.012 2.747 0 .268.18.58.688.482A1
   >  0.019 10.019 0 0022 12.017C22 6.484 17.522 2 12 2z"/></svg>
113 |           <span>GitHub Repo</span>
114 |         </a>
115 |       </div>
```

```
116 |      </div>
117 |    </header>
118 |
119 |    <div class="flex-1 flex overflow-hidden">
120 |      <!-- LEFT SIDEBAR -->
121 |      <aside class="w-64 bg-[#FDFCFA] border-r border-border flex flex-col shrink-0 select
    >  -none">
122 |        <!-- Brand -->
123 |        <div class="h-16 flex items-center px-5 border-b border-border gap-3">
124 |          <div class="w-9 h-9 rounded-lg bg-forest-500 text-white flex items-center justif
    >  y-center font-bold text-lg shadow-sm">
125 |            H
126 |          </div>
127 |          <div>
128 |            <div class="font-editorial text-lg font-bold text-ink leading-tight">
129 |              HireSense<span class="text-forest-600 font-sans text-xs ml-1 font-semibold u
    >  ppercase tracking-wider">AI</span>
130 |            </div>
131 |            <div class="text-[10px] uppercase font-semibold tracking-wider text-ink-subtle
    >  ">
132 |              Talent Intelligence
133 |            </div>
134 |          </div>
135 |        </div>
136 |
137 |        <!-- Navigation Tabs -->
138 |        <nav class="flex-1 px-3 py-4 space-y-1 text-xs font-semibold overflow-y-auto custo
    >  m-scrollbar" id="navTabs">
139 |          <button onclick="switchTab('dashboard')" class="nav-btn active w-full flex items
    >  -center gap-3 px-3 py-2.5 rounded-lg text-forest-700 bg-sage-100 transition-colors" data
    >  -tab="dashboard">
140 |            <svg class="w-4 h-4 text-forest-600" fill="none" stroke="currentColor" viewBox
    >  ="0 0 24 24"><path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M4
    >   6a2 2 0 012-2h2a2 2 0 012 2v2a2 2 0 01-2 2H6a2 2 0 01-2-2V6zM14 6a2 2 0 012-2h2a2 2 0 0
    >  12 2v2a2 2 0 01-2 2h-2a2 2 0 01-2-2V6zM4 16a2 2 0 012-2h2a2 2 0 012 2v2a2 2 0 01-2 2H6a2
    >   2 0 01-2-2v-2zM14 16a2 2 0 012-2h2a2 2 0 012 2v2a2 2 0 01-2 2h-2a2 2 0 01-2-2v-2z"></pa
    >  th></svg>
141 |            <span>Executive Dashboard</span>
142 |          </button>
143 |
144 |          <button onclick="switchTab('jobs')" class="nav-btn w-full flex items-center gap-
    >  3 px-3 py-2.5 rounded-lg text-ink-muted hover:text-ink hover:bg-sage-50 transition-color
    >  s" data-tab="jobs">
145 |            <svg class="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24"><pa
    >  th stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M21 13.255A23.931
    >  23.931 0 0112 15c-3.183 0-6.22-.62-9-1.745M16 6V4a2 2 0 00-2-2h-4a2 2 0 00-2 2v2m4 6h.01
    >  M5 20h14a2 2 0 002-2V8a2 2 0 00-2-2H5a2 2 0 00-2 2v10a2 2 0 002 2z"></path></svg>
146 |            <span>Job Intelligence</span>
147 |          </button>
148 |
149 |          <button onclick="switchTab('upload')" class="nav-btn w-full flex items-center ga
    >  p-3 px-3 py-2.5 rounded-lg text-ink-muted hover:text-ink hover:bg-sage-50 transition-col
    >  ors" data-tab="upload">
150 |            <svg class="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24"><pa
    >  th stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M7 16a4 4 0 01-.88
    >  -7.903A5 5 0 1115.9 6L16 6a5 5 0 011 9.9M15 13l-3-3m0 0l-3 3m3-3v12"></path></svg>
151 |            <span>Resume Screening</span>
152 |          </button>
153 |
154 |          <button onclick="switchTab('candidates')" class="nav-btn w-full flex items-cente
    >  r gap-3 px-3 py-2.5 rounded-lg text-ink-muted hover:text-ink hover:bg-sage-50 transition
    >  -colors" data-tab="candidates">
155 |            <svg class="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24"><pa
    >  th stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M12 4.354a4 4 0 11
    >  0 5.292M15 21H3v-1a6 6 0 0112 0v1zm0 0h6v-1a6 6 0 00-9-5.197M13 7a4 4 0 11-8 0 4 4 0 018
    >   0z"></path></svg>
156 |            <span>Candidate Profiles</span>
157 |          </button>
158 |
159 |          <button onclick="switchTab('compare')" class="nav-btn w-full flex items-center g
    >  ap-3 px-3 py-2.5 rounded-lg text-ink-muted hover:text-ink hover:bg-sage-50 transition-co
    >  lors" data-tab="compare">
```

```
160 |           <svg class="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24"><pa
    >  th stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M9 19v-6a2 2 0 00-
    >  2-2H5a2 2 0 00-2 2v6a2 2 0 002 2h2a2 2 0 002-2zm0 0V9a2 2 0 012-2h2a2 2 0 012 2v10m-6 0a
    >  2 2 0 002 2h2a2 2 0 002-2m0 0V5a2 2 0 012-2h2a2 2 0 012 2v14a2 2 0 01-2 2h-2a2 2 0 01-2-
    >  2z"></path></svg>
161 |           <span>Comparison Studio</span>
162 |         </button>
163 |
164 |         <button onclick="switchTab('pipeline')" class="nav-btn w-full flex items-center
    >  gap-3 px-3 py-2.5 rounded-lg text-ink-muted hover:text-ink hover:bg-sage-50 transition-c
    >  olors" data-tab="pipeline">
165 |           <svg class="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24"><pa
    >  th stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M9 17V7m0 10a2 2 0
    >   01-2 2H5a2 2 0 01-2-2V7a2 2 0 012-2h2a2 2 0 012 2m0 10a2 2 0 002 2h2a2 2 0 002-2M9 7a2
    >  2 0 012-2h2a2 2 0 012 2m0 10V7m0 10a2 2 0 002 2h2a2 2 0 002-2V7a2 2 0 00-2-2h-2a2 2 0 00
    >  -2 2"></path></svg>
166 |           <span>Kanban Pipeline</span>
167 |         </button>
168 |
169 |         <button onclick="switchTab('talent')" class="nav-btn w-full flex items-center ga
    >  p-3 px-3 py-2.5 rounded-lg text-ink-muted hover:text-ink hover:bg-sage-50 transition-col
    >  ors" data-tab="talent">
170 |           <svg class="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24"><pa
    >  th stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M21 21l-6-6m2-5a7
    >  7 0 11-14 0 7 7 0 0114 0z"></path></svg>
171 |           <span>Talent Pool Search</span>
172 |         </button>
173 |
174 |         <button onclick="switchTab('interviews')" class="nav-btn w-full flex items-cente
    >  r gap-3 px-3 py-2.5 rounded-lg text-ink-muted hover:text-ink hover:bg-sage-50 transition
    >  -colors" data-tab="interviews">
175 |           <svg class="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24"><pa
    >  th stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M8 7V3m8 4V3m-9 8h
    >  10M5 21h14a2 2 0 002-2V7a2 2 0 00-2-2H5a2 2 0 00-2 2v12a2 2 0 002 2z"></path></svg>
176 |           <span>Interview Rubrics</span>
177 |         </button>
178 |
179 |         <button onclick="switchTab('reports')" class="nav-btn w-full flex items-center g
    >  ap-3 px-3 py-2.5 rounded-lg text-ink-muted hover:text-ink hover:bg-sage-50 transition-co
    >  lors" data-tab="reports">
180 |           <svg class="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24"><pa
    >  th stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M16 8v8m-4-5v5m-4-
    >  2v2m-2 4h12a2 2 0 002-2V6a2 2 0 00-2-2H6a2 2 0 00-2 2v12a2 2 0 002 2z"></path></svg>
181 |           <span>Reports & CSV Export</span>
182 |         </button>
183 |
184 |         <div class="pt-4 border-t border-border my-2">
185 |           <button onclick="switchTab('settings')" class="nav-btn w-full flex items-cente
    >  r gap-3 px-3 py-2.5 rounded-lg text-ink-muted hover:text-ink hover:bg-sage-50 transition
    >  -colors" data-tab="settings">
186 |             <svg class="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24"><
    >  path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M10.325 4.317c.4
    >  26-1.756 2.924-1.756 3.35 0a1.724 1.724 0 002.573 1.066c1.543-.94 3.31.826 2.37 2.37a1.7
    >  24 1.724 0 001.065 2.572c1.756.426 1.756 2.924 0 3.35a1.724 1.724 0 00-1.066 2.573c.94 1
    >  .543-.826 3.31-2.37 2.37a1.724 1.724 0 00-2.572 1.065c-.426 1.756-2.924 1.756-3.35 0a1.7
    >  24 1.724 0 00-2.573-1.066c-1.543.94-3.31-.826-2.37-2.37a1.724 1.724 0 00-1.065-2.572c-1.
    >  756-.426-1.756-2.924 0-3.35a1.724 1.724 0 001.066-2.573c-.94-1.543.826-3.31 2.37-2.37.99
    >  6.608 2.296.07 2.572-1.065z"></path><path stroke-linecap="round" stroke-linejoin="round"
    >   stroke-width="2" d="M15 12a3 3 0 11-6 0 3 3 0 016 0z"></path></svg>
187 |             <span>Governance & Privacy</span>
188 |           </button>
189 |         </div>
190 |       </nav>
191 |
192 |       <!-- User Card -->
193 |       <div class="p-3 border-t border-border bg-[#F7F7F4]/60 flex items-center justify-b
    >  etween">
194 |         <div class="flex items-center gap-2.5 overflow-hidden">
195 |           <div class="w-8 h-8 rounded-full bg-forest-600 text-white flex items-center ju
    >  stify-center font-bold text-xs shrink-0">
196 |             ER
197 |           </div>
```

```
198 |           <div class="truncate">
199 |             <div class="text-xs font-bold text-ink truncate">Elena Rostova</div>
200 |             <div class="text-[10px] text-ink-subtle truncate">Global Talent Lead</div>
201 |           </div>
202 |         </div>
203 |         <span class="inline-block w-2 h-2 rounded-full bg-emerald-500" title="Active Sta
    >   ndalone Engine"></span>
204 |       </div>
205 |     </aside>
206 |
207 |     <!-- MAIN CONTENT VIEWPORT -->
208 |     <main class="flex-1 overflow-y-auto px-6 lg:px-10 py-8 custom-scrollbar">
209 |
210 |       <!-- 1. DASHBOARD VIEW -->
211 |       <section id="view-dashboard" class="tab-view space-y-8 max-w-7xl mx-auto">
212 |         <div class="flex flex-col sm:flex-row sm:items-center justify-between gap-4 pb-2
    >    border-b border-border">
213 |           <div>
214 |             <span class="text-xs font-semibold uppercase tracking-wider text-forest-700"
    >   >Talent Acquisition Intelligence</span>
215 |             <h1 class="font-editorial text-3xl font-bold text-ink mt-0.5">Recruitment Ex
    >   ecutive Dashboard</h1>
216 |             <p class="text-xs text-ink-muted mt-1">Real-time candidate metrics, screenin
    >   g velocity, and pipeline conversion benchmarks.</p>
217 |           </div>
218 |           <div class="flex items-center gap-2">
219 |             <button onclick="triggerQuickScreeningDemo()" class="inline-flex items-cente
    >   r gap-1.5 px-3.5 py-2 bg-forest-500 hover:bg-forest-600 text-white rounded-lg text-xs fo
    >   nt-semibold shadow-sm transition-colors">
220 |               <svg class="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24"
    >   ><path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M13 10V3L4 14h
    >   7v7l9-11h-7z"></path></svg>
221 |               <span>Run Live Ingestion Demo</span>
222 |             </button>
223 |           </div>
224 |         </div>
225 |
226 |         <!-- Metric Cards -->
227 |         <div class="grid grid-cols-2 md:grid-cols-4 gap-4">
228 |           <div class="bg-surface border border-border rounded-xl p-5 shadow-sm">
229 |             <div class="text-[11px] font-semibold uppercase text-ink-subtle">Active Open
    >   ings</div>
230 |             <div class="text-3xl font-bold font-mono text-ink mt-1">4</div>
231 |             <div class="text-[11px] text-forest-600 font-medium mt-1">Across 3 core depa
    >   rtments</div>
232 |           </div>
233 |           <div class="bg-surface border border-border rounded-xl p-5 shadow-sm">
234 |             <div class="text-[11px] font-semibold uppercase text-ink-subtle">Candidates
    >   Screened</div>
235 |             <div class="text-3xl font-bold font-mono text-ink mt-1" id="dashTotalScreene
    >   d">8</div>
236 |             <div class="text-[11px] text-forest-600 font-medium mt-1">100% processed via
    >    XAI</div>
237 |           </div>
238 |           <div class="bg-surface border border-border rounded-xl p-5 shadow-sm">
239 |             <div class="text-[11px] font-semibold uppercase text-ink-subtle">Shortlist R
    >   ate</div>
240 |             <div class="text-3xl font-bold font-mono text-forest-700 mt-1">75%</div>
241 |             <div class="text-[11px] text-ink-subtle font-medium mt-1">+4.2% quality benc
    >   hmark</div>
242 |           </div>
243 |           <div class="bg-surface border border-border rounded-xl p-5 shadow-sm">
244 |             <div class="text-[11px] font-semibold uppercase text-ink-subtle">Avg. Shortl
    >   ist Time</div>
245 |             <div class="text-3xl font-bold font-mono text-ink mt-1">3.2<span class="text
    >   -base font-normal">d</span></div>
246 |             <div class="text-[11px] text-forest-600 font-medium mt-1">-0.8d vs industry
    >   average</div>
247 |           </div>
248 |         </div>
249 |
250 |         <!-- Charts Grid -->
```

```
251 |          <div class="grid grid-cols-1 lg:grid-cols-2 gap-6">
252 |            <!-- Funnel Chart SVG -->
253 |            <div class="bg-surface border border-border rounded-2xl p-6 shadow-sm">
254 |              <div class="flex items-center justify-between mb-2">
255 |                <h3 class="font-editorial text-lg font-bold text-ink">Pipeline Conversion
    >  Funnel</h3>
256 |                <span class="text-[11px] font-mono text-forest-700 bg-forest-50 px-2.5 py-
    >  0.5 rounded-full font-semibold">Active Candidates</span>
257 |              </div>
258 |              <p class="text-xs text-ink-muted mb-6">Stage-by-stage progression from initi
    >  al resume intake to offer accepted.</p>
259 |
260 |              <div class="space-y-3 font-mono text-xs">
261 |                <div>
262 |                  <div class="flex justify-between mb-1 font-sans text-xs">
263 |                    <span class="font-semibold text-ink">New Intake</span>
264 |                    <span class="text-ink-muted">1 candidate (100%)</span>
265 |                  </div>
266 |                  <div class="w-full bg-sage-100 rounded-full h-3 overflow-hidden">
267 |                    <div class="bg-forest-500 h-3 rounded-full" style="width: 100%"></div>
268 |                  </div>
269 |                </div>
270 |                <div>
271 |                  <div class="flex justify-between mb-1 font-sans text-xs">
272 |                    <span class="font-semibold text-ink">Screening & AI Verification</span
    >  >
273 |                    <span class="text-ink-muted">1 candidate</span>
274 |                  </div>
275 |                  <div class="w-full bg-sage-100 rounded-full h-3 overflow-hidden">
276 |                    <div class="bg-forest-500 h-3 rounded-full" style="width: 85%"></div>
277 |                  </div>
278 |                </div>
279 |                <div>
280 |                  <div class="flex justify-between mb-1 font-sans text-xs">
281 |                    <span class="font-semibold text-ink">Shortlisted</span>
282 |                    <span class="text-ink-muted">2 candidates</span>
283 |                  </div>
284 |                  <div class="w-full bg-sage-100 rounded-full h-3 overflow-hidden">
285 |                    <div class="bg-forest-500 h-3 rounded-full" style="width: 65%"></div>
286 |                  </div>
287 |                </div>
288 |                <div>
289 |                  <div class="flex justify-between mb-1 font-sans text-xs">
290 |                    <span class="font-semibold text-ink">Technical & Rubric Interview</spa
    >  n>
291 |                    <span class="text-ink-muted">2 candidates</span>
292 |                  </div>
293 |                  <div class="w-full bg-sage-100 rounded-full h-3 overflow-hidden">
294 |                    <div class="bg-forest-500 h-3 rounded-full" style="width: 50%"></div>
295 |                  </div>
296 |                </div>
297 |                <div>
298 |                  <div class="flex justify-between mb-1 font-sans text-xs">
299 |                    <span class="font-semibold text-ink">Offer Extended</span>
300 |                    <span class="text-ink-muted">1 candidate</span>
301 |                  </div>
302 |                  <div class="w-full bg-sage-100 rounded-full h-3 overflow-hidden">
303 |                    <div class="bg-forest-500 h-3 rounded-full" style="width: 30%"></div>
304 |                  </div>
305 |                </div>
306 |                <div>
307 |                  <div class="flex justify-between mb-1 font-sans text-xs">
308 |                    <span class="font-semibold text-ink">Hired</span>
309 |                    <span class="text-ink-muted">1 candidate</span>
310 |                  </div>
311 |                  <div class="w-full bg-sage-100 rounded-full h-3 overflow-hidden">
312 |                    <div class="bg-emerald-600 h-3 rounded-full" style="width: 25%"></div>
313 |                  </div>
314 |                </div>
315 |              </div>
316 |            </div>
317 |
```

```
318 |           <!-- Top Matches Table -->
319 |           <div class="bg-surface border border-border rounded-2xl p-6 shadow-sm flex fle
    >   x-col justify-between">
320 |             <div>
321 |               <div class="flex items-center justify-between mb-2">
322 |                 <h3 class="font-editorial text-lg font-bold text-ink">Top Evidence-Ranke
    >   d Candidates</h3>
323 |                 <button onclick="switchTab('candidates')" class="text-xs text-forest-600
    >    hover:text-forest-800 font-semibold">View All &rarr;</button>
324 |               </div>
325 |               <p class="text-xs text-ink-muted mb-4">Screened applicants with highest ve
    >   rifiable competency evidence.</p>
326 |
327 |               <div class="divide-y divide-border text-xs" id="dashTopMatches">
328 |                 <!-- Injected via JS -->
329 |               </div>
330 |             </div>
331 |
332 |             <div class="mt-4 pt-3 border-t border-border flex items-center justify-betwe
    >   en text-[11px] text-ink-muted">
333 |               <span>Audited under XAI formula</span>
334 |               <span class="font-mono text-forest-700 font-semibold">100% Traceable</span
    >   >
335 |             </div>
336 |           </div>
337 |         </div>
338 |       </section>
339 |
340 |       <!-- 2. JOB INTELLIGENCE VIEW -->
341 |       <section id="view-jobs" class="tab-view hidden space-y-6 max-w-7xl mx-auto">
342 |         <div class="flex flex-col sm:flex-row sm:items-center justify-between gap-4 pb-2
    >    border-b border-border">
343 |           <div>
344 |             <span class="text-xs font-semibold uppercase tracking-wider text-forest-700"
    >   >Role Architecture</span>
345 |             <h1 class="font-editorial text-3xl font-bold text-ink mt-0.5">Job Descriptio
    >   n Intelligence</h1>
346 |             <p class="text-xs text-ink-muted mt-1">Manage positions, evaluate clarity wi
    >   th the 0â€“100% Job Readiness Analyzer, and eliminate vague buzzwords.</p>
347 |           </div>
348 |           <button onclick="openNewJobModal()" class="inline-flex items-center gap-1.5 px
    >   -3.5 py-2 bg-forest-500 hover:bg-forest-600 text-white rounded-lg text-xs font-semibold
    >   shadow-sm transition-colors">
349 |             <svg class="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24"><
    >   path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M12 4v16m8-8H4">
    >   </path></svg>
350 |             <span>Create New Opening</span>
351 |           </button>
352 |         </div>
353 |
354 |         <!-- Job Grid -->
355 |         <div class="grid grid-cols-1 md:grid-cols-2 gap-5" id="jobsGrid">
356 |           <!-- Injected via JS -->
357 |         </div>
358 |       </section>
359 |
360 |       <!-- 3. RESUME SCREENING & INGESTION VIEW -->
361 |       <section id="view-upload" class="tab-view hidden space-y-6 max-w-7xl mx-auto">
362 |         <div class="pb-2 border-b border-border">
363 |           <span class="text-xs font-semibold uppercase tracking-wider text-forest-700">P
    >   rocessing Engine</span>
364 |           <h1 class="font-editorial text-3xl font-bold text-ink mt-0.5">Resume Intake &
    >   Screening Pipeline</h1>
365 |           <p class="text-xs text-ink-muted mt-1">Ingest PDF or TXT resumes. The browser-
    >   native engine fingerprints with SHA-256, categorizes skills across 8 domains, and calcul
    >   ates 4-factor scores.</p>
366 |         </div>
367 |
368 |         <!-- Job Target Selector -->
369 |         <div class="bg-surface border border-border rounded-xl p-5 shadow-sm flex flex-c
    >   ol md:flex-row items-start md:items-center justify-between gap-4">
370 |           <div class="flex-1">
```

```
371 |             <label class="block text-xs font-bold text-ink uppercase tracking-wider mb-1
    >   ">Target Job Opening for Screening</label>
372 |             <select id="screenJobSelect" class="w-full md:w-96 bg-white border border-bo
    >   rder rounded-lg text-xs font-medium text-ink px-3 py-2 focus:outline-none focus:border-f
    >   orest-500">
373 |               <!-- Injected via JS -->
374 |             </select>
375 |           </div>
376 |
377 |           <div class="flex items-center gap-2">
378 |             <button onclick="loadSampleResume('alex')" class="px-3 py-1.5 bg-sage-100 ho
    >   ver:bg-sage-200 text-forest-800 rounded-lg text-xs font-semibold transition-colors">
379 |               + Load Alex (Full-Stack)
380 |             </button>
381 |             <button onclick="loadSampleResume('sarah')" class="px-3 py-1.5 bg-sage-100 h
    >   over:bg-sage-200 text-forest-800 rounded-lg text-xs font-semibold transition-colors">
382 |               + Load Sarah (DevOps)
383 |             </button>
384 |             <button onclick="loadSampleResume('marcus')" class="px-3 py-1.5 bg-sage-100
    >   hover:bg-sage-200 text-forest-800 rounded-lg text-xs font-semibold transition-colors">
385 |               + Load Marcus (UI/UX)
386 |             </button>
387 |           </div>
388 |         </div>
389 |
390 |         <!-- 6-Stage Stepper Preview -->
391 |         <div class="bg-surface border border-border rounded-xl p-5 shadow-sm">
392 |           <div class="grid grid-cols-6 gap-2 text-center text-xs">
393 |             <div class="p-2 rounded bg-forest-50 border border-forest-200">
394 |               <span class="font-bold text-forest-700 block">1. Ingest</span>
395 |               <span class="text-[10px] text-ink-subtle">SHA-256 Hash</span>
396 |             </div>
397 |             <div class="p-2 rounded bg-forest-50 border border-forest-200">
398 |               <span class="font-bold text-forest-700 block">2. Extract</span>
399 |               <span class="text-[10px] text-ink-subtle">Dates & Roles</span>
400 |             </div>
401 |             <div class="p-2 rounded bg-forest-50 border border-forest-200">
402 |               <span class="font-bold text-forest-700 block">3. Parse</span>
403 |               <span class="text-[10px] text-ink-subtle">Experience & Edu</span>
404 |             </div>
405 |             <div class="p-2 rounded bg-forest-50 border border-forest-200">
406 |               <span class="font-bold text-forest-700 block">4. Taxonomy</span>
407 |               <span class="text-[10px] text-ink-subtle">500+ Skills</span>
408 |             </div>
409 |             <div class="p-2 rounded bg-forest-50 border border-forest-200">
410 |               <span class="font-bold text-forest-700 block">5. XAI Score</span>
411 |               <span class="text-[10px] text-ink-subtle">4-Factor Formula</span>
412 |             </div>
413 |             <div class="p-2 rounded bg-forest-50 border border-forest-200">
414 |               <span class="font-bold text-forest-700 block">6. Review</span>
415 |               <span class="text-[10px] text-ink-subtle">Citations Ready</span>
416 |             </div>
417 |           </div>
418 |         </div>
419 |
420 |         <!-- Drag & Drop Zone -->
421 |         <div id="dropZone" class="border-2 border-dashed border-forest-300 hover:border-
    >   forest-500 bg-surface rounded-2xl p-10 text-center transition-colors cursor-pointer" onc
    >   lick="document.getElementById('fileInput').click()">
422 |           <input type="file" id="fileInput" class="hidden" accept=".txt,.pdf" onchange="
    >   handleFileSelect(event)">
423 |           <div class="w-12 h-12 rounded-full bg-forest-50 text-forest-600 flex items-cen
    >   ter justify-center mx-auto mb-3">
424 |             <svg class="w-6 h-6" fill="none" stroke="currentColor" viewBox="0 0 24 24"><
    >   path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M7 16a4 4 0 01-.
    >   88-7.903A5 5 0 1115.9 6L16 6a5 5 0 011 9.9M15 13l-3-3m0 0l-3 3m3-3v12"></path></svg>
425 |           </div>
426 |           <h3 class="font-editorial text-lg font-bold text-ink">Click to upload or drag
    >   & drop candidate resume</h3>
427 |           <p class="text-xs text-ink-muted mt-1">Accepts standard .TXT and .PDF text res
    >   umes (max 15MB)</p>
428 |           <div class="mt-4 inline-flex items-center gap-2 text-xs font-mono bg-sage-100
```

```
    > text-forest-800 px-3 py-1 rounded-full">
429 |             <span>Runs 100% Client-Side In-Browser</span>
430 |           </div>
431 |         </div>
432 |
433 |         <!-- Live Evaluation Result Card -->
434 |         <div id="screeningResultCard" class="hidden bg-surface border border-forest-300
    > rounded-2xl p-6 shadow-md space-y-4">
435 |           <!-- Injected via JS -->
436 |         </div>
437 |       </section>
438 |
439 |       <!-- 4. CANDIDATES ROSTER VIEW -->
440 |       <section id="view-candidates" class="tab-view hidden space-y-6 max-w-7xl mx-auto">
441 |         <div class="flex flex-col sm:flex-row sm:items-center justify-between gap-4 pb-2
    >  border-b border-border">
442 |           <div>
443 |             <span class="text-xs font-semibold uppercase tracking-wider text-forest-700"
    > >Talent Pool Profiles</span>
444 |             <h1 class="font-editorial text-3xl font-bold text-ink mt-0.5">Candidate Evid
    > ence Profiles</h1>
445 |             <p class="text-xs text-ink-muted mt-1">Deep dossiers with extracted skill ti
    > melines, verifiable text citations, and recruiter overrides.</p>
446 |           </div>
447 |           <div class="flex items-center gap-2">
448 |             <input type="text" id="candidateSearchInput" oninput="filterCandidates()" pl
    > aceholder="Search by name, skill, or role..." class="bg-white border border-border round
    > ed-lg text-xs px-3 py-2 w-64 focus:outline-none focus:border-forest-500">
449 |           </div>
450 |         </div>
451 |
452 |         <div class="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-5" id="candidates
    > Grid">
453 |           <!-- Injected via JS -->
454 |         </div>
455 |       </section>
456 |
457 |       <!-- 5. COMPARISON STUDIO VIEW -->
458 |       <section id="view-compare" class="tab-view hidden space-y-6 max-w-7xl mx-auto">
459 |         <div class="pb-2 border-b border-border">
460 |           <span class="text-xs font-semibold uppercase tracking-wider text-forest-700">M
    > ulti-Candidate Matrix</span>
461 |           <h1 class="font-editorial text-3xl font-bold text-ink mt-0.5">Candidate Compar
    > ison Studio</h1>
462 |           <p class="text-xs text-ink-muted mt-1">Select 2 to 4 candidates to inspect sid
    > e-by-side trade-offs, skill coverage, and experience deltas.</p>
463 |         </div>
464 |
465 |         <div class="bg-surface border border-border rounded-xl p-5 shadow-sm flex flex-w
    > rap items-center justify-between gap-4">
466 |           <div class="flex items-center gap-3">
467 |             <label class="text-xs font-bold text-ink">Comparing Role:</label>
468 |             <select id="compareJobSelect" onchange="updateComparisonView()" class="bg-wh
    > ite border border-border rounded-lg text-xs font-medium text-ink px-3 py-1.5 focus:outli
    > ne-none focus:border-forest-500">
469 |               <!-- Injected via JS -->
470 |             </select>
471 |           </div>
472 |           <div class="text-xs text-ink-muted">
473 |             Viewing side-by-side alignment matrix
474 |           </div>
475 |         </div>
476 |
477 |         <div class="overflow-x-auto bg-surface border border-border rounded-2xl p-6 shad
    > ow-sm" id="compareMatrixContainer">
478 |           <!-- Injected via JS -->
479 |         </div>
480 |       </section>
481 |
482 |       <!-- 6. KANBAN RECRUITMENT PIPELINE VIEW -->
483 |       <section id="view-pipeline" class="tab-view hidden space-y-6 max-w-7xl mx-auto">
484 |         <div class="flex flex-col sm:flex-row sm:items-center justify-between gap-4 pb-2
```

```
    >   border-b border-border">
485 |             <div>
486 |               <span class="text-xs font-semibold uppercase tracking-wider text-forest-700"
    >  >Hiring Workflow</span>
487 |               <h1 class="font-editorial text-3xl font-bold text-ink mt-0.5">Recruitment Ka
    >  nban Board</h1>
488 |               <p class="text-xs text-ink-muted mt-1">7 stages from New intake to Hired. Mo
    >  ve applicants with reversible undo support.</p>
489 |             </div>
490 |             <div id="undoNotice" class="hidden text-xs bg-amber-50 border border-amber-200
    >   text-amber-800 px-3 py-1.5 rounded-lg flex items-center gap-2">
491 |               <span>Candidate moved.</span>
492 |               <button onclick="undoLastMove()" class="font-bold underline hover:text-amber
    >  -900">Undo</button>
493 |             </div>
494 |           </div>
495 |
496 |           <!-- 7 Stages Kanban Board -->
497 |           <div class="flex gap-4 overflow-x-auto pb-6 custom-scrollbar" id="kanbanBoard">
498 |             <!-- Injected via JS -->
499 |           </div>
500 |         </section>
501 |
502 |         <!-- 7. TALENT POOL SEARCH VIEW -->
503 |         <section id="view-talent" class="tab-view hidden space-y-6 max-w-7xl mx-auto">
504 |           <div class="pb-2 border-b border-border">
505 |             <span class="text-xs font-semibold uppercase tracking-wider text-forest-700">F
    >  ull-Text Database</span>
506 |             <h1 class="font-editorial text-3xl font-bold text-ink mt-0.5">Talent Pool Sema
    >  ntic Search</h1>
507 |             <p class="text-xs text-ink-muted mt-1">Faceted exploration across parsed candi
    >  date histories with experience sliders and skill filters.</p>
508 |           </div>
509 |
510 |           <div class="bg-surface border border-border rounded-2xl p-6 shadow-sm space-y-4"
    >  >
511 |             <div class="grid grid-cols-1 md:grid-cols-3 gap-4">
512 |               <div class="md:col-span-2">
513 |                 <label class="block text-xs font-bold text-ink uppercase tracking-wider mb
    >  -1">Keywords / Skill / Role</label>
514 |                 <input type="text" id="talentSearchInput" oninput="runTalentSearch()" plac
    >  eholder="e.g. React, Kubernetes, Figma, TypeScript..." class="w-full bg-white border bor
    >  der-border rounded-lg text-xs px-3 py-2 focus:outline-none focus:border-forest-500">
515 |               </div>
516 |               <div>
517 |                 <label class="block text-xs font-bold text-ink uppercase tracking-wider mb
    >  -1">Min Experience: <span id="expSliderVal" class="font-mono text-forest-700">0</span> y
    >  rs</label>
518 |                 <input type="range" id="expSlider" min="0" max="10" value="0" oninput="doc
    >  ument.getElementById('expSliderVal').innerText = this.value; runTalentSearch();" class="
    >  w-full accent-forest-600">
519 |               </div>
520 |             </div>
521 |           </div>
522 |
523 |           <div class="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-5" id="talentResu
    >  ltsGrid">
524 |             <!-- Injected via JS -->
525 |           </div>
526 |         </section>
527 |
528 |         <!-- 8. INTERVIEW RUBRICS VIEW -->
529 |         <section id="view-interviews" class="tab-view hidden space-y-6 max-w-7xl mx-auto">
530 |           <div class="pb-2 border-b border-border">
531 |             <span class="text-xs font-semibold uppercase tracking-wider text-forest-700">E
    >  valuation Intelligence</span>
532 |             <h1 class="font-editorial text-3xl font-bold text-ink mt-0.5">Gap-Targeted Int
    >  erview Intelligence</h1>
533 |             <p class="text-xs text-ink-muted mt-1">Automatically surfaces questions target
    >  ing detected candidate skill gaps with a standardized 1â€“5 rubric.</p>
534 |           </div>
535 |
```

```
536 |         <div class="grid grid-cols-1 lg:grid-cols-3 gap-6">
537 |           <div class="lg:col-span-1 bg-surface border border-border rounded-2xl p-5 shad
    >   ow-sm space-y-3">
538 |             <label class="block text-xs font-bold text-ink uppercase tracking-wider">Sel
    >   ect Candidate to Evaluate</label>
539 |             <div class="space-y-2" id="interviewCandidateList">
540 |               <!-- Injected via JS -->
541 |             </div>
542 |           </div>
543 |
544 |           <div class="lg:col-span-2 bg-surface border border-border rounded-2xl p-6 shad
    >   ow-sm space-y-6" id="rubricArea">
545 |             <!-- Injected via JS -->
546 |           </div>
547 |         </div>
548 |       </section>
549 |
550 |       <!-- 9. REPORTS & EXPORT VIEW -->
551 |       <section id="view-reports" class="tab-view hidden space-y-8 max-w-7xl mx-auto">
552 |         <div class="flex flex-col sm:flex-row sm:items-center justify-between gap-4 pb-2
    >    border-b border-border">
553 |           <div>
554 |             <span class="text-xs font-semibold uppercase tracking-wider text-forest-700"
    >   >Analytics & Export</span>
555 |             <h1 class="font-editorial text-3xl font-bold text-ink mt-0.5">Reports & Expo
    >   rt Center</h1>
556 |             <p class="text-xs text-ink-muted mt-1">Aggregated role summaries, skills fre
    >   quency distributions, and candidate CSV export.</p>
557 |           </div>
558 |           <button onclick="downloadCSVReport()" class="inline-flex items-center gap-2 px
    >   -4 py-2 bg-forest-500 hover:bg-forest-600 text-white rounded-lg text-xs font-semibold sh
    >   adow-sm transition-colors">
559 |             <svg class="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24"><
    >   path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M12 10v6m0 0l-3-
    >   3m3 3l3-3m2 8H7a2 2 0 01-2-2V5a2 2 0 012-2h5.586a1 1 0 01.707.293l5.414 5.414a1 1 0 01.2
    >   93.707V19a2 2 0 01-2 2z"></path></svg>
560 |             <span>Export Rankings CSV</span>
561 |           </button>
562 |         </div>
563 |
564 |         <!-- Role Summary Table -->
565 |         <div class="bg-surface border border-border rounded-2xl p-6 shadow-sm">
566 |           <h3 class="font-editorial text-lg font-bold text-ink mb-1">Role-Wise Screening
    >    Summaries</h3>
567 |           <p class="text-xs text-ink-muted mb-4">Aggregate candidate volume and benchmar
    >   k match scores across active openings.</p>
568 |
569 |           <div class="overflow-x-auto">
570 |             <table class="w-full text-left text-xs font-medium">
571 |               <thead class="bg-[#FAFBF9] border-b border-border text-ink-subtle uppercas
    >   e text-[10px] tracking-wider font-semibold">
572 |                 <tr>
573 |                   <th class="py-3 px-4">Role Title</th>
574 |                   <th class="py-3 px-4">Department</th>
575 |                   <th class="py-3 px-4">Total Screened</th>
576 |                   <th class="py-3 px-4">Shortlisted</th>
577 |                   <th class="py-3 px-4">Hired</th>
578 |                   <th class="py-3 px-4">Avg Match</th>
579 |                 </tr>
580 |               </thead>
581 |               <tbody class="divide-y divide-border" id="reportsSummaryTable">
582 |                 <!-- Injected via JS -->
583 |               </tbody>
584 |             </table>
585 |           </div>
586 |         </div>
587 |
588 |         <!-- Candidate Leaderboard -->
589 |         <div class="bg-surface border border-border rounded-2xl p-6 shadow-sm">
590 |           <h3 class="font-editorial text-lg font-bold text-ink mb-1">Ranked Candidate Ro
    >   ster</h3>
591 |           <p class="text-xs text-ink-muted mb-4">Overall rankings calculated strictly fr
```

```
> om 4-factor explainable evidence.</p>
592 |
593 |           <div class="overflow-x-auto">
594 |             <table class="w-full text-left text-xs font-medium">
595 |               <thead class="bg-[#FAFBF9] border-b border-border text-ink-subtle uppercas
> e text-[10px] tracking-wider font-semibold">
596 |                 <tr>
597 |                   <th class="py-3 px-4">Rank</th>
598 |                   <th class="py-3 px-4">Candidate</th>
599 |                   <th class="py-3 px-4">Target Job</th>
600 |                   <th class="py-3 px-4">Overall Score</th>
601 |                   <th class="py-3 px-4">Skills (40%)</th>
602 |                   <th class="py-3 px-4">Semantic (30%)</th>
603 |                   <th class="py-3 px-4">Experience (20%)</th>
604 |                 </tr>
605 |               </thead>
606 |               <tbody class="divide-y divide-border" id="reportsRosterTable">
607 |                 <!-- Injected via JS -->
608 |               </tbody>
609 |             </table>
610 |           </div>
611 |         </div>
612 |       </section>
613 |
614 |       <!-- 10. GOVERNANCE & PRIVACY SETTINGS VIEW -->
615 |       <section id="view-settings" class="tab-view hidden space-y-6 max-w-7xl mx-auto">
616 |         <div class="pb-2 border-b border-border">
617 |           <span class="text-xs font-semibold uppercase tracking-wider text-forest-700">C
> ompliance & Ethics</span>
618 |           <h1 class="font-editorial text-3xl font-bold text-ink mt-0.5">Governance, Priv
> acy & GDPR Controls</h1>
619 |           <p class="text-xs text-ink-muted mt-1">Configure unconscious bias elimination,
>  automated retention policies, and candidate data erasure.</p>
620 |         </div>
621 |
622 |         <div class="grid grid-cols-1 md:grid-cols-2 gap-6">
623 |           <div class="bg-surface border border-border rounded-2xl p-6 shadow-sm space-y-
> 4">
624 |             <div class="flex items-center justify-between">
625 |               <div>
626 |                 <h3 class="font-editorial text-lg font-bold text-ink">Blind Screening Mo
> de</h3>
627 |                 <p class="text-xs text-ink-muted mt-0.5">Masks candidate names, emails,
> photos, and gender markers to eliminate unconscious bias during initial review.</p>
628 |               </div>
629 |               <input type="checkbox" id="blindScreeningToggle" onchange="toggleBlindScre
> ening(this.checked)" class="w-5 h-5 accent-forest-600 rounded cursor-pointer">
630 |             </div>
631 |             <div class="p-3 bg-sage-50 rounded-lg text-xs text-forest-800 font-medium">
632 |               Status: <span id="blindStatusText" class="font-bold">Disabled (Full Profil
> es Visible)</span>
633 |             </div>
634 |           </div>
635 |
636 |           <div class="bg-surface border border-border rounded-2xl p-6 shadow-sm space-y-
> 4">
637 |             <h3 class="font-editorial text-lg font-bold text-ink">GDPR Data Retention Wi
> ndow</h3>
638 |             <p class="text-xs text-ink-muted">Historical resume files and personal ident
> ifiers are automatically purged once retention concludes.</p>
639 |             <select class="w-full bg-white border border-border rounded-lg text-xs px-3
> py-2 font-medium">
640 |               <option value="90">90 Days (Strict Compliance)</option>
641 |               <option value="180">180 Days (Standard Corporate)</option>
642 |               <option value="365" selected>365 Days (1 Full Year)</option>
643 |             </select>
644 |           </div>
645 |         </div>
646 |       </section>
647 |
648 |     </main>
649 |   </div>
```

```
650 |
651 |    <!-- CANDIDATE DETAIL MODAL -->
652 |    <div id="candidateModal" class="hidden fixed inset-0 z-50 bg-black/50 backdrop-blur-sm
    >    flex items-center justify-center p-4">
653 |       <div class="bg-surface rounded-2xl border border-border w-full max-w-3xl max-h-[90vh
    >    ] flex flex-col shadow-2xl overflow-hidden">
654 |         <div class="p-5 border-b border-border flex items-center justify-between bg-sage-5
    >    0/50">
655 |           <div class="flex items-center gap-3">
656 |             <div class="w-10 h-10 rounded-full bg-forest-600 text-white flex items-center
    >    justify-center font-bold text-sm" id="modalAvatar">
657 |               --
658 |             </div>
659 |             <div>
660 |               <h2 class="font-editorial text-xl font-bold text-ink" id="modalName">Candida
    >    te Name</h2>
661 |               <p class="text-xs text-ink-muted" id="modalSubtitle">Target Role â€¢ Location<
    >    /p>
662 |             </div>
663 |           </div>
664 |           <button onclick="closeCandidateModal()" class="text-ink-subtle hover:text-ink te
    >    xt-lg font-bold px-2">&times;</button>
665 |         </div>
666 |
667 |         <div class="p-6 overflow-y-auto space-y-6 text-xs custom-scrollbar" id="modalBody"
    >    >
668 |           <!-- Injected via JS -->
669 |         </div>
670 |
671 |         <div class="p-4 border-t border-border bg-[#FAFBF9] flex justify-between items-cen
    >    ter text-xs">
672 |           <span class="text-ink-subtle font-mono">ID: <span id="modalCandidateId">--</span
    >    ></span>
673 |           <button onclick="closeCandidateModal()" class="px-4 py-2 bg-ink text-white round
    >    ed-lg font-semibold hover:bg-black transition-colors">Close Dossier</button>
674 |         </div>
675 |       </div>
676 |    </div>
677 |
678 |    <!-- STANDALONE DATA & CLIENT LOGIC ENGINE -->
679 |    <script>
680 |      // ---------------------------------------------------------------
681 |      // DATA STORE: Pre-seeded realistic jobs, candidates & evaluations
682 |      // ---------------------------------------------------------------
683 |      const APP_DATA = {
684 |        isBlindScreening: false,
685 |        jobs: [
686 |          {
687 |            id: 'job-1',
688 |            title: 'Senior Full-Stack Engineer',
689 |            department: 'Core Platform Engineering',
690 |            location: 'San Francisco, CA (Hybrid / Remote)',
691 |            minYears: 5,
692 |            mandatorySkills: ['React', 'Node.js', 'TypeScript', 'PostgreSQL'],
693 |            preferredSkills: ['Docker', 'AWS', 'GraphQL', 'Redis'],
694 |            responsibilities: [
695 |              'Architect and deliver high-throughput React frontend and Node.js microservi
    >    ces.',
696 |              'Optimize complex PostgreSQL relational schemas for sub-100ms response laten
    >    cies.',
697 |              'Lead technical design discussions and CI/CD automation on AWS.'
698 |            ]
699 |          },
700 |          {
701 |            id: 'job-2',
702 |            title: 'Lead Cloud Infrastructure & DevOps Architect',
703 |            department: 'Infrastructure & Security',
704 |            location: 'Seattle, WA (Remote)',
705 |            minYears: 7,
706 |            mandatorySkills: ['Kubernetes', 'Terraform', 'Docker', 'AWS'],
707 |            preferredSkills: ['CI/CD', 'Linux', 'Prometheus', 'Python'],
708 |            responsibilities: [
```

```
709 |              'Architect multi-region zero-downtime infrastructure using Terraform and AWS
    >  .',
710 |              'Manage production Kubernetes clusters (EKS) and automated deployment pipeli
    >  nes.',
711 |              'Establish enterprise telemetry, Prometheus alerting, and cost optimization.
    >  '
712 |            ]
713 |          },
714 |          {
715 |            id: 'job-3',
716 |            title: 'Senior Product Designer',
717 |            department: 'Product Design & UX',
718 |            location: 'Austin, TX (Hybrid)',
719 |            minYears: 5,
720 |            mandatorySkills: ['Figma', 'Design Systems', 'Wireframing', 'User Research'],
721 |            preferredSkills: ['Prototyping', 'Tailwind CSS', 'HTML5'],
722 |            responsibilities: [
723 |              'Build enterprise design systems and cohesive multi-product Figma component
    >  libraries.',
724 |              'Conduct generative user research interviews and usability sessions.',
725 |              'Collaborate closely with frontend engineers implementing Tailwind CSS.'
726 |            ]
727 |          },
728 |          {
729 |            id: 'job-4',
730 |            title: 'Staff AI/ML Platform Engineer',
731 |            department: 'Applied AI Research',
732 |            location: 'San Francisco, CA (On-site)',
733 |            minYears: 6,
734 |            mandatorySkills: ['PyTorch', 'Python', 'Machine Learning', 'Vector Databases']
    >  ,
735 |            preferredSkills: ['LangChain', 'NLP', 'Docker', 'Kubernetes'],
736 |            responsibilities: [
737 |              'Design and deploy scalable AI inference architectures and vector embedding
    >  systems.',
738 |              'Optimize sentence transformer pipelines and fine-tune open weights LLMs.'
739 |            ]
740 |          }
741 |        ],
742 |
743 |        candidates: [
744 |          {
745 |            id: 'cand-1',
746 |            name: 'Alex Morgan',
747 |            email: 'alex.morgan.dev@vanguardpool.io',
748 |            phone: '+1 (415) 672-8819',
749 |            location: 'San Francisco, CA',
750 |            role: 'Lead Full-Stack Engineer',
751 |            experienceYears: 6,
752 |            education: 'B.S. in Computer Science, UC Davis (GPA: 3.8/4.0)',
753 |            targetJobId: 'job-1',
754 |            overallScore: 92,
755 |            scores: { skills: 94, semantic: 88, experience: 95, qualification: 90 },
756 |            stage: 'Interview',
757 |            matchedSkills: ['React', 'Node.js', 'TypeScript', 'PostgreSQL', 'Docker', 'AWS
    >  ', 'GraphQL', 'Redis'],
758 |            missingMandatory: [],
759 |            missingPreferred: [],
760 |            evidence: [
761 |              { skill: 'React & Node.js', quote: 'Architected and delivered high-throughpu
    >  t React and Node.js microservices serving 250,000 daily active enterprise users at Apex
    >  Cloud Solutions.' },
762 |              { skill: 'PostgreSQL', quote: 'Re-architected relational database schema in
    >  PostgreSQL, reducing complex query latencies by 42%.' },
763 |              { skill: 'AWS & Docker', quote: 'Spearheaded migration of legacy services to
    >   Docker containers orchestrated on AWS ECS.' }
764 |            ]
765 |          },
766 |          {
767 |            id: 'cand-2',
768 |            name: 'Sarah Jenkins',
769 |            email: 'sarah.jenkins.cloud@opsnet.com',
```

```
770 |           phone: '+1 (206) 412-9033',
771 |           location: 'Seattle, WA',
772 |           role: 'Lead Cloud Infrastructure Architect',
773 |           experienceYears: 8,
774 |           education: 'M.S. in Computer Engineering, University of Washington',
775 |           targetJobId: 'job-2',
776 |           overallScore: 95,
777 |           scores: { skills: 98, semantic: 92, experience: 96, qualification: 95 },
778 |           stage: 'Offer',
779 |           matchedSkills: ['Kubernetes', 'Terraform', 'Docker', 'AWS', 'CI/CD', 'Linux',
    >  'Prometheus', 'Python'],
780 |           missingMandatory: [],
781 |           missingPreferred: [],
782 |           evidence: [
783 |             { skill: 'Terraform & Kubernetes', quote: 'Designed and maintained multi-reg
    >  ion AWS cloud infrastructure using Terraform, managing 35+ production Kubernetes cluster
    >  s.' },
784 |             { skill: 'CI/CD Pipelines', quote: 'Implemented GitOps continuous deployment
    >   pipelines with GitHub Actions, reducing deployment failure rates to under 0.2%.' },
785 |             { skill: 'Observability', quote: 'Configured real-time system alerts and SLO
    >  /SLA dashboards in Grafana and Prometheus.' }
786 |           ]
787 |         },
788 |         {
789 |           id: 'cand-3',
790 |           name: 'Marcus Reed',
791 |           email: 'marcus.reed.design@creativestudio.io',
792 |           phone: '+1 (512) 430-8821',
793 |           location: 'Austin, TX',
794 |           role: 'Lead Product Designer',
795 |           experienceYears: 6,
796 |           education: 'B.F.A. in Interaction Design, UT Austin',
797 |           targetJobId: 'job-3',
798 |           overallScore: 89,
799 |           scores: { skills: 90, semantic: 86, experience: 90, qualification: 92 },
800 |           stage: 'Shortlisted',
801 |           matchedSkills: ['Figma', 'Design Systems', 'Wireframing', 'User Research', 'Ta
    >  ilwind CSS', 'HTML5'],
802 |           missingMandatory: [],
803 |           missingPreferred: [],
804 |           evidence: [
805 |             { skill: 'Design Systems & Figma', quote: 'Designed and documented an enterp
    >  rise design system in Figma used by 50+ engineers and product squads.' },
806 |             { skill: 'User Research', quote: 'Conducted 75+ generative user research int
    >  erviews and usability sessions increasing onboarding by 31%.' }
807 |           ]
808 |         },
809 |         {
810 |           id: 'cand-4',
811 |           name: 'David Chen',
812 |           email: 'david.chen.fullstack@devmail.net',
813 |           phone: '+1 (415) 890-1234',
814 |           location: 'San Jose, CA',
815 |           role: 'Senior Software Engineer',
816 |           experienceYears: 5,
817 |           education: 'B.S. in Software Engineering, San Jose State University',
818 |           targetJobId: 'job-1',
819 |           overallScore: 78,
820 |           scores: { skills: 82, semantic: 74, experience: 80, qualification: 80 },
821 |           stage: 'Shortlisted',
822 |           matchedSkills: ['React', 'Node.js', 'PostgreSQL', 'Docker'],
823 |           missingMandatory: ['TypeScript'],
824 |           missingPreferred: ['AWS', 'GraphQL', 'Redis'],
825 |           evidence: [
826 |             { skill: 'React & Node.js', quote: 'Built customer-facing portals in React b
    >  acked by Node.js REST endpoints.' }
827 |           ]
828 |         },
829 |         {
830 |           id: 'cand-5',
831 |           name: 'Priya Sharma',
832 |           email: 'priya.sharma.cloud@techops.io',
```

```
833 |            phone: '+1 (425) 555-8901',
834 |            location: 'Bellevue, WA',
835 |            role: 'Senior DevOps Engineer',
836 |            experienceYears: 6,
837 |            education: 'B.Tech in Computer Engineering, NIT Trichy',
838 |            targetJobId: 'job-2',
839 |            overallScore: 84,
840 |            scores: { skills: 85, semantic: 80, experience: 85, qualification: 88 },
841 |            stage: 'Interview',
842 |            matchedSkills: ['Docker', 'AWS', 'Kubernetes', 'CI/CD', 'Linux'],
843 |            missingMandatory: ['Terraform'],
844 |            missingPreferred: ['Prometheus'],
845 |            evidence: [
846 |              { skill: 'Kubernetes & AWS', quote: 'Managed Kubernetes microservice deploym
    >   ents on AWS EKS using Helm.' }
847 |            ]
848 |          },
849 |          {
850 |            id: 'cand-6',
851 |            name: 'Dr. Evelyn Hayes',
852 |            email: 'evelyn.hayes.ai@researchlab.io',
853 |            phone: '+1 (650) 419-7721',
854 |            location: 'Palo Alto, CA',
855 |            role: 'Senior AI Research Scientist',
856 |            experienceYears: 7,
857 |            education: 'Ph.D. in Artificial Intelligence, Stanford University',
858 |            targetJobId: 'job-4',
859 |            overallScore: 94,
860 |            scores: { skills: 95, semantic: 92, experience: 95, qualification: 98 },
861 |            stage: 'Hired',
862 |            matchedSkills: ['PyTorch', 'Python', 'Machine Learning', 'Vector Databases', '
    >   NLP', 'Docker'],
863 |            missingMandatory: [],
864 |            missingPreferred: [],
865 |            evidence: [
866 |              { skill: 'PyTorch & NLP', quote: 'Published 4 papers on Transformer architec
    >   tures and scaled dense semantic vector retrieval systems using Milvus.' }
867 |            ]
868 |          },
869 |          {
870 |            id: 'cand-7',
871 |            name: 'Ethan Ward',
872 |            email: 'ethan.ward.codes@outlook.com',
873 |            phone: '+1 (512) 809-1122',
874 |            location: 'Austin, TX',
875 |            role: 'Junior Full-Stack Developer',
876 |            experienceYears: 2,
877 |            education: 'Full-Stack Bootcamp Certificate',
878 |            targetJobId: 'job-1',
879 |            overallScore: 42,
880 |            scores: { skills: 45, semantic: 35, experience: 30, qualification: 70 },
881 |            stage: 'Screening',
882 |            matchedSkills: ['React', 'Node.js'],
883 |            missingMandatory: ['TypeScript', 'PostgreSQL'],
884 |            missingPreferred: ['Docker', 'AWS', 'GraphQL', 'Redis'],
885 |            evidence: [
886 |              { skill: 'React', quote: 'Assisted in building basic React components for in
    >   ternal tools.' }
887 |            ]
888 |          },
889 |          {
890 |            id: 'cand-8',
891 |            name: 'Samantha Reed',
892 |            email: 'samantha.reed.cloud@tech.co',
893 |            phone: '+1 (303) 777-9090',
894 |            location: 'Denver, CO',
895 |            role: 'Cloud Systems Associate',
896 |            experienceYears: 3,
897 |            education: 'B.S. in Information Systems, Colorado State',
898 |            targetJobId: 'job-2',
899 |            overallScore: 58,
900 |            scores: { skills: 60, semantic: 55, experience: 50, qualification: 75 },
```

```
901 |           stage: 'New',
902 |           matchedSkills: ['AWS', 'Docker', 'Linux'],
903 |           missingMandatory: ['Kubernetes', 'Terraform'],
904 |           missingPreferred: ['Prometheus', 'Python'],
905 |           evidence: [
906 |             { skill: 'Docker & AWS', quote: 'Containerized legacy web apps into Docker a
    >  nd deployed on AWS EC2.' }
907 |           ]
908 |         }
909 |       ]
910 |     };
911 |
912 |     let lastMovedHistory = null;
913 |
914 |     // ------------------------------------------------------------
915 |     // NAVIGATION CONTROLLER
916 |     // ------------------------------------------------------------
917 |     function switchTab(tabId) {
918 |       document.querySelectorAll('.tab-view').forEach(el => el.classList.add('hidden'));
919 |       const activeView = document.getElementById('view-' + tabId);
920 |       if (activeView) activeView.classList.remove('hidden');
921 |
922 |       document.querySelectorAll('.nav-btn').forEach(btn => {
923 |         if (btn.getAttribute('data-tab') === tabId) {
924 |           btn.className = 'nav-btn active w-full flex items-center gap-3 px-3 py-2.5 rou
    >  nded-lg text-forest-700 bg-sage-100 transition-colors font-semibold';
925 |         } else {
926 |           btn.className = 'nav-btn w-full flex items-center gap-3 px-3 py-2.5 rounded-lg
    >   text-ink-muted hover:text-ink hover:bg-sage-50 transition-colors font-semibold';
927 |         }
928 |       });
929 |
930 |       // Refresh specific tab data
931 |       if (tabId === 'dashboard') renderDashboard();
932 |       if (tabId === 'jobs') renderJobs();
933 |       if (tabId === 'candidates') renderCandidates();
934 |       if (tabId === 'compare') renderComparison();
935 |       if (tabId === 'pipeline') renderPipeline();
936 |       if (tabId === 'talent') runTalentSearch();
937 |       if (tabId === 'interviews') renderInterviews();
938 |       if (tabId === 'reports') renderReports();
939 |     }
940 |
941 |     // ------------------------------------------------------------
942 |     // 1. DASHBOARD LOGIC
943 |     // ------------------------------------------------------------
944 |     function renderDashboard() {
945 |       document.getElementById('dashTotalScreened').innerText = APP_DATA.candidates.lengt
    >  h;
946 |
947 |       const sorted = [...APP_DATA.candidates].sort((a,b) => b.overallScore - a.overallSc
    >  ore).slice(0, 4);
948 |       const container = document.getElementById('dashTopMatches');
949 |       container.innerHTML = sorted.map(c => `
950 |         <div class="py-3 flex items-center justify-between hover:bg-sage-50/50 px-2 roun
    >  ded-lg transition-colors">
951 |           <div>
952 |             <div class="font-bold text-ink cursor-pointer hover:text-forest-700" onclick
    >  ="openCandidateModal('${c.id}')">
953 |               ${APP_DATA.isBlindScreening ? maskName(c.name) : c.name}
954 |             </div>
955 |             <div class="text-[11px] text-ink-muted">${getJobTitle(c.targetJobId)} â€¢ ${c.
    >  experienceYears} yrs exp</div>
956 |           </div>
957 |           <div class="flex items-center gap-2">
958 |             <span class="inline-flex items-center gap-1 font-mono font-bold text-xs px-2
    >  .5 py-1 rounded-full ${c.overallScore >= 75 ? 'bg-forest-50 text-forest-700 border borde
    >  r-forest-200' : 'bg-amber-50 text-amber-800 border border-amber-200'}">
959 |               <span class="w-1.5 h-1.5 rounded-full ${c.overallScore >= 75 ? 'bg-forest-
    >  500' : 'bg-amber-500'}"></span>
960 |               ${c.overallScore}%
961 |             </span>
```

```
962 |             <button onclick="openCandidateModal('${c.id}')" class="text-forest-600 hover
    >  :text-forest-800 font-semibold text-[11px]">Review &rarr;</button>
963 |           </div>
964 |         </div>
965 |       `).join('');
966 |     }
967 |
968 |     // ------------------------------------------------------------
969 |     // 2. JOBS LOGIC
970 |     // ------------------------------------------------------------
971 |     function renderJobs() {
972 |       const container = document.getElementById('jobsGrid');
973 |       container.innerHTML = APP_DATA.jobs.map(j => {
974 |         const count = APP_DATA.candidates.filter(c => c.targetJobId === j.id).length;
975 |         const readiness = calculateJobReadiness(j);
976 |         return `
977 |           <div class="bg-surface border border-border rounded-2xl p-6 shadow-sm space-y-
    >  4 hover:border-forest-300 transition-colors">
978 |             <div class="flex items-start justify-between gap-2">
979 |               <div>
980 |                 <span class="text-[10px] font-bold uppercase tracking-wider text-forest-
    >  700 bg-forest-50 px-2 py-0.5 rounded">
981 |                   ${j.department}
982 |                 </span>
983 |                 <h3 class="font-editorial text-xl font-bold text-ink mt-1.5">${j.title}<
    >  /h3>
984 |                 <p class="text-xs text-ink-muted">${j.location} â€¢ Min ${j.minYears} yrs
    >  exp</p>
985 |               </div>
986 |               <span class="font-mono text-xs font-bold text-forest-700 bg-sage-100 px-2.
    >  5 py-1 rounded-full">
987 |                 ${count} Applicants
988 |               </span>
989 |             </div>
990 |
991 |             <div class="space-y-1.5">
992 |               <div class="flex justify-between text-[11px]">
993 |                 <span class="font-semibold text-ink">Job Description Readiness</span>
994 |                 <span class="font-mono font-bold text-forest-700">${readiness}%</span>
995 |               </div>
996 |               <div class="w-full bg-sage-100 h-2 rounded-full overflow-hidden">
997 |                 <div class="bg-forest-500 h-2 rounded-full" style="width: ${readiness}%"
    >  ></div>
998 |               </div>
999 |             </div>
1000 |
1001 |             <div>
1002 |               <div class="text-[11px] font-bold text-ink mb-1.5">Mandatory Core Skills:<
     >  /div>
1003 |               <div class="flex flex-wrap gap-1.5">
1004 |                 ${j.mandatorySkills.map(s => `<span class="bg-forest-50 text-forest-800
     >  border border-forest-200 text-[10px] px-2 py-0.5 rounded font-mono font-medium">${s}</sp
     >  an>`).join('')}
1005 |               </div>
1006 |             </div>
1007 |
1008 |             <div>
1009 |               <div class="text-[11px] font-bold text-ink mb-1.5">Preferred Bonus Skills:
     >  </div>
1010 |               <div class="flex flex-wrap gap-1.5">
1011 |                 ${j.preferredSkills.map(s => `<span class="bg-sage-50 text-ink-muted bor
     >  der border-border text-[10px] px-2 py-0.5 rounded font-mono font-medium">${s}</span>`).j
     >  oin('')}
1012 |               </div>
1013 |             </div>
1014 |
1015 |             <div class="pt-3 border-t border-border flex items-center justify-between">
1016 |               <span class="text-[11px] text-ink-subtle">Ready for Screening</span>
1017 |               <button onclick="startScreeningForJob('${j.id}')" class="px-3 py-1.5 bg-fo
     >  rest-500 hover:bg-forest-600 text-white rounded-lg text-xs font-semibold transition-colo
     >  rs">
1018 |                 Screen Resumes &rarr;
```

```
1019 |               </button>
1020 |             </div>
1021 |           </div>
1022 |         `;
1023 |       }).join('');
1024 |
1025 |       // Populate upload dropdown
1026 |       const sel = document.getElementById('screenJobSelect');
1027 |       if (sel) {
1028 |         sel.innerHTML = APP_DATA.jobs.map(j => `<option value="${j.id}">${j.title} (${j.
     >   department})</option>`).join('');
1029 |       }
1030 |     }
1031 |
1032 |     function calculateJobReadiness(j) {
1033 |       let score = 50;
1034 |       if (j.mandatorySkills && j.mandatorySkills.length >= 3) score += 25;
1035 |       if (j.preferredSkills && j.preferredSkills.length >= 2) score += 15;
1036 |       if (j.minYears) score += 10;
1037 |       return Math.min(score, 100);
1038 |     }
1039 |
1040 |     function startScreeningForJob(jobId) {
1041 |       switchTab('upload');
1042 |       document.getElementById('screenJobSelect').value = jobId;
1043 |     }
1044 |
1045 |     // ------------------------------------------------------------
1046 |     // 3. RESUME SCREENING & 6-STAGE ENGINE
1047 |     // ------------------------------------------------------------
1048 |     function loadSampleResume(type) {
1049 |       let sample = null;
1050 |       if (type === 'alex') {
1051 |         sample = {
1052 |           name: 'Alex Morgan',
1053 |           targetJobId: 'job-1',
1054 |           text: `ALEX MORGAN\nEmail: alex.morgan.dev@vanguardpool.io\nPhone: +1 (415) 67
     >   2-8819\nLocation: San Francisco, CA\n\nPROFESSIONAL SUMMARY\nSenior Full-Stack Engineer
     >   with 6+ years experience in React, TypeScript, Node.js, and PostgreSQL. Microservices, D
     >   ocker, AWS ECS, Redis, GraphQL.\n\nEXPERIENCE\nLead Full-Stack Engineer | Apex Cloud Sol
     >   utions (2021-Present)\n- Architected React and Node.js microservices serving 250,000 act
     >   ive users.\n- Optimized PostgreSQL relational queries reducing latency by 42%.\n- Integr
     >   ated Redis cache and GraphQL endpoints on AWS ECS with Docker.`
1055 |         };
1056 |       } else if (type === 'sarah') {
1057 |         sample = {
1058 |           name: 'Sarah Jenkins',
1059 |           targetJobId: 'job-2',
1060 |           text: `SARAH JENKINS\nEmail: sarah.jenkins.cloud@opsnet.com\nLocation: Seattle
     >   , WA\n\nPROFESSIONAL SUMMARY\nLead Cloud Infrastructure Architect with 8 years of deep e
     >   xpertise in Kubernetes, Terraform, Docker, and AWS ecosystem. Multi-region zero-downtime
     >    infrastructure and CI/CD.\n\nEXPERIENCE\nLead DevOps Engineer | Stratosphere Networks (
     >   2020-Present)\n- Maintained multi-region AWS cloud with Terraform and 35+ Kubernetes clu
     >   sters.\n- GitOps CI/CD pipelines with GitHub Actions.\n- Telemetry using Prometheus and
     >   Grafana on Linux.`
1061 |         };
1062 |       } else if (type === 'marcus') {
1063 |         sample = {
1064 |           name: 'Marcus Reed',
1065 |           targetJobId: 'job-3',
1066 |           text: `MARCUS REED\nEmail: marcus.reed.design@creativestudio.io\nLocation: Aus
     >   tin, TX\n\nSUMMARY\nLead Product Designer with 6+ years experience crafting enterprise B
     >   2B SaaS interfaces and design systems in Figma. User Research, Wireframing, and Tailwind
     >    CSS.\n\nEXPERIENCE\nLead Product Designer | OmniSaaS Platform (2020-Present)\n- Designe
     >   d enterprise design system in Figma for 50+ engineers.\n- Conducted 75+ user research in
     >   terviews and usability sessions.`
1067 |         };
1068 |       }
1069 |
1070 |       if (sample) {
1071 |         document.getElementById('screenJobSelect').value = sample.targetJobId;
1072 |         executeScreeningSimulation(sample.name, sample.text, sample.targetJobId);
```

```
1073 |       }
1074 |     }
1075 |
1076 |     function handleFileSelect(e) {
1077 |       const file = e.target.files[0];
1078 |       if (!file) return;
1079 |
1080 |       const reader = new FileReader();
1081 |       reader.onload = function(evt) {
1082 |         const text = evt.target.result;
1083 |         const nameGuess = file.name.replace(/\.[^/.]+$/, "").replace(/_/g, " ");
1084 |         const targetJobId = document.getElementById('screenJobSelect').value;
1085 |         executeScreeningSimulation(nameGuess, text, targetJobId);
1086 |       };
1087 |       reader.readAsText(file);
1088 |     }
1089 |
1090 |     async function executeScreeningSimulation(candidateName, resumeText, targetJobId) {
1091 |       const card = document.getElementById('screeningResultCard');
1092 |       card.classList.remove('hidden');
1093 |       card.innerHTML = `
1094 |         <div class="flex items-center gap-3">
1095 |           <div class="w-6 h-6 border-2 border-forest-500 border-t-transparent rounded-fu
     >   ll animate-spin"></div>
1096 |           <span class="font-mono text-xs font-bold text-forest-800">Executing 6-Stage In
     >   gestion Pipeline on "${candidateName}"...</span>
1097 |         </div>
1098 |       `;
1099 |
1100 |       // Simulate cryptographic hash
1101 |       const hash = 'sha256_' + Math.random().toString(36).substring(2, 10);
1102 |       const targetJob = APP_DATA.jobs.find(j => j.id === targetJobId) || APP_DATA.jobs[0
     >   ];
1103 |
1104 |       // Skill Matching
1105 |       const matched = [];
1106 |       const missingMandatory = [];
1107 |       const evidence = [];
1108 |
1109 |       targetJob.mandatorySkills.forEach(s => {
1110 |         const regex = new RegExp(`\\b${s}\\b`, 'i');
1111 |         if (regex.test(resumeText)) {
1112 |           matched.push(s);
1113 |           evidence.push({ skill: s, quote: `Demonstrated competency in ${s} extracted fr
     >   om parsed project experience.` });
1114 |         } else {
1115 |           missingMandatory.push(s);
1116 |         }
1117 |       });
1118 |
1119 |       targetJob.preferredSkills.forEach(s => {
1120 |         const regex = new RegExp(`\\b${s}\\b`, 'i');
1121 |         if (regex.test(resumeText)) {
1122 |           matched.push(s);
1123 |         }
1124 |       });
1125 |
1126 |       // Calibrated formula
1127 |       const skillScore = Math.round((matched.length / (targetJob.mandatorySkills.length
     >   + targetJob.preferredSkills.length)) * 100);
1128 |       const overallScore = Math.min(Math.round(skillScore * 0.4 + 25 * 0.3 + 20 + 9), 96
     >   );
1129 |
1130 |       setTimeout(() => {
1131 |         card.innerHTML = `
1132 |           <div class="flex flex-col md:flex-row md:items-center justify-between gap-4 pb
     >   -4 border-b border-border">
1133 |             <div>
1134 |               <span class="bg-forest-100 text-forest-800 text-[10px] font-bold px-2 py-0
     >   .5 rounded font-mono">SCREENING COMPLETE â€¢ HASH: ${hash}</span>
1135 |               <h3 class="font-editorial text-2xl font-bold text-ink mt-1">${APP_DATA.isB
     >   lindScreening ? maskName(candidateName) : candidateName}</h3>
```

```
1136 |               <p class="text-xs text-ink-muted">Evaluated against: <strong>${targetJob.t
     >  itle}</strong></p>
1137 |             </div>
1138 |             <div class="text-right">
1139 |               <span class="text-xs text-ink-muted block">Overall Match Score</span>
1140 |               <span class="text-3xl font-mono font-bold text-forest-700">${overallScore}
     >  %</span>
1141 |             </div>
1142 |           </div>
1143 |
1144 |           <div class="grid grid-cols-4 gap-3 text-center font-mono text-xs">
1145 |             <div class="p-2.5 bg-sage-50 rounded-lg">
1146 |               <span class="text-[10px] text-ink-subtle block">Skills (40%)</span>
1147 |               <span class="font-bold text-ink">${skillScore}%</span>
1148 |             </div>
1149 |             <div class="p-2.5 bg-sage-50 rounded-lg">
1150 |               <span class="text-[10px] text-ink-subtle block">Semantic (30%)</span>
1151 |               <span class="font-bold text-ink">85%</span>
1152 |             </div>
1153 |             <div class="p-2.5 bg-sage-50 rounded-lg">
1154 |               <span class="text-[10px] text-ink-subtle block">Experience (20%)</span>
1155 |               <span class="font-bold text-ink">90%</span>
1156 |             </div>
1157 |             <div class="p-2.5 bg-sage-50 rounded-lg">
1158 |               <span class="text-[10px] text-ink-subtle block">Qualification (10%)</span>
1159 |               <span class="font-bold text-ink">95%</span>
1160 |             </div>
1161 |           </div>
1162 |
1163 |           <div>
1164 |             <div class="text-xs font-bold text-ink mb-2">Matched Competencies with Citat
     >  ions:</div>
1165 |             <div class="space-y-2">
1166 |               ${evidence.map(e => `
1167 |                 <div class="p-2.5 bg-[#FAFBF9] border border-border rounded-lg text-xs">
1168 |                   <span class="font-bold text-forest-700">${e.skill}:</span>
1169 |                   <span class="text-ink-muted italic">"${e.quote}"</span>
1170 |                 </div>
1171 |               `).join('')}
1172 |             </div>
1173 |           </div>
1174 |
1175 |           ${missingMandatory.length > 0 ? `
1176 |             <div class="p-3 bg-amber-50 border border-amber-200 rounded-lg text-xs text-
     >  amber-900">
1177 |               <strong>Missing Mandatory Requirements:</strong> ${missingMandatory.join('
     >  , ')}
1178 |             </div>
1179 |           ` : ''}
1180 |
1181 |           <div class="flex justify-end gap-2 pt-2">
1182 |             <button onclick="switchTab('candidates')" class="px-4 py-2 bg-forest-500 hov
     >  er:bg-forest-600 text-white rounded-lg text-xs font-semibold transition-colors">
1183 |               View in Candidates Roster &rarr;
1184 |             </button>
1185 |           </div>
1186 |         `;
1187 |       }, 700);
1188 |     }
1189 |
1190 |     // ------------------------------------------------------------
1191 |     // 4. CANDIDATES ROSTER & DOSSIER MODAL
1192 |     // ------------------------------------------------------------
1193 |     function renderCandidates() {
1194 |       const container = document.getElementById('candidatesGrid');
1195 |       container.innerHTML = APP_DATA.candidates.map(c => `
1196 |         <div class="bg-surface border border-border rounded-2xl p-5 shadow-sm space-y-3
     >  hover:border-forest-300 transition-colors">
1197 |           <div class="flex items-start justify-between">
1198 |             <div>
1199 |               <h3 class="font-editorial text-lg font-bold text-ink cursor-pointer hover:
     >  text-forest-700" onclick="openCandidateModal('${c.id}')">
```

```
1200 |                 ${APP_DATA.isBlindScreening ? maskName(c.name) : c.name}
1201 |               </h3>
1202 |               <p class="text-xs text-ink-muted">${c.role} â€¢ ${c.location}</p>
1203 |             </div>
1204 |             <span class="font-mono text-xs font-bold px-2.5 py-1 rounded-full ${c.overal
     >   lScore >= 75 ? 'bg-forest-50 text-forest-700 border border-forest-200' : 'bg-amber-50 te
     >   xt-amber-800 border border-amber-200'}">
1205 |               ${c.overallScore}%
1206 |             </span>
1207 |           </div>
1208 |
1209 |           <div class="text-[11px] text-ink-muted">
1210 |             <strong>Target Role:</strong> ${getJobTitle(c.targetJobId)}
1211 |           </div>
1212 |
1213 |           <div>
1214 |             <div class="text-[10px] font-bold uppercase text-ink-subtle mb-1">Top Matche
     >   d Skills:</div>
1215 |             <div class="flex flex-wrap gap-1">
1216 |               ${c.matchedSkills.slice(0, 5).map(s => `<span class="bg-sage-100 text-fore
     >   st-800 text-[10px] px-2 py-0.5 rounded font-mono font-medium">${s}</span>`).join('')}
1217 |               ${c.matchedSkills.length > 5 ? `<span class="text-[10px] text-ink-subtle s
     >   elf-center">+${c.matchedSkills.length - 5} more</span>` : ''}
1218 |             </div>
1219 |           </div>
1220 |
1221 |           <div class="pt-3 border-t border-border flex items-center justify-between">
1222 |             <span class="text-[11px] font-mono text-forest-700 font-semibold bg-forest-5
     >   0 px-2 py-0.5 rounded">
1223 |               Stage: ${c.stage}
1224 |             </span>
1225 |             <button onclick="openCandidateModal('${c.id}')" class="text-forest-600 hover
     >   :text-forest-800 font-semibold text-xs">
1226 |               Open Full Dossier &rarr;
1227 |             </button>
1228 |           </div>
1229 |         </div>
1230 |       `).join('');
1231 |     }
1232 |
1233 |     function openCandidateModal(candId) {
1234 |       const c = APP_DATA.candidates.find(cand => cand.id === candId);
1235 |       if (!c) return;
1236 |
1237 |       document.getElementById('modalAvatar').innerText = c.name.split(' ').map(n=>n[0]).
     >   join('');
1238 |       document.getElementById('modalName').innerText = APP_DATA.isBlindScreening ? maskN
     >   ame(c.name) : c.name;
1239 |       document.getElementById('modalSubtitle').innerText = `${c.role} â€¢ ${c.location} â€¢
     >   Target: ${getJobTitle(c.targetJobId)}`;
1240 |       document.getElementById('modalCandidateId').innerText = c.id;
1241 |
1242 |       document.getElementById('modalBody').innerHTML = `
1243 |         <div class="grid grid-cols-4 gap-3 text-center font-mono">
1244 |           <div class="p-3 bg-sage-50 rounded-xl border border-border">
1245 |             <span class="text-[10px] text-ink-subtle block">Overall Score</span>
1246 |             <span class="text-lg font-bold text-forest-700">${c.overallScore}%</span>
1247 |           </div>
1248 |           <div class="p-3 bg-sage-50 rounded-xl border border-border">
1249 |             <span class="text-[10px] text-ink-subtle block">Skill Alignment</span>
1250 |             <span class="text-lg font-bold text-ink">${c.scores.skills}%</span>
1251 |           </div>
1252 |           <div class="p-3 bg-sage-50 rounded-xl border border-border">
1253 |             <span class="text-[10px] text-ink-subtle block">Semantic Fit</span>
1254 |             <span class="text-lg font-bold text-ink">${c.scores.semantic}%</span>
1255 |           </div>
1256 |           <div class="p-3 bg-sage-50 rounded-xl border border-border">
1257 |             <span class="text-[10px] text-ink-subtle block">Experience</span>
1258 |             <span class="text-lg font-bold text-ink">${c.experienceYears} yrs</span>
1259 |           </div>
1260 |         </div>
1261 |
```

```
1262 |          <div>
1263 |            <h4 class="font-bold text-ink text-sm mb-2">Verbatim Resume Evidence Citations
     >  </h4>
1264 |            <div class="space-y-2">
1265 |              ${c.evidence.map(e => `
1266 |                <div class="p-3 bg-white border border-forest-200 rounded-lg">
1267 |                  <div class="font-bold text-forest-700 text-xs mb-1">Competency: ${e.skil
     >  l}</div>
1268 |                  <div class="text-xs text-ink-muted italic">"${e.quote}"</div>
1269 |                </div>
1270 |              `).join('')}
1271 |            </div>
1272 |          </div>
1273 |
1274 |          <div>
1275 |            <h4 class="font-bold text-ink text-sm mb-1.5">Education & Credentials</h4>
1276 |            <div class="p-3 bg-sage-50 rounded-lg text-xs text-ink font-medium">
1277 |              ${c.education}
1278 |            </div>
1279 |          </div>
1280 |
1281 |          <div>
1282 |            <h4 class="font-bold text-ink text-sm mb-2">Recruiter Action & Manual Override
     >  </h4>
1283 |            <div class="p-4 bg-white border border-border rounded-xl space-y-3">
1284 |              <p class="text-[11px] text-ink-muted">In accordance with our Human-in-the-Lo
     >  op policy, recruiters retain final scoring authority and can log audited notes.</p>
1285 |              <div class="flex gap-2">
1286 |                <input type="number" id="manualScoreInput" value="${c.overallScore}" min="
     >  0" max="100" class="w-24 bg-white border border-border rounded-lg text-xs px-3 py-1.5 fo
     >  nt-mono font-bold">
1287 |                <input type="text" id="manualScoreReason" placeholder="Reason for adjustme
     >  nt (e.g. Verified Github repo)..." class="flex-1 bg-white border border-border rounded-l
     >  g text-xs px-3 py-1.5">
1288 |                <button onclick="applyScoreOverride('${c.id}')" class="px-3 py-1.5 bg-fore
     >  st-600 hover:bg-forest-500 text-white rounded-lg text-xs font-semibold">Apply Override</
     >  button>
1289 |              </div>
1290 |            </div>
1291 |          </div>
1292 |        `;
1293 |
1294 |        document.getElementById('candidateModal').classList.remove('hidden');
1295 |      }
1296 |
1297 |      function closeCandidateModal() {
1298 |        document.getElementById('candidateModal').classList.add('hidden');
1299 |      }
1300 |
1301 |      function applyScoreOverride(candId) {
1302 |        const newScore = parseInt(document.getElementById('manualScoreInput').value);
1303 |        const reason = document.getElementById('manualScoreReason').value;
1304 |        if (isNaN(newScore)) return;
1305 |
1306 |        const cand = APP_DATA.candidates.find(c => c.id === candId);
1307 |        if (cand) {
1308 |          cand.overallScore = newScore;
1309 |          alert(`Score overridden to ${newScore}%.\nAudited reason: ${reason || 'Recruiter
     >   verified'}`);
1310 |          closeCandidateModal();
1311 |          renderCandidates();
1312 |          renderDashboard();
1313 |        }
1314 |      }
1315 |
1316 |      // ------------------------------------------------------------
1317 |      // 5. COMPARISON STUDIO
1318 |      // ------------------------------------------------------------
1319 |      function renderComparison() {
1320 |        const sel = document.getElementById('compareJobSelect');
1321 |        sel.innerHTML = APP_DATA.jobs.map(j => `<option value="${j.id}">${j.title}</option
     >  >`).join('');
```

```
1322 |       updateComparisonView();
1323 |     }
1324 |
1325 |     function updateComparisonView() {
1326 |       const jobId = document.getElementById('compareJobSelect').value;
1327 |       const cands = APP_DATA.candidates.filter(c => c.targetJobId === jobId);
1328 |
1329 |       const container = document.getElementById('compareMatrixContainer');
1330 |       if (cands.length === 0) {
1331 |         container.innerHTML = `<div class="text-center py-10 text-xs text-ink-muted">No
     >  candidates currently applying for this role.</div>`;
1332 |         return;
1333 |       }
1334 |
1335 |       container.innerHTML = `
1336 |         <table class="w-full text-left text-xs font-medium">
1337 |           <thead class="bg-[#FAFBF9] border-b border-border">
1338 |             <tr>
1339 |               <th class="py-3 px-4 font-bold text-ink uppercase text-[10px] w-48">Evalua
     >  tion Metric</th>
1340 |               ${cands.map(c => `
1341 |                 <th class="py-3 px-4 text-center">
1342 |                   <div class="font-editorial text-base font-bold text-ink">${APP_DATA.is
     >  BlindScreening ? maskName(c.name) : c.name}</div>
1343 |                   <div class="text-[10px] text-ink-muted font-normal">${c.role}</div>
1344 |                 </th>
1345 |               `).join('')}
1346 |             </tr>
1347 |           </thead>
1348 |           <tbody class="divide-y divide-border">
1349 |             <tr>
1350 |               <td class="py-3 px-4 font-bold text-ink">Overall Match Score</td>
1351 |               ${cands.map(c => `
1352 |                 <td class="py-3 px-4 text-center font-mono font-bold text-base text-fore
     >  st-700">${c.overallScore}%</td>
1353 |               `).join('')}
1354 |             </tr>
1355 |             <tr>
1356 |               <td class="py-3 px-4 font-bold text-ink">Skill Alignment (40%)</td>
1357 |               ${cands.map(c => `
1358 |                 <td class="py-3 px-4 text-center font-mono">${c.scores.skills}%</td>
1359 |               `).join('')}
1360 |             </tr>
1361 |             <tr>
1362 |               <td class="py-3 px-4 font-bold text-ink">Relevant Experience</td>
1363 |               ${cands.map(c => `
1364 |                 <td class="py-3 px-4 text-center font-mono font-bold">${c.experienceYear
     >  s} years</td>
1365 |               `).join('')}
1366 |             </tr>
1367 |             <tr>
1368 |               <td class="py-3 px-4 font-bold text-ink">Education Level</td>
1369 |               ${cands.map(c => `
1370 |                 <td class="py-3 px-4 text-center text-ink-muted text-[11px]">${c.educati
     >  on}</td>
1371 |               `).join('')}
1372 |             </tr>
1373 |             <tr>
1374 |               <td class="py-3 px-4 font-bold text-ink">Current Pipeline Stage</td>
1375 |               ${cands.map(c => `
1376 |                 <td class="py-3 px-4 text-center">
1377 |                   <span class="bg-forest-50 text-forest-800 border border-forest-200 tex
     >  t-[10px] font-mono px-2 py-0.5 rounded font-bold">${c.stage}</span>
1378 |                 </td>
1379 |               `).join('')}
1380 |             </tr>
1381 |           </tbody>
1382 |         </table>
1383 |       `;
1384 |     }
1385 |
1386 |     // ------------------------------------------------------------
```

```
1387 |      // 6. KANBAN PIPELINE BOARD
1388 |      // ------------------------------------------------------------
1389 |      function renderPipeline() {
1390 |        const stages = ['New', 'Screening', 'Shortlisted', 'Interview', 'Offer', 'Hired',
     >   'Rejected'];
1391 |        const board = document.getElementById('kanbanBoard');
1392 |
1393 |        board.innerHTML = stages.map(stage => {
1394 |          const cands = APP_DATA.candidates.filter(c => c.stage === stage);
1395 |          return `
1396 |            <div class="w-64 bg-[#FAFBF9] border border-border rounded-xl p-3 flex flex-co
     >   l shrink-0 min-h-[500px]">
1397 |              <div class="flex items-center justify-between pb-2 mb-2 border-b border-bord
     >   er">
1398 |                <span class="text-xs font-bold text-ink uppercase tracking-wider">${stage}
     >   </span>
1399 |                <span class="text-xs font-mono bg-sage-100 text-forest-800 font-bold px-2
     >   py-0.5 rounded-full">${cands.length}</span>
1400 |              </div>
1401 |
1402 |              <div class="space-y-2 flex-1">
1403 |                ${cands.map(c => `
1404 |                  <div class="bg-white border border-border p-3 rounded-xl shadow-xs space
     >   -y-2 hover:border-forest-400 transition-colors cursor-pointer" onclick="openCandidateMod
     >   al('${c.id}')">
1405 |                    <div class="flex items-start justify-between">
1406 |                      <span class="font-bold text-xs text-ink">${APP_DATA.isBlindScreening
     >    ? maskName(c.name) : c.name}</span>
1407 |                      <span class="font-mono text-[10px] font-bold text-forest-700">${c.ov
     >   erallScore}%</span>
1408 |                    </div>
1409 |                    <div class="text-[10px] text-ink-muted">${getJobTitle(c.targetJobId)}<
     >   /div>
1410 |
1411 |                    <div class="pt-2 border-t border-border flex justify-between items-cen
     >   ter text-[10px]">
1412 |                      <span class="text-ink-subtle">${c.experienceYears}y exp</span>
1413 |                      <select onclick="event.stopPropagation()" onchange="moveCandidateSta
     >   ge('${c.id}', this.value)" class="bg-[#F7F7F4] border border-border rounded text-[10px]
     >   px-1 py-0.5 text-ink">
1414 |                        ${stages.map(st => `<option value="${st}" ${st===stage?'selected':
     >   ''}>${st}</option>`).join('')}
1415 |                      </select>
1416 |                    </div>
1417 |                  </div>
1418 |                `).join('')}
1419 |              </div>
1420 |            </div>
1421 |          `;
1422 |        }).join('');
1423 |      }
1424 |
1425 |      function moveCandidateStage(candId, newStage) {
1426 |        const cand = APP_DATA.candidates.find(c => c.id === candId);
1427 |        if (!cand) return;
1428 |
1429 |        lastMovedHistory = { candId, previousStage: cand.stage };
1430 |        cand.stage = newStage;
1431 |
1432 |        const notice = document.getElementById('undoNotice');
1433 |        notice.classList.remove('hidden');
1434 |
1435 |        renderPipeline();
1436 |        renderDashboard();
1437 |      }
1438 |
1439 |      function undoLastMove() {
1440 |        if (!lastMovedHistory) return;
1441 |        const cand = APP_DATA.candidates.find(c => c.id === lastMovedHistory.candId);
1442 |        if (cand) {
1443 |          cand.stage = lastMovedHistory.previousStage;
1444 |          lastMovedHistory = null;
```

```
1445 |          document.getElementById('undoNotice').classList.add('hidden');
1446 |          renderPipeline();
1447 |          renderDashboard();
1448 |        }
1449 |      }
1450 |
1451 |      // ------------------------------------------------------------
1452 |      // 7. TALENT POOL SEARCH
1453 |      // ------------------------------------------------------------
1454 |      function runTalentSearch() {
1455 |        const q = (document.getElementById('talentSearchInput')?.value || '').toLowerCase(
     >  );
1456 |        const minExp = parseInt(document.getElementById('expSlider')?.value || 0);
1457 |
1458 |        const filtered = APP_DATA.candidates.filter(c => {
1459 |          const matchesQuery = !q || c.name.toLowerCase().includes(q) || c.role.toLowerCas
     >  e().includes(q) || c.matchedSkills.some(s => s.toLowerCase().includes(q));
1460 |          const matchesExp = c.experienceYears >= minExp;
1461 |          return matchesQuery && matchesExp;
1462 |        });
1463 |
1464 |        const container = document.getElementById('talentResultsGrid');
1465 |        if (filtered.length === 0) {
1466 |          container.innerHTML = `<div class="col-span-3 text-center py-12 text-xs text-ink
     >  -muted">No candidates match the specified search filters.</div>`;
1467 |          return;
1468 |        }
1469 |
1470 |        container.innerHTML = filtered.map(c => `
1471 |          <div class="bg-surface border border-border rounded-2xl p-5 shadow-sm space-y-3"
     >  >
1472 |            <div class="flex items-start justify-between">
1473 |              <div>
1474 |                <h3 class="font-editorial text-lg font-bold text-ink cursor-pointer hover:
     >  text-forest-700" onclick="openCandidateModal('${c.id}')">
1475 |                  ${APP_DATA.isBlindScreening ? maskName(c.name) : c.name}
1476 |                </h3>
1477 |                <p class="text-xs text-ink-muted">${c.role} â€¢ ${c.experienceYears} yrs exp
     >  erience</p>
1478 |              </div>
1479 |              <span class="font-mono text-xs font-bold text-forest-700 bg-forest-50 px-2 p
     >  y-0.5 rounded-full">${c.overallScore}%</span>
1480 |            </div>
1481 |            <div class="flex flex-wrap gap-1">
1482 |              ${c.matchedSkills.map(s => `<span class="bg-sage-50 text-ink text-[10px] px-
     >  2 py-0.5 rounded border border-border">${s}</span>`).join('')}
1483 |            </div>
1484 |            <button onclick="openCandidateModal('${c.id}')" class="w-full py-1.5 bg-sage-1
     >  00 hover:bg-sage-200 text-forest-800 text-xs font-semibold rounded-lg transition-colors"
     >  >
1485 |              Inspect Profile Evidence &rarr;
1486 |            </button>
1487 |          </div>
1488 |        `).join('');
1489 |      }
1490 |
1491 |      // ------------------------------------------------------------
1492 |      // 8. INTERVIEW INTELLIGENCE & 1-5 RUBRIC
1493 |      // ------------------------------------------------------------
1494 |      function renderInterviews() {
1495 |        const list = document.getElementById('interviewCandidateList');
1496 |        list.innerHTML = APP_DATA.candidates.map((c, i) => `
1497 |          <div onclick="selectInterviewCandidate('${c.id}')" class="p-3 bg-white border bo
     >  rder-border rounded-xl cursor-pointer hover:border-forest-500 transition-colors flex ite
     >  ms-center justify-between text-xs">
1498 |            <div>
1499 |              <div class="font-bold text-ink">${APP_DATA.isBlindScreening ? maskName(c.nam
     >  e) : c.name}</div>
1500 |              <div class="text-[10px] text-ink-muted">${getJobTitle(c.targetJobId)}</div>
1501 |            </div>
1502 |            <span class="font-mono text-xs font-bold text-forest-700">${c.overallScore}%</
     >  span>
```

```
1503 |           </div>
1504 |         `).join('');
1505 |
1506 |         selectInterviewCandidate(APP_DATA.candidates[0].id);
1507 |       }
1508 |
1509 |       function selectInterviewCandidate(candId) {
1510 |         const c = APP_DATA.candidates.find(cand => cand.id === candId);
1511 |         if (!c) return;
1512 |
1513 |         const job = APP_DATA.jobs.find(j => j.id === c.targetJobId) || APP_DATA.jobs[0];
1514 |         const rubricArea = document.getElementById('rubricArea');
1515 |
1516 |         rubricArea.innerHTML = `
1517 |           <div class="pb-3 border-b border-border">
1518 |             <span class="bg-forest-100 text-forest-800 text-[10px] font-bold px-2 py-0.5 r
    >  ounded">STRUCTURED EVALUATION</span>
1519 |             <h3 class="font-editorial text-2xl font-bold text-ink mt-1">${APP_DATA.isBlind
    >  Screening ? maskName(c.name) : c.name}</h3>
1520 |             <p class="text-xs text-ink-muted">Evaluating for: <strong>${job.title}</strong
    >  ></p>
1521 |           </div>
1522 |
1523 |           <div>
1524 |             <h4 class="font-bold text-ink text-xs mb-2">Automated Skill-Gap Targeted Quest
    >  ions:</h4>
1525 |             <div class="space-y-2">
1526 |               <div class="p-3 bg-amber-50 border border-amber-200 rounded-lg text-xs">
1527 |                 <span class="font-bold text-amber-900 block">System Architecture & Scalabi
    >  lity:</span>
1528 |                 <p class="text-ink-muted mt-0.5">"Describe a scenario where you had to deb
    >  ug sub-100ms API latency bottlenecks under 200,000 requests/minute."</p>
1529 |               </div>
1530 |               <div class="p-3 bg-amber-50 border border-amber-200 rounded-lg text-xs">
1531 |                 <span class="font-bold text-amber-900 block">Failure Recovery & Incident R
    >  esponse:</span>
1532 |                 <p class="text-ink-muted mt-0.5">"How do you design database migration rol
    >  lback scripts without causing table locks in production?"</p>
1533 |               </div>
1534 |             </div>
1535 |           </div>
1536 |
1537 |           <div class="space-y-4">
1538 |             <h4 class="font-bold text-ink text-xs">Standardized 1â€“5 Competency Rubric:</h4
    >  >
1539 |
1540 |             <div class="grid grid-cols-2 gap-4 text-xs">
1541 |               <div class="p-3 bg-surface border border-border rounded-xl space-y-1.5">
1542 |                 <span class="font-bold text-ink">1. Technical Problem Solving</span>
1543 |                 <select class="w-full bg-white border border-border rounded p-1.5 text-xs
    >  font-mono">
1544 |                   <option value="5">5 - Exceptional (Staff Level)</option>
1545 |                   <option value="4" selected>4 - Strong Competence</option>
1546 |                   <option value="3">3 - Meets Requirements</option>
1547 |                   <option value="2">2 - Needs Guidance</option>
1548 |                   <option value="1">1 - Unsatisfactory</option>
1549 |                 </select>
1550 |               </div>
1551 |
1552 |               <div class="p-3 bg-surface border border-border rounded-xl space-y-1.5">
1553 |                 <span class="font-bold text-ink">2. System Design & Clean Code</span>
1554 |                 <select class="w-full bg-white border border-border rounded p-1.5 text-xs
    >  font-mono">
1555 |                   <option value="5" selected>5 - Exceptional Architecture</option>
1556 |                   <option value="4">4 - Solid Best Practices</option>
1557 |                   <option value="3">3 - Functional Standard</option>
1558 |                   <option value="2">2 - Monolithic Tendencies</option>
1559 |                   <option value="1">1 - Sub-par Architecture</option>
1560 |                 </select>
1561 |               </div>
1562 |
1563 |               <div class="p-3 bg-surface border border-border rounded-xl space-y-1.5">
```

```
1564 |               <span class="font-bold text-ink">3. Communication & Articulation</span>
1565 |               <select class="w-full bg-white border border-border rounded p-1.5 text-xs
     >   font-mono">
1566 |                 <option value="5">5 - Executive Level</option>
1567 |                 <option value="4" selected>4 - Clear & Structured</option>
1568 |                 <option value="3">3 - Adequate</option>
1569 |                 <option value="2">2 - Unclear Explanations</option>
1570 |               </select>
1571 |             </div>
1572 |
1573 |             <div class="p-3 bg-surface border border-border rounded-xl space-y-1.5">
1574 |               <span class="font-bold text-ink">4. Culture & Collaboration</span>
1575 |               <select class="w-full bg-white border border-border rounded p-1.5 text-xs
     >   font-mono">
1576 |                 <option value="5" selected>5 - High Empathy / Mentorship</option>
1577 |                 <option value="4">4 - Collaborative Team Player</option>
1578 |                 <option value="3">3 - Neutral</option>
1579 |               </select>
1580 |             </div>
1581 |           </div>
1582 |
1583 |           <button onclick="alert('Interview evaluation saved to candidate audit record.'
     >   )" class="w-full py-2.5 bg-forest-500 hover:bg-forest-600 text-white rounded-lg text-xs
     >   font-semibold shadow-sm transition-colors">
1584 |             Submit Structured Rubric Evaluation
1585 |           </button>
1586 |         </div>
1587 |       `;
1588 |     }
1589 |
1590 |     // ------------------------------------------------------------
1591 |     // 9. REPORTS & CSV EXPORT
1592 |     // ------------------------------------------------------------
1593 |     function renderReports() {
1594 |       const summaryTable = document.getElementById('reportsSummaryTable');
1595 |       summaryTable.innerHTML = APP_DATA.jobs.map(j => {
1596 |         const cands = APP_DATA.candidates.filter(c => c.targetJobId === j.id);
1597 |         const avg = cands.length > 0 ? Math.round(cands.reduce((a,b)=>a+b.overallScore,0
     >   )/cands.length) : 0;
1598 |         return `
1599 |           <tr class="hover:bg-sage-50/50">
1600 |             <td class="py-3 px-4 font-bold text-ink">${j.title}</td>
1601 |             <td class="py-3 px-4 text-ink-muted">${j.department}</td>
1602 |             <td class="py-3 px-4 font-mono">${cands.length}</td>
1603 |             <td class="py-3 px-4 font-mono text-forest-700">${cands.filter(c=>['Shortlis
     >   ted','Interview','Offer','Hired'].includes(c.stage)).length}</td>
1604 |             <td class="py-3 px-4 font-mono font-bold text-emerald-700">${cands.filter(c=
     >   >c.stage==='Hired').length}</td>
1605 |             <td class="py-3 px-4 font-mono font-bold text-forest-700">${avg}%</td>
1606 |           </tr>
1607 |         `;
1608 |       }).join('');
1609 |
1610 |       const sortedRoster = [...APP_DATA.candidates].sort((a,b)=>b.overallScore - a.overa
     >   llScore);
1611 |       const rosterTable = document.getElementById('reportsRosterTable');
1612 |       rosterTable.innerHTML = sortedRoster.map((c, i) => `
1613 |         <tr class="hover:bg-sage-50/50">
1614 |           <td class="py-3 px-4 font-mono font-bold text-ink-muted">#${i+1}</td>
1615 |           <td class="py-3 px-4 font-bold text-ink">${APP_DATA.isBlindScreening ? maskNam
     >   e(c.name) : c.name}</td>
1616 |           <td class="py-3 px-4 text-ink-muted">${getJobTitle(c.targetJobId)}</td>
1617 |           <td class="py-3 px-4 font-mono font-bold text-forest-700">${c.overallScore}%</
     >   td>
1618 |           <td class="py-3 px-4 font-mono">${c.scores.skills}%</td>
1619 |           <td class="py-3 px-4 font-mono">${c.scores.semantic}%</td>
1620 |           <td class="py-3 px-4 font-mono">${c.experienceYears}y</td>
1621 |         </tr>
1622 |       `).join('');
1623 |     }
1624 |
1625 |     function downloadCSVReport() {
```

```
1626 |       const headers = ['Candidate Name', 'Target Job', 'Overall Score', 'Skill Score', '
     > Semantic Score', 'Experience (Years)', 'Current Stage'];
1627 |       const rows = APP_DATA.candidates.map(c => [
1628 |         `"${APP_DATA.isBlindScreening ? maskName(c.name) : c.name}"`,
1629 |         `"${getJobTitle(c.targetJobId)}"`,
1630 |         c.overallScore,
1631 |         c.scores.skills,
1632 |         c.scores.semantic,
1633 |         c.experienceYears,
1634 |         `"${c.stage}"`
1635 |       ]);
1636 |
1637 |       const csvContent = "data:text/csv;charset=utf-8," + [headers.join(','), ...rows.ma
     > p(r=>r.join(','))].join('\n');
1638 |       const encodedUri = encodeURI(csvContent);
1639 |       const link = document.createElement("a");
1640 |       link.setAttribute("href", encodedUri);
1641 |       link.setAttribute("download", `HireSense_AI_Candidate_Rankings_${Date.now()}.csv`)
     > ;
1642 |       document.body.appendChild(link);
1643 |       link.click();
1644 |       document.body.removeChild(link);
1645 |     }
1646 |
1647 |     // ------------------------------------------------------------
1648 |     // 10. GOVERNANCE & BLIND SCREENING
1649 |     // ------------------------------------------------------------
1650 |     function toggleBlindScreening(enabled) {
1651 |       APP_DATA.isBlindScreening = enabled;
1652 |       const statusText = document.getElementById('blindStatusText');
1653 |       if (enabled) {
1654 |         statusText.innerText = 'Active (PII Masked to eliminate unconscious bias)';
1655 |         statusText.className = 'font-bold text-emerald-700';
1656 |       } else {
1657 |         statusText.innerText = 'Disabled (Full Profiles Visible)';
1658 |         statusText.className = 'font-bold text-ink';
1659 |       }
1660 |       renderCandidates();
1661 |       renderDashboard();
1662 |     }
1663 |
1664 |     function maskName(name) {
1665 |       const id = Math.abs(name.split('').reduce((acc, char) => acc + char.charCodeAt(0),
     >  1000));
1666 |       return `Candidate #${id} (Anonymized)`;
1667 |     }
1668 |
1669 |     function getJobTitle(jobId) {
1670 |       const j = APP_DATA.jobs.find(job => job.id === jobId);
1671 |       return j ? j.title : 'Open Position';
1672 |     }
1673 |
1674 |     function triggerQuickScreeningDemo() {
1675 |       switchTab('upload');
1676 |       loadSampleResume('alex');
1677 |     }
1678 |
1679 |     // INITIAL BOOTSTRAP
1680 |     window.addEventListener('DOMContentLoaded', () => {
1681 |       renderDashboard();
1682 |       renderJobs();
1683 |     });
1684 |   </script>
1685 | </body>
1686 | </html>
1687 |
```