

Write a program using I/O system calls open(), read() & write() to copy contents of one file to another file

```
// C program to illustrate
```

```
// read system Call
```

```
#include <fcntl.h>
```

```
#include <stdio.h>
```

```
#include <unistd.h>
```

```
int main()
```

```
{
```

```
    int fd, sz;
```

```
    char* c = (char*)calloc(100, sizeof(char));
```

```
    fd = open("foo.txt", O_RDONLY);
```

```
    if (fd < 0) {
```

```
perror("r1");

exit(1);

}

sz = read(fd, c, 10);

printf("called read(% d, c, 10). returned that"

      " %d bytes were read.\n",

      fd, sz);

c[sz] = '\0';

printf("Those bytes are as follows: % s\n", c);


return 0;

}
```

Example of write() in C

```
// C program to illustrate
// write system Call

#include<stdio.h>

#include <fcntl.h>

main()

{

    int sz;

    int fd = open("foo.txt", O_WRONLY | O_CREAT | O_TRUNC, 0644);

    if (fd < 0)

    {

        perror("r1");

        exit(1);

    }

    sz = write(fd, "hello geeks\n", strlen("hello geeks\n"));

    printf("called write(% d, \"hello geeks\\n\", %d).\"

        \" It returned %d\\n\", fd, strlen("hello geeks\n"), sz);

    close(fd);

}
```

Output

```
called write(3, "hello geeks\n", 12). it returned 11
```