

ASSIGNMENT 9

```
Enter password: ****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 27
Server version: 8.0.41 MySQL Community Server - GPL

Copyright (c) 2000, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
```

```
mysql> show databases;
+-----+
| Database |
+-----+
| assignment1 |
| information_schema |
| mysql |
| performance_schema |
| sys |
| vaibhavdb |
+-----+
6 rows in set (0.00 sec)

mysql> use assignment1;
Database changed
mysql> show tables;
+-----+
| Tables_in_assignment1 |
+-----+
| customers |
| orders |
| salespeople |
+-----+
3 rows in set (0.00 sec)
```

```
mysql> SELECT CUSTOMERS.CNAME,ORDERS.ONUM FROM CUSTOMERS, ORDERS
-> WHERE CUSTOMERS.CNUM = ORDERS.CNUM;
+-----+-----+
| CNAME | ONUM |
+-----+-----+
| Cisneros | 3001 |
| Cisneros | 3003 |
| Pereira | 3006 |
| Cisneros | 3005 |
| Giovanni | 3009 |
| Grass | 3007 |
| Clemens | 3008 |
| Grass | 3010 |
| Clemens | 3011 |
+-----+-----+
9 rows in set (0.04 sec)

mysql> SELECT SALESPEOPLE.SNAME, CUSTOMERS.CNAME,ORDERS.ONUM FROM CUSTOMERS, ORDERS, SALESPEOPLE
-> WHERE SALESPEOPLE.SNUM = ORDERS.SNUM AND CUSTOMERS.COMM > 0.12;
ERROR 1054 (42S22): Unknown column 'CUSTOMERS.COMM' in 'where clause'
mysql> SELECT SALESPEOPLE.SNAME, CUSTOMERS.CNAME, ORDERS.CNUM FROM CUSTOMERS, ORDERS, SALESPEOPLE
-> WHERE SALESPEOPLE.SNUM = ORDERS.SNUM AND CUSTOMERS.CNUM = ORDERS.CNUM;
+-----+-----+-----+
| SNAME | CNAME | CNUM |
+-----+-----+-----+
| Axelrod | Giovanni | 2002 |
| serres | Grass | 2004 |
| serres | Grass | 2004 |
| peel | Clemens | 2006 |
| jose | Clemens | 2006 |
| peel | Clemens | 2006 |
| jose | Clemens | 2006 |
| Rifkin | Pereira | 2007 |
+-----+-----+-----+
8 rows in set (0.00 sec)
```

```

mysql> SELECT CUSTOMERS.CNAME, SALESPeOPLE.SNAME, SALESPeOPLE.COMM FROM SALESPeOPLE, CUSTOMERS
      -> WHERE CUSTOMERS.SNUM = SALESPeOPLE.SNUM AND SALESPeOPLE.COM > 0.12;
ERROR 1054 (42S22): Unknown column 'SALESPeOPLE.COM' in 'where clause'
mysql> SELECT CUSTOMERS.CNAME, SALESPeOPLE.SNAME, SALESPeOPLE.COMM FROM SALESPeOPLE, CUSTOMERS
      -> WHERE CUSTOMERS.SNUM = SALESPeOPLE.SNUM AND SALESPeOPLE.COMM > 0.12;
+-----+-----+-----+
| CNAME | SNAME | COMM |
+-----+-----+-----+
| Giovanni | Axelrod | 0.15 |
| Liu | serres | 0.13 |
| Grass | serres | 0.13 |
| Pereira | Rifkin | 0.14 |
+-----+-----+-----+
4 rows in set (0.00 sec)

mysql> SELECT ORDERS.AMT+SALESPeOPLE.COMM "COMMISSION" FROM ORDERS, SALESPeOPLE, CUSTOMERS
      -> WHERE ORDERS.SNUM = SALESPeOPLE.SNUM AND CUSTOMERS.CNUM = ORDERS.CNUM AND CUSTOMERS.RATING>100;
+-----+
| COMMISSION |
+-----+
| 170.29 |
| 9.85 |
| 256.98 |
+-----+
3 rows in set (0.00 sec)

mysql> |

```