Due Aug 9, 11:59 PM PDT

QUIZ • 18 MIN

Final Quiz

Submit your assignment DUE Aug 9, 11:59 PM PDT ATTEMPTS 3 every 8 hours	Resur
Receive grade	Grade
TO PASS 80% or higher	_
	<i>△</i>

Final Quiz

AL POINTS 9	
The default value for the position property is	
The default value for the position property is:	1 point
absolute	
static	
relative	
() fixed	
What is wrong with this code?	1 point
<pre>1 div{ 2 position: relative; 3 left: 10px;</pre>	
4 }	
The code works, but the left property is not necessary since relative elements don't allow offsets	
There is nothing wrong with this code.	
"relative" is not a valid option for position	
If you want your navigation bar to remain visible, even when the user scrolls downward, you should use which	1 point
type of positioning?	
static	
fixed	
absolute	
relative	
Which of the following is the proper syntax for a pseudo-class?	1 point
1 :pseudo-class { 2 property:value; 3 }	
- J	
1 selector::pseudo-class { 2 property:value; 3	
3 }	
1 selector->pseudo-class { 2 property:value;	
3 }	
1 selector:pseudo-class { 2 property:value;	
3 }	
Which of the following rules styles the first paragraph in each div?	1 point
1 div p:first-child {	
2 color: blue; 3 }	
1 div p{	
2 color: blue; 3 }	
1 div > p{	
<pre>2 color: blue; 3 }</pre>	
1 div:first-child p{	
2 color: blue; 3 }	
Which CSS3 property allows you to change property values smoothly over a given duration?	1 point
transition	
focus	
hover	
Change	
Sometimes elements overlap one another. Which property specifies the stacking order of the elements? (A high value means it is more likely to be place in front of another.) ONLY PROVIDE THE PROPERTY, NOT A VALUE.	1 point
z-index	
Which rule will change the text color of p elements with the class "highlight" when hovered over?	1 point
<pre>1 p:hover > highlight{ 2 color:green;</pre>	
2 color:green; 3 }	
1 p.highlight:hover{ 2 color:green:	
2 color:green; 3 }	
1 .highlight:hover{	
2 color:green; 3 }	
1 p:hover{	
2 color:green; 3 }	

1 point

