

DBT Mock 2 Batch FEB 2026

Total points 34/60 ?

The respondent's email (vaibhavkharche4328@gmail.com) was recorded on submission of this form.

✓ Q. 8. Which of the following is comparison operator *

1/1

- ☐ 1. =
- ☐ 2. LIKE
- ☐ 3. BETWEEN
- ☒ 4. All of the above



✗ Q. 9. To delete a particular column in a relation the command used is *

0/1

- ☐ 1. UPDATE
- ☐ 2. DROP
- ☐ 3. ALTER
- ☒ 4. DELETE



Correct answer

- ☒ 3. ALTER



✗ **Q. 21. An Entity set may not have sufficient attribute to form a primary key such an entity set is termed as** *0/1

- ☐ 1. strong entity set
- ☐ 2. weak entity set
- ☒ 3. composite entity set
- ☐ 4. Owner entity set

✗

Correct answer

- ☒ 2. weak entity set

✓ **Q. 11. The correct where clause to select a name starting with A and ending with N** *1/1

- ☐ 1. Where name LIKE 'A%'
- ☐ 2. Where name LIKE 'N%'
- ☒ 3. Where name LIKE 'A%%N'
- ☐ 4. Where name LIKE 'M%%N'

✓



✗ **Q. 49. The names of the columns can be altered in a query's results by using the ____ keyword** *0/1

- ☐ 1. Named
- ☒ 2. Rename
- ☐ 3. Alias
- ☐ 4. As

✗

Correct answer

- ☒ 4. As

✓ **Q. 32. Which of the following MongoDB query is equivalent to the following SQL query?** *1/1

UPDATE users SET status = "C" WHERE age > 25

- ☐ 1. db.users.update({ age: { \$gt: 25 } } , { status "c" })
- ☐ 2. db.users.update({ age: { \$gt: 25 } } , { \$set : { status "c" } })
- ☒ 3. db.users.update({ age: { \$gt: 25 } } , { \$set : { status "c" } } , { multi: true }) ✓
- ☐ 4. db.users.update({ age: { \$gt: 25 } } , { status "c" } , { multi: true })



✓ Q. 7. Consider the following statements

*1/1

I-DDL –Data Definition language: statements used to define the database structure or schema

II- DML- Data Manipulation language- statements used for managing data within schema objects

Which of the following is correct

- ☐ 1. only I is true
- ☐ 2. only II is true
- ☒ 3. I and II both are true
- ☐ 4. I and II both are false



✓ Q. 43. Which type of join used, select from emp e join dept d where e.dept = d.deptno;

*1/1

- ☐ 1. left outer join
- ☒ 2. inner join
- ☐ 3. outer join
- ☐ 4. none



 Q. 5. What is complex view? *

1/1

- ☐ 1. A view that is created from only one table.
- ☒ 2. A view that is created from more than one table 
- ☐ 3. A view that does not contain groups of data
- ☐ 4. A view that is used to update data in the tables used to create the view.

 Q. 51. For which of the following MySQL triggers are not supported ? *

1/1

- ☐ 1. delete
- ☐ 2. update
- ☐ 3. insert
- ☒ 4. views 

 Q. 29. Which of the following is the correct order of a SQL statement? *

1/1

- ☐ 1. SELECT, GROUP BY, WHERE , HAVING
- ☒ 2. SELECT, WHERE, GROUP BY, HAVING 
- ☐ 3. SELECT, HAVING, WHERE, GROUP BY
- ☐ 4. SELECT, WHERE, HAVING, GROUP BY



✓ **Q. 42. DATEDIFF function in MySQL will display difference between two dates in terms of _____** *1/1

- ☐ 1. number of months
- ☒ 2. number of days
- ☐ 3. number of years
- ☐ 4. all of the above



✓ **Q. 50. How many primary keys can we have in a MySQL table? *** 1/1

- ☒ 1. only 1
- ☐ 2. only 2
- ☐ 3. Depends on no of Columns
- ☐ 4. Depends on DBA



✗ Q. 45. Which of the following option is correct *

0/1

- ☐ 1. stored procedure and function doesn't return a value
- ☒ 2. stored procedure and function doesn't return a value but a function returns a value ✗
- ☐ 3. stored procedure and function return a value
- ☐ 4. function doesn't return a value but a stored procedure returns a value

Correct answer

- ☒ 3. stored procedure and function return a value

✓ Q. 27. Which of the following function will remove collection in MongoDB?

*1/1

- ☐ 1. db.drop()
- ☒ 2. db.dropCollection() ✓
- ☐ 3. db.remove()
- ☐ 4. db.collection.drop()



✗ Q. 44. Which of the following operator is used to check greater than or equal to an MongoDB *0/1

- ☒ 1. \$gt
- ☐ 2. \$gte
- ☐ 3. gte
- ☐ 4. any of the above

✗

Correct answer

- ☒ 2. \$gte

✓ 46. A relational database consists of a collection of * 1/1

- ☒ 1. Tables
- ☐ 2. Fields
- ☐ 3. Records
- ☐ 4. Keys

✓



✓ **Q. 2. Which index maintenance task discards the entire index and recreate it?**

*1/1

- ☐ 1. Refresh
- ☐ 2. Remake
- ☐ 3. Reorganize
- ☒ 4. Rebuild



✗ **Q. 17. What can not be done on a view? ***

0/1

- ☐ 1. display
- ☐ 2. filter
- ☐ 3. index
- ☒ 4. drop



Correct answer

- ☒ 3. index



✓ Q. 18. Hierarchical model is also called as *

1/1

- ☒ 1. Tree structure
- ☐ 2. plex structure
- ☐ 3. Normalize structure
- ☐ 4. Table structure



✓ Q. 13. The relationship between the two tables are created using_____ *

1/1

- ☐ 1. Candidate key
- ☐ 2. Primary key
- ☒ 3. Foreign Key
- ☐ 4. Check Constraint



✓ **Q. 25. Table EMP(EMP, ENAME, JOB, MANAGER, HIREDATE, SAL, COMM, DEPTNO)**

*1/1

Which of the following update command will set job to 'MANAGER' for 'SMITH'??

- ☐ 1. update emp set job = 'MANAGER';
- ☐ 2. update emp set job = 'MANAGER' where ename = SMITH;
- ☒ 3. update emp set job = 'MANAGER' where ename = 'SMITH';
- ☐ 4. none of the above



✓ **Q. 24. Which procedure parameter enables the caller to pass in a value and get back a value?**

*1/1

- ☐ 1. IN
- ☐ 2. OUT
- ☒ 3. INOUT
- ☐ 4. GETINOUT



✓ Q. 3. Which of the following is wrong statement? *

1/1

- ☐ 1. MySQL removes temporary table automatically when the session ends or the connection is terminated
- ☐ 2. A temporary table is only available and accessible to the client that creates it.
- ☐ 3. A temporary table can have same name as a normal table in a database.
- ☒ 4. MySQL does not support temporary Table. ✓

✓ Q. 60. To iterate the cursor and return more documents , which of the following keyword in the mongo shell would we type?

*1/1

- ☐ 1. cursor
- ☒ 2. it ✓
- ☐ 3. next
- ☐ 4. more

✓ Q. 58. A relation is said to be in _____ if, it is in 2NF and no transition dependency exists.

*1/1

- ☐ 1. BCNF
- ☒ 2. 3NF ✓
- ☐ 3. 1NF
- ☐ 4. 5NF



✓ Q. 16. Identify the correct operator select * from students where country *1/1
_____ ('India','Australia', 'Japan');

- ☐ 1. =
- ☐ 2. LIKE
- ☒ 3. IN
- ☐ 4. ALL



✗ Q. 12. Term document in MongoDB is equivalent to _____ in MySQL * 0/1

- ☐ 1. Row
- ☐ 2. Table
- ☒ 3. Attribute
- ☐ 4. Greater Entity Count (GEC)



Correct answer

- ☒ 1. Row



✗ Q. 41. An ER diagram can express the overall _____ of a database graphically *0/1

- ☐ 1. View Structure
- ☐ 2. Logical Structure
- ☒ 3. model Structure
- ☐ 4. architectural Structure

✗

Correct answer

- ☒ 2. Logical Structure

✗ Q. 39. SELECT Student, marks from table where marks > SELECT AVG(marks) from table What function will be performed by the above query *0/1

- ☐ 1. find students, and marks from table
- ☒ 2. Query will show error
- ☐ 3. find all the students, whose marks are greater than average marks
- ☐ 4. average marks of the students

✗

Correct answer

- ☒ 3. find all the students, whose marks are greater than average marks



✓ Q. 1. Which of the following is wrong statement? *

1/1

- ☐ 1. MySQL server is by default asensitive.
- ☐ 2. An insensitive cursor performs faster than an asensitive cursor.
- ☒ 3. MySQL server is read-only.
- ☐ 4. MySQL server is non-scrollable.



✓ Q. 37. How can we specify a row level trigger? *

1/1

- ☐ 1. Using ON ROW
- ☐ 2. Using ON EACH COL
- ☒ 3. Using ON EACH ROW
- ☐ 4. Using ON COL



✗ Q. 52. Which of the following is not a valid TCL command? *

0/1

- ☒ 1. SAVEPOINT
- ☐ 2. COMMIT
- ☐ 3. ROLLBACK
- ☐ 4. REVOKE



Correct answer

- ☒ 4. REVOKE



✗ Q. 19. What is the output of following query ?***0/1**

Select name , concat(region_code.phone_number) "custcode" from customers;

- ☐ 1. it will display name and custcode column from table
- ☐ 2. it will display name , combine value of region_code,phone_number and display in column custcode
- ☐ 3. It will display name and region code
- ☒ 4. it will show error **✗**

Correct answer

- ☒ 2. it will display name , combine value of region_code,phone_number and display in column custcode

✗ Q. 4. Which of the following is wrong statement? ***0/1**

- ☒ 1. WITH CHECK OPTION in view is applicable only for updatable views. **✗**
- ☐ 2. Different views can be created on the same table for different users.
- ☐ 3. A view can hide the complexity that exists in a multiple table join
- ☐ 4. We cannot use WITH CHECK OPTION while creating a view.

Correct answer

- ☒ 4. We cannot use WITH CHECK OPTION while creating a view.



✗ Q. 14. What is the equivalent Mongodb query for *

0/1

select * from emp where deptno = 30 order by deptno desc

- ☐ 1. db.JavaTPoint.find({ deptno : 30 }) : sort ({ deptno:-1 })
- ☒ 2. db.JavaTPoint.find({ deptno : 30 }) : sort ({ deptno: 1 })
- ☐ 3. db.JavaTPoint.find({ deptno : 30 }) : orderby ({ deptno:-1 })
- ☐ 4. an error statement

✗

Correct answer

- ☒ 1. db.JavaTPoint.find({ deptno : 30 }) : sort ({ deptno:-1 })

✓ Q. 55. Which column attribute enables the generations of sequential numbers automatically for identification?

*1/1

- ☒ 1. AUTO_INCREMENT
- ☐ 2. UNSIGNED
- ☐ 3. IDENTITY
- ☐ 4. DESCRIBE

✓



✓ 47. The term _____ is used to refer to a row. *

1/1

- ☐ 1. Attribute
- ☒ 2. Tuple
- ☐ 3. Field
- ☐ 4. Instance



✗ Q. 26. Which of the following query will display all cars whose price is equal to Miller's car? *0/1

- ☒ 1. select * from cartist where price = select price from cartist where name = 'Miller' ✗
- ☐ 2. select * from cartist where price in select * from cartist where name = 'Miller'
- ☐ 3. select * from cartist where price in select price from cartist where name = 'Miller'
- ☐ 4. none of the above

Correct answer

- ☒ 3. select * from cartist where price in select price from cartist where name = 'Miller'



✗ Q. 20. A functional dependency is a relationship between or among *

0/1

- ☒ 1. Entities
- ☐ 2. Rows
- ☐ 3. Attribute
- ☐ 4. Table

✗

Correct answer

- ☒ 3. Attribute

✗ Q. 54. Which syntax followed by MySQL for stored routines? *

0/1

- ☐ 1. SQL: 2000
- ☐ 2. SQL: 2003
- ☒ 3. SQL: 2005
- ☐ 4. SQL: 2008

✗

Correct answer

- ☒ 1. SQL: 2000



✗ Q. 53. How constraint be placed on a table where field will contain the value "Ram" if nothing is provided? *0/1

- ☐ 1. CREATE TABLE People(FirstName TEXT CONSTRAINT "Ram", address TEXT, city TEXT);
- ☐ 2. CREATE TABLE People(FirstName TEXT DEFAULT"Ram", address TEXT, city TEXT);
- ☐ 3. CREATE TABLE People(FirstName TEXT DEFAULT("Ram"), address TEXT, city TEXT);
- ☒ 4. CREATE TABLE People(FirstName TEXT DEFAULT = "Ram", address TEXT, city TEXT); ✗

Correct answer

- ☒ 2. CREATE TABLE People(FirstName TEXT DEFAULT"Ram", address TEXT, city TEXT);

✗ Q. 57. Which of the following is not MySQL storage engine? * 0/1

- ☐ 1. MyISAM
- ☐ 2. InnoDB
- ☒ 3. csv ✗
- ☐ 4. FEDERAL

Correct answer

- ☒ 4. FEDERAL



✗ Q. 23. All aggregate functions except ____ ignore null values in their input collection fill the blank with correct option *0/1

- ☐ 1. Count(attribute)
- ☒ 2. Count(*)
- ☐ 3. Avg
- ☐ 4. Sum

✗

Correct answer

- ☒ 1. Count(attribute)

✓ Q. 30. The string function that returns the index of the first occurrence of substring is _____ *1/1

- ☐ 1. INSERT()
- ☒ 2. INSTR()
- ☐ 3. INSTRING()
- ☐ 4. INFSTR()

✓

PRN *

260245920079



✓ **Q. 48. In MySQL if you would like to throw your own exceptions, you can do so by changing SQLSTATE using _____ keyword** *1/1

- ☒ 1. SIGNAL
- ☐ 2. SQLEXCEPTION
- ☐ 3. DECLARE
- ☐ 4. END



✓ **Q. 59. Which of the following is not a NoSQL database? *** 1/1

- ☒ 1. SQL Server
- ☐ 2. MongoDB
- ☐ 3. Cassandra
- ☐ 4. Hbase



✓ **Q. 56. Which of the following is a wrong statement? *** 1/1

- ☐ 1. In MongoDB, field names cannot start with the dollar sign (\$) character
- ☐ 2. In MongoDB, field names cannot contain dot(.) character
- ☐ 3. BSON document cannot have more than one field with the same name
- ☒ 4. BSON is a serialization format encoding format for JSON



✗ **Q. 33. Aggregate functions can be used in the select list or the _____ clause of a select statement or subquery they be used in a _____ clause** *0/1

- ☐ 1. HAVING, WHERE
- ☒ 2. GROUP BY, HAVING
- ☐ 3. GROUP BY, WHERE
- ☐ 4. WHERE, HAVING

✗

Correct answer

- ☒ 1. HAVING, WHERE

✓ **Q. 35. Which keyword is used to create a variable in a stored procedure? *** 1/1

- ☐ 1. UPDATE
- ☐ 2. INSERT
- ☐ 3. SELECT
- ☒ 4. DECLARE

✓



✓ Q. 10. Third normal form is based on the concept of _____ *

1/1

- ☐ 1. Closure dependency
- ☒ 2. Transitive dependency
- ☐ 3. Normal dependency
- ☐ 4. Functional dependency



✓ Q. 40. NULL is _____ *

1/1

- ☐ 1. the same as 0 for integer
- ☐ 2. the same as blank for character
- ☐ 3. the same as 0 for integer and blank for character
- ☒ 4. not a value



✗ Q. 22. Which of the following is correct create index command *

0/1

- ☐ 1. create index index_name on database_name;
- ☒ 2. create index index_name on (index_columns);
- ☐ 3. create index index_name on table_name(index_columns);
- ☐ 4. create index index_name on table_name;



Correct answer

- ☒ 3. create index index_name on table_name(index_columns);



✗ Q. 38. The EMPLOYEES table contains these columns:

*

0/1

LAST_NAME VARCHAR (25)

SALARY_NUMBER(62)

COMMISSION_PCT NUMBER(6)

You need to write a query that will produce these results:

1. Display the salary multiplied by the commission_pct
2. Exclude employees with a zero commission_pct
3. Display a zero for employees with a null commission value

Evaluate the SQL statement

SELECT LAST_NAME, SALARY COMMISSION_PCT

FROM EMPLOYEES

WHERE COMMISSION_PCT IS NOT NULL;

What does the statement provide?

- ☐ 1. all of these desired results
- ☐ 2. two of these desired results
- ☐ 3. one of these desired results
- ☒ 4. an error statement

✗

Correct answer

- ☒ 3. one of these desired results



✓ **Q. 6. Consider the join of relation R with relation S . If R has m tuples and S has n tuples , then the maximum size of join is** *1/1

- ☒ 1. mn
- ☐ 2. m+n
- ☐ 3. (m+n)/2
- ☐ 4. 2(m+n)



✗ **Q. 28. Which one of the following is not true for a view *** 0/1

- ☐ 1. view is derived from other tables
- ☐ 2. view is a virtual tables
- ☒ 3. A view definition is permanently stored as part of the database
- ☐ 4. view never contains derived columns



Correct answer

- ☒ 4. view never contains derived columns



✕ Q. 34. Supplier (sid:integer, sname:string,city:string,street:string)

*0/1

Parts(pid,integer,pname,string,color,string)

Catalog(sid,integer,pid,integer,cost,real)

Assume that in the suppliers relation above. Each supplier and each street within a city has a unique name and (sname , city) forms a candidate key no other no other functional dependencies are implied other than those implied by primary and candidate keys. Which one of the following is TRUE about the above schema?

- ☐ 1. The schema is in BCNF
- ☐ 2. The schema is in 3NF but not in BCNF
- ☐ 3. The schema is in 2NF but not in BCNF
- ☒ 4. The schema is not in 2NF

✕

Correct answer

- ☒ 2. The schema is in 3NF but not in BCNF

NAME *

Vaibhav Ashok Kharche



✗ Q. 31. Which of the following is an example of structured data *

0/1

- ☐ 1. CCTV generated data
- ☐ 2. audio recording
- ☐ 3. employee data
- ☒ 4. none

✗

Correct answer

- ☒ 3. employee data

✓ Q. 15. Which clause would you use in a select statement to limit the display to those employees whose salary is greater than 5000?

*1/1

- ☐ 1. order by salary > 5000
- ☐ 2. group by salary > 5000
- ☐ 3. having salary > 5000
- ☒ 4. where salary > 5000

✓



✕ Q. 36. Which of the following SQL statements deletes all rows table called sales? *0/1

- ☐ 1. DELETE Sales
- ☐ 2. DELETE FROM Sales
- ☒ 3. DELETE * FROM Sales
- ☐ 4. DELETE ALL Sales

✕

Correct answer

- ☒ 2. DELETE FROM Sales

This content is neither created nor endorsed by Google. - [Contact form owner](#) - [Terms of Service](#) - [Privacy Policy](#).

Does this form look suspicious? [Report](#)

Google Forms



