Assignment 2 – File Ownership Using chown

1. Create a file named report.txt.

```
vaibhavi@vaibhavi99099W1:~$ touch report.txt
vaibhavi@vaibhavi99099W1:~$ ls -l report.txt
-rw-r--r-- 1 vaibhavi vaibhavi 0 Oct 27 11:32 report.txt
```

2. Create a user named student1.

```
vaibhavi@vaibhavi99099W1:~$ sudo useradd -m student1
[sudo: authenticate] Password:
vaibhavi@vaibhavi99099W1:~$ id student1
uid=1001(student1) gid=1001(student1) groups=1001(student1)
vaibhavi@vaibhavi99099W1:~$
```

3. Display the current owner and group of report.txt.

```
vaibhavi@vaibhavi99099W1:~$ ls -l report.txt
-rw-r--r-- 1 vaibhavi 0 Oct 27 11:32 report.txt
vaibhavi@vaibhavi99099W1:~$
```

4. Change the owner of report.txt to student1.

```
vaibhavi@vaibhavi99099W1:~$ sudo chown student1 report.txt
vaibhavi@vaibhavi99099W1:~$ ls -l report.txt
-rw-r--r-- 1 student1 vaibhavi 0 Oct 27 11:32 report.txt
vaibhavi@vaibhavi99099W1:~$
```

5. Create another user named student2.

```
vaibhavi@vaibhavi99099W1:~$ sudo useradd -m student2
vaibhavi@vaibhavi99099W1:~$ id student2
uid=1002(student2) gid=1002(student2) groups=1002(student2)
vaibhavi@vaibhavi99099W1:~$
```

6. Change the owner of report.txt to student2.

```
vaibhavi@vaibhavi99099W1:~$ sudo chown student2 report.txt
vaibhavi@vaibhavi99099W1:~$ ls -l report.txt
-rw-r--r-- 1 student2 vaibhavi 0 Oct 27 11:32 report.txt
vaibhavi@vaibhavi99099W1:~$
```

7. Change both the owner and group of report.txt to: Owner: student1 Group: student1

```
vaibhavi@vaibhavi99099W1:~$ sudo chown student1:student1 report.txt
vaibhavi@vaibhavi99099W1:~$ ls -l report.txt
-rw-r--r-- 1 student1 student1 0 Oct 27 11:32 report.txt
vaibhavi@vaibhavi99099W1:~$
```

8. Create a directory named project.

```
vaibhavi@vaibhavi99099W1:~$ mkdir project
mkdir: project: File exists
vaibhavi@vaibhavi99099W1:~$ ls -ld project
drwxr-xr-x 2 vaibhavi vaibhavi 4096 Oct 27 12:32 project
vaibhavi@vaibhavi99099W1:~$
```

9. Create at least two files inside project.

```
vaibhavi@vaibhavi99099W1:~$ touch project/file1.txt
vaibhavi@vaibhavi99099W1:~$ touch project/file2.txt
vaibhavi@vaibhavi99099W1:~$ ls -l project
total 0
-rw-r--r-- 1 vaibhavi vaibhavi 0 Oct 27 12:33 file1.txt
-rw-r--r-- 1 vaibhavi vaibhavi 0 Oct 27 12:33 file2.txt
vaibhavi@vaibhavi99099W1:~$
```

10. Change the owner of the entire project directory and its contents recursively to student1.

```
vaibhavi@vaibhavi99099W1:~$ touch project/file1.txt
vaibhavi@vaibhavi99099W1:~$ touch project/file2.txt
vaibhavi@vaibhavi99099W1:~$ ls -l project
total 0
-rw-r--r-- 1 student1 vaibhavi 0 Oct 27 12:33 file1.txt
-rw-r--r-- 1 student1 vaibhavi 0 Oct 27 12:33 file2.txt
vaibhavi@vaibhavi99099W1:~$
```

11. Verify ownership using ls -l.

```
vaibhavi@vaibhavi99099W1:~$ ls -l report.txt
-rw-r--r-- 1 student1 vaibhavi 0 Oct 27 11:32 report.txt
vaibhavi@vaibhavi99099W1:~$ ls -lR project
project:
total 0
-rw-r--r-- 1 student1 vaibhavi 0 Oct 27 12:33 file1.txt
-rw-r--r-- 1 student1 vaibhavi 0 Oct 27 12:33 file2.txt
vaibhavi@vaibhavi99099W1:~$
```