Assignment 1

Linux Commands Assignments – II

1. List the directory contents date wise sorted. (man ls)

```
vaibhavi@vaibhavi99099W1:~$ ls -lt
total 52
-rw-r--r-- 1 vaibhavi hey-pratik   31 Oct 25 10:50  details.txt
-rw-r--r-- 1 vaibhavi hey-pratik   48 Oct 25 10:45 'details.txt``$'
-rw------- 1 vaibhavi hey-pratik   10 Oct 25 10:41  details.txt.save
drwxr-xr-x 3 vaibhavi hey-pratik 4096 Oct 23 06:42  my_music
drwxr-xr-x 2 vaibhavi hey-pratik 4096 Oct 23 05:40  backup
drwxr-xr-x 3 vaibhavi hey-pratik 4096 Oct 23 05:39  my_old_files
drwxr-xr-x 3 vaibhavi hey-pratik 4096 Oct 23 05:31  my_files
-rw-r--r-- 1 vaibhavi hey-pratik   51 Oct 23 05:03  new_file.txt
-rw-r--r-- 1 vaibhavi hey-pratik   22 Oct 23 04:59  my_third_file.txt
-rw-r--r-- 1 vaibhavi hey-pratik   18 Oct 23 04:59  my_other_file.txt
-rw-r--r-- 1 vaibhavi hey-pratik   14 Oct 23 04:59  my_file.txt
drwxr-xr-x 3 vaibhavi hey-pratik 4096 Oct 23 04:31  my_directory
drwxr-xr-x 5 vaibhavi hey-pratik 4096 Oct 23 03:42  MC-Aug26
vaibhavi@vaibhavi99099W1:~$
```

2. List the directory contents size wise sorted.(man ls)

```
vaibhavi@vaibhavi99099W1:~$ ls -lS
total 52
drwxr-xr-x 3 vaibhavi hey-pratik 4096 Oct 23 04:31  my_directory
drwxr-xr-x 5 vaibhavi hey-pratik 4096 Oct 23 03:42  MC-Aug26
drwxr-xr-x 2 vaibhavi hey-pratik 4096 Oct 23 05:40  backup
drwxr-xr-x 3 vaibhavi hey-pratik 4096 Oct 23 06:42  my_music
drwxr-xr-x 3 vaibhavi hey-pratik 4096 Oct 23 05:39  my_old_files
drwxr-xr-x 3 vaibhavi hey-pratik 4096 Oct 23 05:31  my_files
-rw-r--r-- 1 vaibhavi hey-pratik   51 Oct 23 05:03  new_file.txt
-rw-r--r-- 1 vaibhavi hey-pratik   48 Oct 25 10:45 'details.txt``$'
-rw-r--r-- 1 vaibhavi hey-pratik   31 Oct 25 10:50  details.txt
-rw-r--r-- 1 vaibhavi hey-pratik   22 Oct 23 04:59  my_third_file.txt
-rw-r--r-- 1 vaibhavi hey-pratik   18 Oct 23 04:59  my_other_file.txt
-rw-r--r-- 1 vaibhavi hey-pratik   14 Oct 23 04:59  my_file.txt
-rw------- 1 vaibhavi hey-pratik   10 Oct 25 10:41  details.txt.save
vaibhavi@vaibhavi99099W1:~$
```

3. List directory contents along with their inode no. (man ls)

```
vaibhavi@vaibhavi99099W1:~$ ls -li
total 52
44899 drwxr-xr-x 5 vaibhavi hey-pratik 4096 Oct 23 03:42  MC-Aug26
45062 drwxr-xr-x 2 vaibhavi hey-pratik 4096 Oct 23 05:40  backup
45080 -rw-r--r-- 1 vaibhavi hey-pratik   31 Oct 25 10:50  details.txt
45077 -rw------- 1 vaibhavi hey-pratik   10 Oct 25 10:41  details.txt.save
45081 -rw-r--r-- 1 vaibhavi hey-pratik   48 Oct 25 10:45 'details.txt``$'
44921 drwxr-xr-x 3 vaibhavi hey-pratik 4096 Oct 23 04:31  my_directory
44505 -rw-r--r-- 1 vaibhavi hey-pratik   14 Oct 23 04:59  my_file.txt
44927 drwxr-xr-x 3 vaibhavi hey-pratik 4096 Oct 23 05:31  my_files
44818 drwxr-xr-x 3 vaibhavi hey-pratik 4096 Oct 23 06:42  my_music
45054 drwxr-xr-x 3 vaibhavi hey-pratik 4096 Oct 23 05:39  my_old_files
44915 -rw-r--r-- 1 vaibhavi hey-pratik   18 Oct 23 04:59  my_other_file.txt
44922 -rw-r--r-- 1 vaibhavi hey-pratik   22 Oct 23 04:59  my_third_file.txt
44924 -rw-r--r-- 1 vaibhavi hey-pratik   51 Oct 23 05:03  new_file.txt
vaibhavi@vaibhavi99099W1:~$
```

4. List the contents of the subdirectory.

```
vaibhavi@vaibhavi99099W1:~$ ls my_music
new_song_3.mp3  old_music  song_2.mp3
vaibhavi@vaibhavi99099W1:~$
```

```
vaibhavi@vaibhavi99099W1:~$ ls -l test.txt
-rw-r--r-- 1 vaibhavi hey-pratik 0 Oct 25 04:26 test.txt
vaibhavi@vaibhavi99099W1:~$
```

5. Create a file, write your surname and name in it and save.

```
vaibhavi@vaibhavi99099W1:~$ nano details.txt
vaibhavi@vaibhavi99099W1:~$ cat details.txt


Khandekar Vaibhavi
Amravati

vaibhavi@vaibhavi99099W1:~$
```

i. now open the same file and add your address in it and save.

```
vaibhavi@vaibhavi99099W1:~$ nano details.txt
vaibhavi@vaibhavi99099W1:~$ cat details.txt


Khandekar Vaibhavi
Amravati

vaibhavi@vaibhavi99099W1:~$
```

ii. reopen the same file and check your name and address in it.

```
vaibhavi@vaibhavi99099W1:~$ nano details.txt
vaibhavi@vaibhavi99099W1:~$ cat details.txt

Khandekar Vaibhavi
Amravati

vaibhavi@vaibhavi99099W1:~$
```

6. how to change the time stamp of file (man touch)

```
vaibhavi@vaibhavi99099W1:~$ ls -l test.txt
-rw-r--r-- 1 vaibhavi hey-pratik 0 Oct 25 04:26 test.txt
vaibhavi@vaibhavi99099W1:~$
```

7. Create directory structure : Give following commands , -> mkdir one -> cd one -> touch 1.txt 11.txt 111.txt -> mkdir two -> cd two -> touch 2.txt 22.txt 222.txt -> mkdir three -> cd three -> touch 3.txt 33.txt 333.txt -> mkdir four -> cd four -> touch 4.txt 44.txt 444.txt -> mkdir five -> cd five -> touch 5.txt 55.txt 555.txt -> cd ~ (i.e. go to your home directory)

```
vaibhavi@vaibhavi99099W1:~$ cd ~
vaibhavi@vaibhavi99099W1:~$ mkdir one
vaibhavi@vaibhavi99099W1:~$ cd one
vaibhavi@vaibhavi99099W1:~/one$ touch 1.txt 11.txt 111.txt
vaibhavi@vaibhavi99099W1:~/one$ mkdir two
vaibhavi@vaibhavi99099W1:~/one$ cd two
vaibhavi@vaibhavi99099W1:~/one/two$ touch 2.txt 22.txt 222.txt
vaibhavi@vaibhavi99099W1:~/one/two$ mkdir three
vaibhavi@vaibhavi99099W1:~/one/two$ cd three
vaibhavi@vaibhavi99099W1:~/one/two/three$ touch 3.txt 33.txt 333.txt
vaibhavi@vaibhavi99099W1:~/one/two/three$ mkdir four
vaibhavi@vaibhavi99099W1:~/one/two/three$ cd four
vaibhavi@vaibhavi99099W1:~/one/two/three/four$ touch 4.txt 44.txt 444.txt
vaibhavi@vaibhavi99099W1:~/one/two/three/four$ mkdir five
vaibhavi@vaibhavi99099W1:~/one/two/three/four$ cd five
vaibhavi@vaibhavi99099W1:~/one/two/three/four/five$ touch 5.txt 55.txt 555.t
xt
vaibhavi@vaibhavi99099W1:~/one/two/three/four/five$ cd ~
vaibhavi@vaibhavi99099W1:~$
```

8.

i. list the directory contents of directory named "five" from current directory (i.e. home directory).

```
vaibhavi@vaibhavi99099W1:~$ ls one/two/three/four/five
5.txt  55.txt  555.txt
vaibhavi@vaibhavi99099W1:~$
```

ii. write your name in a file named "44.txt" of directory "four" from current directory.

```
vaibhavi@vaibhavi99099W1:~$ nano one/two/three/four/44.txt
vaibhavi@vaibhavi99099W1:~$
```

iii. remove the file named "555.txt" from directory "five" from current directory.

```
vaibhavi@vaibhavi99099W1:~$ rm one/two/three/four/five/555.txt
vaibhavi@vaibhavi99099W1:~$
```

iv. change directory to five (i.e. cd one/two/three/four/five/)

```
vaibhavi@vaibhavi99099W1:~$ cd one/two/three/four/five
vaibhavi@vaibhavi99099W1:~/one/two/three/four/five$
```

v. write your course name in file named "3.txt" which resides in directory "three" from current directory (i.e. five).also read the same file.

```
vaibhavi@vaibhavi99099W1:~/one/two/three/four/five$ cat ../../3.txt
Mobile Computing
vaibhavi@vaibhavi99099W1:~/one/two/three/four/five$
```

vi. list the contents of directory "two" from current directory

```
vaibhavi@vaibhavi99099W1:~/one/two/three/four/five$ ls ../../../
2.txt  22.txt  222.txt  three
vaibhavi@vaibhavi99099W1:~/one/two/three/four/five$
```

vii. **remove file named "222.txt" which belongs to directory "two" from current directory (i.e. five)**

```
vaibhavi@vaibhavi99099W1:~/one/two/three/four/five$ rm ../../../222.txt
```

viii. **now change the directory to "one"**

```
vaibhavi@vaibhavi99099W1:~/one$ pwd
/home/vaibhavi/one
vaibhavi@vaibhavi99099W1:~/one$
```

ix. **remove all files only from directory named "five" from current directory (i.e. one)**

```
vaibhavi@vaibhavi99099W1:~/one$ rm two/three/four/five/*
vaibhavi@vaibhavi99099W1:~/one$ pwd
```

x. **remove directory named "five" from current directory (i.e. one)**

```
vaibhavi@vaibhavi99099W1:~/one$ rmdir two/three/four/five
vaibhavi@vaibhavi99099W1:~/one$
```

xi. **remove whole directory named "four" from current directory**

```
vaibhavi@vaibhavi99099W1:~/one$ rm -r two/three/four
vaibhavi@vaibhavi99099W1:~/one$
```

xii. **change to your home directory.**

```
vaibhavi@vaibhavi99099W1:~/one$ cd ~
vaibhavi@vaibhavi99099W1:~$ pwd
/home/vaibhavi
vaibhavi@vaibhavi99099W1:~$
```

9. change the time stamp of file named "3.txt" which resides in directory named "three".(man touch)

```
vaibhavi@vaibhavi99099W1:~$ ls -l one/two/three/3.txt
-rw-r--r-- 1 vaibhavi hey-pratik 17 Oct 25 11:21 one/two/three/3.txt
vaibhavi@vaibhavi99099W1:~$
```