

2_Linux_Commands_Assignment-II

4.


a. Create a directory named "my_directory".




b. Create a directory named "our_directory" inside the "my_directory" directory.



c. Create a directory named "new_directory" and make it hidden.



d. Create a directory named "pictures" with multiple subdirectories named "vacation", "family", and "friends".



e. Create a directory named “dir1”.

```
vaibhavi@vaibhavi99099W1:~$ mkdir dir1
vaibhavi@vaibhavi99099W1:~$ ls
\dir1  my_directory  pictures  test.txt  text.txt
vaibhavi@vaibhavi99099W1:~$ ls
dir1  my_directory  pictures  test.txt  text.txt
vaibhavi@vaibhavi99099W1:~$
```

5. Use the "ls" command to verify that the new directories have been created successfully.

```
vaibhavi@vaibhavi99099W1:~$ ls
dir1  my_directory  pictures  test.txt  text.txt
vaibhavi@vaibhavi99099W1:~$
```

6. Use tree Command to see the above directory structure. (If it is not installed in your system, install it with the command “sudo apt-get install tree”

```
vaibhavi@vaibhavi99099W1:~$ sudo apt-get install tree
[sudo: authenticate] Password:
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
tree is already the newest version (2.3.1-1).
Solving dependencies... Done
0 upgraded, 0 newly installed, 0 to remove and 31 not upgraded.
vaibhavi@vaibhavi99099W1:~$ tree -a
.
├── .new_directory
├── dir1
├── my_directory
│   └── our_directory
├── pictures
│   ├── family
│   ├── friends
│   └── vacation
```

7. Try out some of the additional options for the "mkdir" command (e.g., -p, -m, -v)

-p = Create parent directories automatically

```
vaibhavi@vaibhavi99099W1:~$ mkdir -p banks/icici/axis/hdfc
vaibhavi@vaibhavi99099W1:~$ ls
banks  dir1  my_directory  pictures  test.txt  text.txt
vaibhavi@vaibhavi99099W1:~$
```

-m = Set directory permissions

```
vaibhavi@vaibhavi99099W1:~$ mkdir -m 755 permission_dir
vaibhavi@vaibhavi99099W1:~$ ls -ld permission_dir
```

-v = Display a message when creating a directory

```
vaibhavi@vaibhavi99099W1:~$ mkdir -v test_directory
mkdir: created directory 'test_directory'
vaibhavi@vaibhavi99099W1:~$
```

8. Try to delete the directory named “dir1”

```
vaibhavi@vaibhavi99099W1:~$ rmdir dir1
vaibhavi@vaibhavi99099W1:~$ ls
banks          permission_dir  test.txt        text.txt
my_directory   pictures        test_directory
vaibhavi@vaibhavi99099W1:~$
```

9. Try to delete the directory named “pictures”

```
vaibhavi@vaibhavi99099W1:~$ rmdir pictures/vacation pictures/family pictures
 friends pictures
rmdir: failed to remove 'pictures': Directory not empty
rmdir: failed to remove 'friends': No such file or directory
rmdir: failed to remove 'pictures': Directory not empty
vaibhavi@vaibhavi99099W1:~$ rmdir pictures/vacation pictures/family pictures
/friends pictures
rmdir: failed to remove 'pictures/vacation': No such file or directory
rmdir: failed to remove 'pictures/family': No such file or directory
vaibhavi@vaibhavi99099W1:~$ ls
banks  my_directory  permission_dir  test.txt  test_directory  text.txt
vaibhavi@vaibhavi99099W1:~$
```